



General information

Make	TALBOT
Model	EXPRESS 1000 VAN
Colour	White
Year of manufacture	1992
Gearbox	-MANUAL


Engine & fuel consumption

Engine capacity

Fuel type

Petrol

1.971 cc





MOT history

MOT expiry date	2024-04-03
MOT pass rate	62 %
MOT passed	18
Failed MOT tests	11
Total advice items	98
Total items failed	40

MOT #29	2023-04-04 10:26
MOT test number	150911082041
Result	Passed
Next expiry date	2024-04-03
Minor Offside Front Drive shaft joint constant velocity boot severely deterior	rated (6.1.7 (g) (i))

MOT #28	2022-03-14 15:53
MOT test number	491129551456
Result	✓ Passed
MOT #27	2021-02-06 10:30
MOT test number	635705237729

Result

✓ Passed





MOT #26	20	20-03-06 13:42
MOT test	number	205731921549
Result		✓ Passed
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	





MOT #25 2020-02	1-17 12:21
MOT test number 1438	03839656
Result	🗙 Failed
Fail Offside Front Outer Drive shaft joint constant velocity boot split or insecure, no longer preven ingress of dirt (6.1.7 (g) (ii))	nts the
FailOffside Headlamp insecure (4.1.1 (c))	
Advice Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
FailParking brake efficiency below requirements (1.4.2 (a) (i))	
Fail Offside Headlamp not working on main beam (4.1.1 (a) (ii))	
FailRear fog lamp not working (4.5.1 (a) (ii))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Fail Offside Position lamp not working (4.2.1 (a) (ii))	
Advice Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Fail Rear Brake load sensing valve seized and ABS not fitted or inoperative (1.1.17 (c) (ii))	
Advice Nearside Rear Service brake binding but not excessively (1.2.1 (f))	
Fail Horn not working (7.7 (a) (ii))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Fail Offside Stop lamp(s) not working (4.3.1 (a) (ii))	

MOT #24	2018-10-22 13:38
MOT test number	297543522034
Result	✓ Passed





MOT #2	23	2018-10-12 08:09
MOT te	st number	235181420749
Result		🗙 Failed
Fail	Nearside Front Brake pipe excessively corroded to flexy (1.1.11 (c))	
Fail	Nearside Front Brake disc in such a condition that it is seriously weakened (1.1.14	(a) (ii))
Fail ingress	Offside Front Outer Drive shaft joint constant velocity boot split or insecure, no lon of dirt (6.1.7 (g) (ii))	ger prevents the
Fail	Brake pad(s) less than 1.5 mm thick both front (1.1.13 (a) (ii))	
Fail	Rear Brakes imbalanced across an axle Axle 2 (1.2.1 (b) (i))	
Fail	Horn not working (7.7 (a) (ii))	
Fail	Rear Brake pipe excessively corroded (1.1.11 (c))	
Fail	Offside Front Brake disc in such a condition that it is seriously weakened (1.1.14 (a	a) (ii))
Fail (6.1.1 (Offside Rear Vehicle structure is fractured and structural rigidity is significantly red a) (i))	duced outer sill
Fail	Windscreen wiper does not clear the windscreen effectively both front (3.4 (b) (ii))	

MOT #22	2017-09-22 08:12
MOT test number	601175304144
Result	✓ Passed

MOT #21	2016-09-16 09:28
MOT test number	357270842510
Result	✓ Passed
Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c)	





446063870354

🗸 Passed

MOT #20	2016-09-15 09:18	
MOT test number	820050641433	
Result	🗙 Failed	
Fail Nearside Front Front wheel bearing rough when rotated (2.5.A.2)Fail Offside Rear Stop lamp not working (1.2.1b)		
Fail Offside Front Outer Front constant velocity joint gaiter damaged to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)		
Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c)		
MOT #19	2015-09-24 09:12	

MOT test number

Result

MOT #18	2015-04-09 16:53
MOT test number	426709195007
Result	✓ Passed
Advice Offside rear brake fluctuating, but not excessively (3.7.B.3)	
Advice Nearside Front Lower Suspension arm rubber bush deteriorated but not movement (2.4.G.2)	resulting in excessive
Advice Nearside front brake fluctuating, but not excessively (3.7.B.3)	
Advice Nearside rear brake fluctuating, but not excessively (3.7.B.3)	
Advice Centre Exhaust has a minor leak of exhaust gases (7.1.2)	
Advice Offside Front Lower Suspension arm rubber bush deteriorated but not removement (2.4.G.2)	esulting in excessive
Advice Offside front brake fluctuating, but not excessively (3.7.B.3)	





MOT #17 2015-04-09 08:0
MOT test number 20590959506
Result × Faile
Advice Offside front brake fluctuating, but not excessively (3.7.B.3)
Advice Offside rear brake fluctuating, but not excessively (3.7.B.3)
Fail Rear fog lamp not working (1.3.2b)
Advice Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
Advice Nearside front brake fluctuating, but not excessively (3.7.B.3)
Advice Nearside rear brake fluctuating, but not excessively (3.7.B.3)
Advice Centre Exhaust has a minor leak of exhaust gases (7.1.2)
Fail Offside Front constant velocity joint gaiter deteriorated to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)
Advice Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

MOT #16		2014-04-11 14:48
MOT test	number	507321304157
Result		✓ Passed
Advice	Offside Rear wheel bearing has slight play (2.6.2)	
Notice	Rear shock absorber bushes starting to perish	
Advice	Offside rear brake fluctuating, but not excessively (3.7.B.3)	
Advice	Nearside Rear wheel bearing has slight play (2.6.2)	
Notice	Slight corrosion on nearside and offside front wheel arches, but not creating shar	p edges
Advice	Nearside rear brake fluctuating, but not excessively (3.7.B.3)	





MOT #15	2014-04-04 11:52
MOT test number	247194594094
Result	🗙 Failed
Fail Offside Rear Suspension spring mounting prescribed area is excessively corroded ((2.4.A.3)
Advice Nearside Rear wheel bearing has slight play (2.6.2)	
Notice Nearside rear tyre slightly perished	
Advice Nearside rear brake fluctuating, but not excessively (3.7.B.3)	
Notice Offside rear tyre slightly perished	
Fail Nearside Rear Suspension spring mounting prescribed area is excessively corroded	d (2.4.A.3)
Notice Rear shock absorber bushes starting to perish	
Fail Nearside Rear Suspension spring mounting prescribed area is excessively corroded	d (2.4.A.3)
Advice Nearside Front Seat belt anchorage prescribed area is corroded but not conside (5.2.6)	ered excessive
Advice Offside Rear wheel bearing has slight play (2.6.2)	
Notice Slight corrosion on nearside and offside front wheel arches, but not creating sha	arp edges
Fail Offside Rear Tyre has a lump, caused by separation or partial failure of its structure	e (4.1.D.1b)
Notice Nearside rear tyre slightly mis-shapen	
Advice Offside rear brake fluctuating, but not excessively (3.7.B.3)	
Fail Offside Rear Suspension spring mounting prescribed area is excessively corroded ((2.4.A.3)





MOT #14	2013-04-10 15:08	
MOT test number	769540103100	
Result	✓ Passed	
Advice Nearside Rear wheel bearing has slight play (2.6.2)		
Notice Nearside and offside rear shock absorber lower mounting bushes getting perished, but no excessive movement.		
Advice Nearside Front Lower Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)		
Advice Offside Rear wheel bearing has slight play (2.6.2)		
MOT #13	2013-04-10 15:08	
MOT test number	269910803446	
Result	× Failed	
Notice Nearside and offside rear shock absorber lower mounting bushes getting perise excessive movement.	shed, but no	
Advice Nearside Front Lower Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)		

Advice Offside Rear wheel bearing has slight play (2.6.2)

Pass with rectification Nearside Headlamp not working on main beam (1.7.5a)

Advice Nearside Rear wheel bearing has slight play (2.6.2)



	report date: 2022-08-09
MOT #12	2012-04-03 15:12
MOT test	number 288554592091
Result	✓ Passec
Advice	Nearside Rear wheel bearing has slight play (2.6.2)
Notice	All brake pipes have been heavily greased
Notice	Nearside rear tyre sidewall getting perished
Advice	Offside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
Advice	Offside Front Upper Suspension arm has slight play in a pin/bush (2.4.G.2)
Advice	Offside Rear wheel bearing has slight play (2.6.2)
Notice	Both rear shock absorber lower mounting bushes starting to perish
Advice	Nearside Front Lower Suspension arm has slight play in a pin/bush (2.4.G.2)

J490GGU





MOT #11 2012-0	4-02 15:50
MOT test number 9580	643992005
Result	🗙 Failed
Advice Nearside Front Lower Suspension arm has slight play in a pin/bush (2.4.G.2)	
Notice Nearside rear tyre sidewall getting perished	
Advice Nearside Rear wheel bearing has slight play (2.6.2)	
Pass with rectificationOffside Front position lamp(s) not working (1.1.A.3b)	
Advice Brakes imbalanced requirements only just met. It would appear that the braking system adjustment or repair. (3.7.B.5b)	requires
Fail Nearside rear parking brake recording little or no effort (3.7.B.6a)	
Notice Exhaust mounting rubbers perished	
Advice Offside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)	
Notice Both rear shock absorber lower mounting bushes starting to perish	
Advice Offside Front Upper Suspension arm has slight play in a pin/bush (2.4.G.2)	
Notice Nearside rear brake drum backing plate is damp	
Advice Offside Rear wheel bearing has slight play (2.6.2)	
FailNearside rear brake recording little or no effort (3.7.B.5a)	
Notice All brake pipes have been heavily greased	
FailNearside rear brake application uneven (3.7.B.2)	
Notice One exhaust mounting rubber snapped	



J490GGU
report date: 2022-08-09

MOT #10		2011-04-14 12:42
MOT test	number	805204201172
Result		✓ Passed
Advice	Nearside Rear wheel bearing has slight play (2.6.2)	
Advice	Offside Front constant velocity joint gaiter deteriorated (2.5.C.1a)	
Advice	Nearside Front wheel bearing has slight play (2.5.A.3c)	
Advice	Offside Rear wheel bearing has slight play (2.6.2)	

MOT #9		2010-04-16 16:16
MOT test	number	562336400122
Result		✓ Passed
Advice	Nearside Rear wheel bearing has slight play (2.6.2)	
Notice	Slight corrosion on N/S/F & O/S/F inner wings	
Advice	Offside Rear wheel bearing has slight play (2.6.2)	

MOT #8		2010-04-16 16:16
MOT test number		984546300160
Result		🗙 Failed
Pass with rectification	Nearside Front Headlamp aim too high (1.8)	
Notice Slight corrosion	on N/S/F & O/S/F inner wings	
Advice Nearside Rear w	heel bearing has slight play (2.6.2)	
Pass with rectification	Offside Front Headlamp aim too high (1.8)	
Advice Offside Rear who	eel bearing has slight play (2.6.2)	



J490GGU
report date: 2022-08-09

MOT #7		2009-03-17 15:46
MOT test	number	223736079052
Result		✓ Passed
Advice	Rear Exhaust has a minor leak of exhaust gases (7.1.2)	
Advice	Front Brake hose slightly deteriorated (3.6.B.4d)	
Advice	Rear Exhaust has part of the system slightly deteriorated (7.1.1a)	
Advice	Nearside Front Body has slight corrosion (6.1.B.2)	

MOT #6	2009-03-17 15:46	
MOT test number	853096079049	
Result	🗙 Failed	
Advice Rear Exhaust has a minor leak of exhaust gases	(7.1.2)	
Advice Front Brake hose slightly deteriorated (3.6.B.4d)		
Pass with rectification Front Windscreen wiper does r	not clear the windscreen effectively (8.2.2)	
Advice Rear Exhaust has part of the system slightly deteriorated (7.1.1a)		
Advice Nearside Front Body has slight corrosion (6.1.B.2)		

MOT #5		2008-04-03 15:50
MOT test	number	531414298067
Result		✓ Passed
Advice	Offside Front Brake hose slightly deteriorated (3.6.B.4d)	
Advice	Nearside Front Brake hose slightly deteriorated (3.6.B.4d)	





MOT #4		2008-03-28 12:11
MOT test	number	164498788401
Result		🗙 Failed
	learside Front Body or chassis has excessive corrosion, seriously affec mountings (6.1.B.2)	ting its strength within 30cm of
Advice	Offside Front Brake hose slightly deteriorated (3.6.B.4d)	
Advice	Nearside Front Brake hose slightly deteriorated (3.6.B.4d)	
MOT #3		2007-03-30 09:16

MOT test number	282369987099
Result	✓ Passed

MOT #2	2007-03-27 16:46
MOT test number	100846287417
Result	🗙 Failed
Fail Nearside Front Brake pipe excessively corroded (3.6.B.2c)	
Advice Rear Exhaust has part of the system slightly deteriorated (7.1.1a)	
Notice O/s n/s fron seats	
Fail Offside Front Brake pipe excessively corroded (3.6.B.2c)	
Advice Front Exhaust has part of the system slightly deteriorated (7.1.1a)	

MOT #1	2006-03-30 07:24
MOT test number	700779886075
Result	✓ Passed





Damage history

Check the damage history for this TALBOT. See if, where and when this TALBOT had damage and the car repair costs. We also check if this TALBOT was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	AAMP
Туре	
Damage 2	AMPLE
Damaye z	6 - C- D- D
Date	*
Category	AMPL
Туре	

Extra TALBOT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this TALBOT? How many owners did this TALBOT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

ana	

	More info >
Plate changes	
See in this check if this TALBOT had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





Finance check

Check if this TALBOT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this TALBOT has been settled.

If not, and you buy this TALBOT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this TALBOT is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	27
First mileage registration	1992-01-31
Last registration	2023-04-04
Complete history	<u>See info</u>



Registration #1	1992-01-31	9 mi
Registration #2	2006-03-30	38.972 mi
Registration #3	2007-03-27	41.630 mi
Registration #4	2007-03-30	41.639 mi
Registration #5	2008-03-28	43.412 mi
Registration #6	2008-04-03	43.420 mi
Registration #7	2009-03-17	43.431 mi
Registration #8	2010-04-16	44.129 mi
Registration #9	2011-04-14	45.068 mi
Registration #10	2012-04-02	46.531 mi
Registration #11	2012-04-03	46.533 mi
Registration #12	2013-04-10	48.341 mi
Registration #13	2014-04-04	49.416 mi
Registration #14	2014-04-11	49.416 mi
Registration #15		11.777 esi
Registration #16		11.777 est
Registration #17		11.777 esi
Registration #18		11.777 est
Registration #19		11.777 esi
Registration #20		11.777 esi
Registration #21		11.777 esi
Registration #22		11.777 est
Registration #23		11.777 esi
Registration #24		11.117 est
Registration #25		11.777 mi
Registration #26		11.117 est
CarCheck.co.uk		page 18/19

More info \rightarrow





Additional information

Engine number

ABTR0123786