





## General information

Make	RENAULT
Model	MEGANE DYNAMIQUE DCI 106
Colour	Silver
Year of manufacture	2006
Top speed	115 mph
0 - 60 mph	11.1 seconds
Gearbox	6 speed Manual

## Engine & fuel consumption

Power	106 BHP
Max. torque	240 Nm at 2.000 rpm
Engine capacity	1.461 cc
Cylinders	4
Fuel type	Diesel
Consumption city	51.4 mpg
Consumption extra urban	70.6 mpg
Consumption combined	62.8 mpg
CO2 emission	120 g/km
CO2 label	С







# Internet history

Entry 1

Date

2021-07-18

Pictures

5

Listing price

View report



source: autotrader.co.uk



# MOT history

MOT expiry date	2024-06-25
MOT pass rate	68 %
MOT passed	15
Failed MOT tests	7
Total advice items	94
Total items failed	27

MOT #22		2023-06-10 14:59
MOT test	number	373060075692
Result		✓ Passed
Next exp	ry date	2024-06-25
Advice	Oil leak, but not excessive Gearbox side (8.4.1 (a) (i))	
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.2	1.11 (c))
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.1	4 (a) (ii))
Advice	Offside Rear Brake disc worn, but not excessively (1.1.14 (a) (i))	
Advice	Exhaust sheild loose	
Advice	Offside Front Play in steering rack inner joint(s)	
Advice	Offside Brake pipe corroded, covered in grease or other material FRONT TO	O REAR (1.1.11 (c))
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1	1.1.11 (c))
Minor	Headlamp lens slightly defective (4.1.1 (b) (i))	
Advice	Rear Exhaust mounting defective (6.1.2 (a))	
Advice	Front Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Advice	Front Fuel Pipe/s corroded Front to rear	





MOT #21	2023-06-09 10:56
MOT test num	<b>nber</b> 852649522074
Result	× Failed
Minor Hea	adlamp lens slightly defective (4.1.1 (b) (i))
Fail Nears	side Front Shock absorbers has a serious fluid leak (5.3.2 (b))
Advice Fr	ont Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice Ne	earside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice Of	ffside Front Play in steering rack inner joint(s)
<b>Advice</b> Re	ear Exhaust mounting defective (6.1.2 (a))
Fail Offsid	le Rear Stop lamp(s) not working (4.3.1 (a) (ii))
<b>Advice</b> Oi	l leak, but not excessive Gearbox side (8.4.1 (a) (i))
Advice Fr	ont Brake pad(s) wearing thin (1.1.13 (a) (ii))
Fail Nears	side Front Track rod end ball joint has excessive play (2.1.3 (b) (i))
Advice Fr	ont Fuel Pipe/s corroded Front to rear
Advice Ex	khaust sheild loose
Advice Of	ffside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice Of	ffside Rear Brake disc worn, but not excessively (1.1.14 (a) (i))
Advice Of	ffside Brake pipe corroded, covered in grease or other material FRONT TO REAR (1.1.11 (c))





MOT #20	2022-06-08 14:41
MOT test	<b>number</b> 871359643253
Result	✓ Passed
Advice	Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge 2mm (5.2.3 (e))
<b>Advice</b> (5.3.4 (a)	Offside Front Suspension arm pin or bush worn but not resulting in excessive movement rear bush (i))
Advice	Play in steering rack inner joint(s)
Advice	Exhaust heat shield insecure
Advice	Offside Rear Tyre worn close to legal limit/worn on edge 2.5mm (5.2.3 (e))
Advice	Nearside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
Advice	Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice	Offside Front Tyre worn close to legal limit/worn on edge 2mm 205/55/16 (5.2.3 (e))
Advice bush (5.3.	Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement rear 4 (a) (i))
Advice	Nearside Rear Tyre worn close to legal limit/worn on edge on the limit (5.2.3 (e))
Advice	Nearside Front Shock absorbers has light misting of oil (5.3.2 (b))
Advice	Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice	Offside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
<b>Minor</b> (b) (i))	Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))





MOT #19	2022-06-07 10:15
MOT test number	309096018273
Result	🗙 Failed

Minor Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
Fail Parking brake efficiency less than 50% of the required value (1.4.2 (a) (ii))
Advice Offside Rear Tyre worn close to legal limit/worn on edge 2.5mm (5.2.3 (e))
Fail         Nearside Headlamp aim too low (4.1.2 (a))
Advice Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice Exhaust heat shield insecure
Advice Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))
<b>Fail</b> Offside Front Suspension arm ball joint excessively worn (5.3.4 (a) (i))
Advice Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive movement rear bush
(5.3.4 (a) (i)) Advice Offside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
Advice Offside Front Tyre worn close to legal limit/worn on edge 2mm 205/55/16 (5.2.3 (e))
Fail         Nearside Parking brake inoperative on one side (1.4.1 (a))
Advice Nearside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
Advice Nearside Rear Tyre worn close to legal limit/worn on edge on the limit (5.2.3 (e))
Fail         Nearside Front Position lamp not working (4.2.1 (a) (ii))
Advice Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice Play in steering rack inner joint(s)
Fail         Offside Headlamp aim too low (4.1.2 (a))
Advice Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))
<b>Fail</b> Offside Rear Tyre not fitted in accordance with side wall instructions (5.2.3 (i))
Advice Nearside Front Shock absorbers has light misting of oil (5.3.2 (b))
Advice Nearside Front Tyre worn close to legal limit/worn on edge 2mm (5.2.3 (e))





MOT #18		2021-06-26 09:11
MOT test	number	347615502946
Result		✓ Passed
MOT #17		2020-10-24 14:32
MOT test	number	930351250109
Result		✓ Passed
Advice	Nearside Front Track rod end ball joint has slight play (2.1.3 (b) (i))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened both sid	des (1.1.14 (a) (ii))
Advice	Offside Front Track rod end ball joint has slight play (2.1.3 (b) (i))	

MOT #16	2019-11-11 10:48
MOT test number	502952626348
Result	✓ Passed
Advice Play in steering rack inner joint(s)	

MOT #15	2018-10-24 12:15
MOT test number	439488926953
Result	✓ Passed
Advice Nearside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))	

MOT #14	2017-10-31 17:38
MOT test number	860497571735
Result	✓ Passed





MOT #13		2016-11-14 14:52
MOT test	number	997163894721
Result		🗸 Passed
Advice	Nearside Rear Rear wheel bearing has slight play (2.6.2)	
Advice	Brake disc worn, pitted or scored, but not seriously weakened both rear (3.5.1i)	
Advice	Nearside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Play in steering rack inner joint(s)	
Advice	Brake disc worn, pitted or scored, but not seriously weakened both front (3.5.1i)	
Advice	Brake pipe slightly corroded both front to rear (3.6.B.2c)	

MOT #12	2016-11-14 11:41
MOT test number	425833310173
Result	🗙 Failed
Advice Brake disc worn, pitted or scored, but not seriously weakened both rear (3.5.1i)	
Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice Nearside Play in steering rack inner joint(s)	
Fail         Registration plate lamp not working (1.1.C.1d)	
<b>Advice</b> Brake disc worn, pitted or scored, but not seriously weakened both front (3.5.1i)	
<b>Advice</b> Brake pipe slightly corroded both front to rear (3.6.B.2c)	
Advice Nearside Rear Rear wheel bearing has slight play (2.6.2)	
Fail         Nearside Rear Stop lamp not working (1.2.1b)	
<b>Fail</b> Offside Front constant velocity joint gaiter insecure to the extent that it no longer principles of dirt etc (2.5.C.1a)	revents the





МОТ #	11	2015-11-18 13:53
MOT te	est number	537521562002
Result		✓ Passed
Advid	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advie	e Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5	.1i)
Advie	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advid	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3	.5.1i)
MOT #	10	2015-11-13 09:03
MOT te	est number	376049770838
Result		🗙 Failed
<b>Fail</b> ingress	Nearside Front constant velocity joint gaiter insecure to the extent that it no longer of dirt etc (2.5.C.1a)	prevents the
Fail	Offside Rear brake disc in such a condition that it is seriously weakened (3.5.1i)	
Advie	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Fail	Nearside rear brake excessively fluctuating (3.7.B.3)	
Advie	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3	.5.1i)
Fail	Front position lamp(s) not working both (1.1.A.3b)	

Nearside Rear brake disc in such a condition that it is seriously weakened (3.5.1i)

Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

Nearside Front Tyre worn close to the legal limit (4.1.E.1)

Offside Rear Tyre worn close to the legal limit (4.1.E.1)

Offside rear brake excessively fluctuating (3.7.B.3)

Fail

Advice

Advice

Advice

Fail

page 9/18





МОТ #9	2014-11-07 16:15
MOT test number	535041614331
Result	✓ Passed
Advice Nearside Brake pipe slightly corroded (3.6.B.2c)	
Advice Brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	

MOT #8	2014-11-07 11:56
MOT test number	468371014460
Result	🗙 Failed
<b>Fail</b> Nearside Front Track rod end ball joint has excessive play (2.2.B.1f)	
Advice Brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Fail Offside Rear position lamp(s) adversely affected by the operation of another lamp	o (1.1.A.3f)
Fail         Offside Front Track rod end ball joint has excessive play (2.2.B.1f)	
Advice Nearside Brake pipe slightly corroded (3.6.B.2c)	

MOT #7	2013-11-20 09:05
MOT test number	986594523317
Result	✓ Passed
MOT #6	2012-11-09 16:35
MOT test number	895174012322

Resul	τ

🗸 Passed





MOT #	5	2012-11-09 10:00
MOT te	st number	339284512357
Result		🗙 Failed
Fail	Nearside Registration plate lamp not working (1.1.C.1d)	
Fail	Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Fail	Nearside Headlamp not working on dipped beam (1.7.5a)	
Fail	Offside Registration plate lamp not working (1.1.C.1d)	

МОТ #4	2011-11-10 11:44
MOT test number	438174211432
Result	✓ Passed
<b>Notice</b> Rear brake discs pitted	

MOT #3	2011-11-10 08:50
MOT test number	879584011362
Result	🗙 Failed
NoticeRear brake discs pittedFailOffside Headlamp not working on dipped beam (1.7.5a)	

MOT #2	2010-10-27 13:33
MOT test number	204480700339
Result	✓ Passed

MOT #1	2009-11-25 12:02
MOT test number	901779529346
Result	✓ Passed



Tax & MOT check

<b>Tax due:</b> 1 January 2025	✓ Taxed	<b>Expires:</b> 25 June 2024	✓ мот
Tax status			Valid until 1 January
Days left			248
MOT expiry date			25 June 2024
Full MOT history			<u>See MOT history</u>
Tax calculation			
		40	

Vehicle class	49
Band	С
Single payment (12 months)	£ 35,00,-
Single six month payment	Not applicable
Total payable by 12 monthly instalments	£ 36,75,-





#### Damage history

Check the damage history for this RENAULT. See if, where and when this RENAULT had damage and the car repair costs. We also check if this RENAULT was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FEIDO
Category	4 ARAPE
Туре	
Damage 2	AMPL
	F Store
Date	1. E
Category	ame
Туре	

#### Extra RENAULT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





#### Vehicle valuation

What is this car worth? See the vehicle value of this RENAULT in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 11 711

More info  $\rightarrow$ 





## Owner history

For how long did the current and previous owner(s) have this RENAULT? How many owners did this RENAULT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

and the second sec	
************	
********	
	More info >
Plate changes	
See in this check if this RENAULT had different number plates	
Number of plates	,
Current registration	
Plate since	
Correct registration	
Plate since	
	More info >





#### Finance check

Check if this RENAULT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this RENAULT has been settled.

If not, and you buy this RENAULT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this RENAULT is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info  $\rightarrow$ 





## Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2006-12-08
Last registration	2023-06-10
Complete history	See info



Registration #1	2006-12-08	16 mi
Registration #2	2009-11-25	24.988 mi
Registration #3	2010-10-27	32.377 mi
Registration #4	2011-11-10	40.781 mi
Registration #5	2011-11-10	40.781 mi
Registration #6	2012-11-09	47.052 mi
Registration #7	2012-11-09	47.052 mi
Registration #8	2013-11-20	51.872 mi
Registration #9	2014-11-07	58.979 mi
Registration #10	2014-11-07	58.979 mi
Registration #11	2015-11-13	67.365 mi
Registration #12	2015-11-18	67.466 mi
Registration #13	8993-85-89	11.777 mi
-		
Registration #13		
Registration #13 Registration #14		
Registration #13 Registration #14 Registration #15		
Registration #13 Registration #14 Registration #15 Registration #16		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21		
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22		

More info >





### Car features

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

# Safety ratings

**NCAP** rating

Video

\*\*\*\* see crash video



Dimensions & weight	
Width	2026 mm
Height	1458 mm
Length	4209 mm
Wheel base	2625 mm
Kerb weight	1205 kg
Max. allowed weight	1770 kg
Additional information	
Fuel tank capacity	60 I
Fuel delivery	Direct Injection
Number of doors	5
Number of seats CarCheck.co.uk	5 page 18/18

Number of axles	2
Engine number	D190625