



report date: 2024-03-29

General information

Make	FORD
Model	KA FINESSE
Colour	Silver
Year of manufacture	-
Top speed	95 mph
0 - 60 mph	16.4 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	59 BHP
Max. torque	103 Nm at 2.500 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	32.5 mpg
Consumption extra urban	47.9 mpg
Consumption combined	40.9 mpg



LABEL UNKNOWN

**MOT history****MOT #24** 2020-09-21 10:54**MOT test number** 409071857409**Result** ✓ Passed**Next expiry date** 2021-09-26

**Advice** Offside Front Macpherson strut pin or bush worn but not resulting in excessive movement Top mount bush worn. (5.3.4 (a) (i))

**Advice** Nearside Rear Vehicle structure is corroded but structural rigidity is not significantly reduced body sill has corrosion. (6.1.1 (c) (i))

**Advice** Nearside Front Brake pad(s) wearing thin (1.1.13 (a) (ii))

**Advice** Nearside Front Macpherson strut pin or bush worn but not resulting in excessive movement top mount bush worn. (5.3.4 (a) (i))

**Advice** Nearside Front Vehicle structure is corroded but structural rigidity is not significantly reduced Body sill has corrosion. (6.1.1 (c) (i))

**MOT #23** 2019-09-20 14:14**MOT test number** 424897481199**Result** ✓ Passed**MOT #22** 2019-09-18 11:14**MOT test number** 651524690530**Result** ✗ Failed

**Fail** Offside Seat belt anchorage prescribed area strength or continuity significantly reduced FLOOR (as chalked) (7.1.1 (a) (i))

**Fail** Nearside Front Tyre has ply or cords exposed (5.2.3 (d) (ii))

**Fail** Nearside Front Shock absorbers has a serious fluid leak (5.3.2 (b))

**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))

**MOT #21** 2018-09-27 16:04**MOT test number** 936891819172**Result** ✓ Passed

**MOT #20**

2018-09-20 12:55

**MOT test number**

496999500876

**Result**

✗ Failed

**Fail**

Offside Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))

**Advice**

Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**Fail**

Offside Front Macpherson strut mounting damaged and seriously weakened (5.3.3 (b) (i))

**Fail**

Offside Front Vehicle structure corroded to the extent that the rigidity of the assembly is significantly reduced (6.1.1 (c) (i))

**Fail**

Nearside Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))

**Fail**

Nearside Front Macpherson strut mounting damaged and seriously weakened (5.3.3 (b) (i))

**Advice**

Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**Fail**

Nearside Front Vehicle structure corroded to the extent that the rigidity of the assembly is significantly reduced (6.1.1 (c) (i))

**Fail**

Parking brake efficiency below requirements (1.4.2 (a) (i))

**Fail**

Offside Front Coil spring fractured or broken (5.3.1 (b) (i))

**MOT #19**

2017-09-19 11:34

**MOT test number**

678755576598

**Result**

✓ Passed

**MOT #18**

2016-08-03 10:47

**MOT test number**

715663517407

**Result**

✓ Passed

**MOT #17** 2016-08-03 10:47**MOT test number** 954024835190**Result** ✗ Failed

- Pass with rectification** Nearside Front Shock absorber has a serious fluid leak (2.7.3)
- Pass with rectification** Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Pass with rectification** Rear registration plate deteriorated (6.3.1d)
- Pass with rectification** Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)

**MOT #16** 2015-07-29 16:57**MOT test number** 127980215229**Result** ✓ Passed

- Notice** Oil leak
- Advice** Rear registration plate deteriorated but not likely to be misread (6.3.1d)

**MOT #15** 2015-07-08 18:08**MOT test number** 867639185162**Result** ✗ Failed

- Notice** Oil leak
- Fail** Nearside Front Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)

**MOT #14**

2014-06-24 16:42

**MOT test number**

336595774159

**Result**

✓ Passed

**Advice**

Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Advice**

Rear registration plate deteriorated but not likely to be misread (6.3.1d)

**Advice**

Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Advice**

Offside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)

**Advice**

Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**MOT #13**

2013-07-05 13:23

**MOT test number**

297606683173

**Result**

✓ Passed

**MOT #12**

2013-06-29 12:34

**MOT test number**

378510983176

**Result**

✗ Failed

**Pass with rectification**

Offside Stop lamp not working (1.2.1b)

**Fail**

Offside Rear Subframe mounting prescribed area is excessively corroded (2.4.A.3)

**MOT #11**

2012-06-26 11:51

**MOT test number**

946608872194

**Result**

✓ Passed

**Advice**

Nearside Rear Shock absorber has a light misting of oil (2.7.3)

**Advice**

Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Advice**

Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**Advice**

Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #10**

2012-06-25 09:06

**MOT test number**

285207972178

**Result****✗ Failed****Fail** Offside Front coil spring fractured (2.4.C.1a)**Advice** Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Notice** Front brake discs worn**Fail** Inner Front Brake pad(s) less than 1.5 mm thick (3.5.1g)**Advice** Nearside Rear Shock absorber has a light misting of oil (2.7.3)**Advice** Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**MOT #9**

2011-06-30 13:56

**MOT test number**

516751481196

**Result****✓ Passed****MOT #8**

2011-06-25 10:16

**MOT test number**

948456371157

**Result****✗ Failed****Fail** Offside Front Seat belt anchorage prescribed area is excessively corroded (5.2.6)**MOT #7**

2010-06-30 16:11

**MOT test number**

363611880118

**Result****✓ Passed****Advice** Offside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)**Advice** Nearside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)**Advice** Nearside Front Headlamp damaged but light output not reduced (1.7.5a)**Advice** Nearside Rear Shock absorber has a light misting of oil (2.7.3)

**MOT #6** 2009-05-23 12:09**MOT test number** 973963849105**Result** ✓ Passed**MOT #5** 2008-06-16 15:08**MOT test number** 110158068174**Result** ✓ Passed**MOT #4** 2008-06-16 15:08**MOT test number** 650398368123**Result** ✗ Failed**Pass with rectification** Nearside Headlamp not working on main beam (1.7.5a)**Pass with rectification** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**MOT #3** 2007-05-05 09:52**MOT test number** 190195527153**Result** ✓ Passed**MOT #2** 2007-05-05 09:30**MOT test number** 880045927126**Result** ✗ Failed**Advice** Offside Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)**Advice** Front Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.5b)**Advice** Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Rear Service brake: service brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Advice** Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)



MOT #1	2006-05-06 10:45
MOT test number	500796626124
Result	✓ Passed





Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	<b>W639XGS</b>
Plate since	2019-03-29
Current registration	<b>W639XGS</b>
Plate since	2019-03-29

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2000-05-05
Last registration	2020-09-21
Complete history	<a href="#">See info</a>



Registration #1	2000-05-05	14 mi
Registration #2	2006-05-06	24.966 mi
Registration #3	2007-05-05	27.942 mi
Registration #4	2007-05-05	27.946 mi
Registration #5	2008-06-16	30.488 mi
Registration #6	2009-05-23	34.710 mi
Registration #7	2010-06-30	37.231 mi
Registration #8	2011-06-25	39.273 mi
Registration #9	2011-06-30	39.348 mi
Registration #10	2012-06-25	42.976 mi
Registration #11	2012-06-26	42.976 mi
Registration #12	2013-06-29	46.113 mi
Registration #13	2013-06-29	46.113 mi
Registration #14	2013-06-29	46.113 mi
Registration #15	2013-06-29	46.113 mi
Registration #16	2013-06-29	46.113 mi
Registration #17	2013-06-29	46.113 mi
Registration #18	2013-06-29	46.113 mi
Registration #19	2013-06-29	46.113 mi
Registration #20	2013-06-29	46.113 mi
Registration #21	2013-06-29	46.113 mi
Registration #22	2013-06-29	46.113 mi
Registration #23	2013-06-29	46.113 mi
Registration #24	2013-06-29	46.113 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating



Video [see crash video](#)



Additional information

Fuel tank capacity	42 l
Fuel delivery	Multi-Point Injection
Number of doors	3
Engine number	XJ55913