



 **H33IGDE**

report date: 2024-03-28

General information

Make	LAND ROVER
Model	DEFENDER TDI HT
Colour	Blue
Year of manufacture	1991
Gearbox	-Manual

Engine & fuel consumption

Power	107 BHP
Engine capacity	2.495 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-07-25
Pictures	19
Listing price	View report



source: autotrader.co.uk



MOT history

MOT expiry date	2024-11-29
MOT pass rate	65 %
MOT passed	13
Failed MOT tests	7
Total advice items	50
Total items failed	81

MOT #20 2023-11-14 14:39

MOT test number 103406697088

Result ✓ Passed

Next expiry date 2024-11-29

Advice Nearside Rear Vehicle structure or chassis corroded within 30cm of a mounting, but not seriously affecting overall security (6.2.2 (d) (i))

Minor Central Rear Upper Suspension arm ball joint dust cover severely deteriorated Fulcrum ball joint dust cover (5.3.4 (b) (i))

MOT #19 2022-11-25 08:01

MOT test number 159834621663

Result ✓ Passed

Advice Nearside Front Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))

Advice Brake master cylinder/servo mounting prescribed area is corroded but not considered excessive Bulkhead (1.1.21 (e) (i))

Advice Central Brake pipe corroded, covered in grease or other material Front to rear (1.1.11 (c))

Advice Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

**MOT #18**

2021-11-19 07:51

MOT test number

874115972077

Result

✓ Passed

- Advice** Offside Rear Shock absorbers has a slightly worn bush LOWER (5.3.2 (c))
- Advice** Offside Front Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Nearside Rear Shock absorbers has a slightly worn bush LOWER (5.3.2 (c))
- Advice** Lower Steering column universal joint has slight wear or play (2.2.2 (c))
- Advice** Nearside Front Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))
- Advice** Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Brake pipe corroded, covered in grease or other material FRONT TO REAR (1.1.11 (c))

MOT #17

2020-11-04 17:58

MOT test number

204521358516

Result

✓ Passed

- Minor** Front Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))

MOT #16

2019-05-30 17:37

MOT test number

735589652389

Result

✓ Passed

- Advice** Nearside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

**MOT #15** 2019-05-30 17:37**MOT test number** 315383538825**Result** ✗ Failed**Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Advice** Nearside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))**Pass with rectification** Nearside Headlamp not working on main beam (4.1.1 (a) (ii))**MOT #14** 2014-06-09 15:38**MOT test number** 248220264107**Result** ✓ Passed**MOT #13** 2013-04-16 14:19**MOT test number** 785236803158**Result** ✓ Passed**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)**Advice** Offside Body has slight corrosion (6.1.B.2)**Notice** Brake pedal slight travel**Advice** Parking brake lever has little reserve travel (3.1.6b)**Notice** Cluth pedal rubber missing**Notice** Spare tyre defective

**MOT #12**

2013-02-21 12:02

MOT test number

427132453047

Result**✗ Failed**

- Fail** Offside Stop lamp not working (1.2.1b)
- Fail** Nearside Front Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Ball joint has excessive play (2.2.B.1f)
- Fail** Offside Inner Front Brake pipe excessively corroded (3.6.B.2c)
- Fail** Towbar component insecure (6.6.1)
- Fail** Nearside Track rod end ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.2.C.1c)
- Fail** Windscreen washer provides insufficient washer liquid (8.2.3)
- Fail** Offside Rear Towbar component excessively corroded (6.6.1)
- Fail** Offside Front Bonded suspension unit deteriorated and cannot function as intended (2.4.F.3)
- Fail** Power steering inoperative (2.3.3a)
- Fail** Offside Front suspension has excessive play in a upper suspension ball joint (2.5.B.1a)
- Fail** Exhaust tailpipe not capable of allowing the emission probe to be inserted (7.4.B.1)
- Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
- Fail** Offside Rear position lamp(s) not working (1.1.A.3b)
- Fail** Offside Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Nearside Front Bonded suspension unit deteriorated and cannot function as intended (2.4.F.3)
- Fail** Nearside Headlamp excessively deteriorated so that the light output is severely reduced (1.7.5a)
- Fail** Nearside Rear Towbar component excessively corroded (6.6.1)
- Fail** Nearside Front Bonded suspension unit deteriorated and cannot function as intended (2.4.F.3)
- Fail** Front Windscreen wiper not operating automatically when switched on (8.2.1b)
- Fail** Nearside Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail** Rear Exhaust has a major leak of exhaust gases (7.1.2)

**MOT #11**

2012-02-07 09:14

MOT test number

168208432062

Result

✓ Passed

Advice

Nearside Headlamp has a product on the light source but not seriously reducing light output (1.7.5a)

Advice

Front Brake pipe slightly corroded (3.6.B.2c)

MOT #10

2012-02-03 09:19

MOT test number

129184532472

Result

✗ Failed

Fail

Nearside Inner Front Vehicle structure has excessive corrosion which adversely affects braking or steering (6.1.A.1)

Fail

Nearside Driver's door pillar insecure (6.2.B.2)

Fail

Registration plate lamp not fitted (1.1.C.1b)

Advice

Nearside Headlamp has a product on the light source but not seriously reducing light output (1.7.5a)

Fail

Offside Rear Direction indicator incorrect colour (1.4.A.2f)

Fail

Nearside Steering arm deformed and unserviceable (2.2.C.1d)

Fail

Nearside Front Suspension component mounting prescribed area is excessively corroded (2.4.A.3)

Fail

Driver's door cannot be opened from inside the vehicle (6.2.B.1b)

Fail

Rear fog lamp not working (1.3.2b)

Advice

Front Brake pipe slightly corroded (3.6.B.2c)

Fail

Offside Inner Front Brake master cylinder/servo mounting prescribed area is excessively corroded (3.6.C.3)

MOT #9

2011-01-17 11:42

MOT test number

597647011088

Result

✓ Passed

**MOT #8**

2011-01-11 09:04

MOT test number

258311911070

Result**✗ Failed**

- Fail** Body insecure and dangerous to other road users (6.1.B.1b)
- Notice** Nail in offside front tyre
- Fail** Nearside Rear Brake pipe excessively corroded (3.6.B.2c)
- Fail** Nearside Rear position lamp(s) not working (1.1.A.3b)
- Fail** Nearside Windscreen wiper blade insecure (8.2.2)
- Fail** Nearside Bonded suspension unit deteriorated and cannot function as intended (2.4.F.3)
- Fail** Nearside Rear Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Offside Body insecure and dangerous to other road users (6.1.B.1b)
- Fail** Nearside Outer Rear Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)
- Fail** Registration plate lamp not working (1.1.C.1d)
- Notice** Propshaft component defective
- Fail** Horn not working (1.6.2a)
- Fail** Nearside Front Drag link end ball joint has excessive play (2.2.B.1f)
- Fail** Offside Windscreen wiper blade insecure (8.2.2)
- Fail** Offside Bonded suspension unit deteriorated and cannot function as intended (2.4.F.3)
- Fail** Offside Rear Suspension spring mounting prescribed area is excessively corroded (2.4.A.3)



MOT #7

2009-12-29 09:10

MOT test number

471053969370

Result

✓ Passed

- Advice

Nearside Front Steering component mounting prescribed area is corroded but not considered excessive (2.2.C.1h)
- Notice

Oil leak
- Advice

Offside Front Brake pipe slightly corroded (3.6.B.2c)
- Advice

Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3)
- Advice

Nearside Rear Brake pipe slightly corroded (3.6.B.2c)



MOT #6	2009-12-17 09:23
MOT test number	890341059328
Result	✗ Failed

Notice Oil leak

Fail Nearside Inner Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)

Advice Nearside Front Steering component mounting prescribed area is corroded but not considered excessive (2.2.C.1h)

Fail Front Brake pad(s) less than 1.5 mm thick (3.5.1g)

Fail Brake pedal anti-slip provision missing (3.3.A.1b)

Fail Offside Front Brake hose excessively deteriorated (3.6.B.4d)

Fail Offside Front Lower Brake master cylinder/servo mounting prescribed area is excessively corroded (3.6.C.3)

Fail Offside Front Seat belt has a cut which has significantly weakened the webbing (5.2.2a)

Fail Offside Rear Bonded suspension unit deteriorated and cannot function as intended (2.4.F.3)

Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)

Notice N/s mirror cracked

Fail Centre Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)

Advice Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3)

Fail Offside Front Obligatory mirror seriously damaged, affecting the rear view (8.1.2a)

Fail Offside Rear Stop lamp not working (1.2.1b)

Notice Propshaft component defective

Fail Offside Front Steering component mounting prescribed area is excessively corroded (2.2.C.1h)

Fail Nearside Front Brake hose excessively deteriorated (3.6.B.4d)

Fail Offside Front Bonded suspension unit deteriorated and cannot function as intended (2.4.F.3)

Fail Windscreen washer provides insufficient washer liquid (8.2.3)

Fail Offside Rear Rear position lamp(s) excessively deteriorated so that it is not visible from a reasonable distance (1.1.A.3d)

Fail Nearside Rear Bonded suspension unit deteriorated and cannot function as intended (2.4.F.3)

Fail Parking brake: efficiency below requirements (3.7.B.7)

Fail Nearside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)

Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c)



MOT #5	2008-12-30 09:07
MOT test number	802775668331
Result	✓ Passed
Notice	N/s a o/s mirror craked
Advice	Offside Rear Vehicle structure has slight corrosion (6.1.B.2)
Advice	Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
Advice	Nearside Rear Vehicle structure has slight corrosion (6.1.B.2)
Notice	O/s door catch loose
Advice	Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)

MOT #4	2007-11-19 13:30
MOT test number	491783027322
Result	✓ Passed

**MOT #3** 2007-10-30 11:41**MOT test number** 560433907388**Result** ✗ Failed

- Fail** Offside Front Headlamp not working on dipped beam (1.7.5a)
- Fail** Nearside Rear Exhaust has a major leak of exhaust gases (7.1.2)
- Fail** Offside Rear Rear fog lamp not working (1.3.2b)
- Fail** Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Fail** Centre Windscreen washer provides insufficient washer liquid (8.2.3)
- Fail** Nearside Front Headlamp not working on dipped beam (1.7.5a)
- Fail** Steering box has relative movement between sector shaft and the drop arm (2.2.B.1b)
- Fail** Nearside Front Side repeater incomplete (1.5.A1b)
- Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Nearside Rear registration plate deteriorated (6.3.1d)
- Fail** Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Fail** Nearside Rear Registration plate lamp not working (1.1.5c)
- Fail** Steering system has excessive free play detected at the steering wheel (steering box fitted) (2.2.A.1a)

MOT #2 2006-10-06 11:35**MOT test number** 952819076296**Result** ✓ Passed



MOT #1	2006-09-18 15:43
MOT test number	330011366407
Result	✗ Failed
Fail	Nearside Rear Shock absorber has an excessively worn bush (2.7.4)
Fail	Offside Front Drag link end ball joint has excessive play (2.2.B.1f)
Fail	Offside Rear Shock absorber has an excessively worn bush (2.7.4)



Tax & MOT check

✓
Taxed
Tax due:
1 August 2024

✓
MOT
Expires:
29 November 2024

Tax status	Valid until 1 August
-------------------	----------------------

Days left	95
------------------	----

MOT expiry date	29 November 2024
------------------------	------------------

Full MOT history	See MOT history
-------------------------	---------------------------------



Damage history

Check the damage history for this LAND ROVER. See if, where and when this LAND ROVER had damage and the car repair costs. We also check if this LAND ROVER was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra LAND ROVER salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this LAND ROVER in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this LAND ROVER? How many owners did this LAND ROVER have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this LAND ROVER had different number plates.

Number of plates	1
Current registration	XXXXXX
Plate since	2024-03-28
Current registration	XXXXXX
Plate since	2024-03-28

More info >



Finance check

Check if this LAND ROVER is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this LAND ROVER has been settled.

If not, and you buy this LAND ROVER then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this LAND ROVER is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	22
First mileage registration	1991-01-18
Last registration	2023-11-14
Complete history	See info



Registration #1	1991-01-18	15 mi
Registration #2	2006-09-18	122.250 mi
Registration #3	2006-10-06	122.812 mi
Registration #4	2007-10-30	130.738 mi
Registration #5	2007-11-19	130.990 mi
Registration #6	2008-12-30	137.742 mi
Registration #7	2009-12-17	142.093 mi
Registration #8	2009-12-29	142.096 mi
Registration #9	2011-01-11	146.053 mi
Registration #10	2011-01-17	146.055 mi
Registration #11	2012-02-03	150.000 mi
Registration #12	2012-02-03	150.000 mi
Registration #13	2012-02-03	150.000 mi
Registration #14	2012-02-03	150.000 mi
Registration #15	2012-02-03	150.000 mi
Registration #16	2012-02-03	150.000 mi
Registration #17	2012-02-03	150.000 mi
Registration #18	2012-02-03	150.000 mi
Registration #19	2012-02-03	150.000 mi
Registration #20	2012-02-03	150.000 mi
Registration #21	2012-02-03	150.000 mi
Registration #22	2012-02-03	150.000 mi

More info >



Additional information

Fuel delivery	Direct Injection
Engine number	11L08713A