





General information

| Make | ΤΟΥΟΤΑ |
|---------------------|-------------------|
| Model | LANDCRUISER VX |
| Colour | Blue |
| Year of manufacture | 1999 |
| Top speed | 109 mph |
| 0 - 60 mph | 11.5 seconds |
| Gearbox | 4 speed automatic |

Engine & fuel consumption

| Power | 176 BHP |
|-------------------------|---------------------|
| Max. torque | 303 Nm at 3.600 rpm |
| Engine capacity | 3.378 сс |
| Cylinders | 6 |
| Fuel type | Petrol |
| Consumption city | 15.2 mpg |
| Consumption extra urban | 24.8 mpg |
| Consumption combined | 20.0 mpg |



Internet history

Entry 1

Date Pictures 2021-07-12

8

Listing price

View report



source: autotrader.co.uk



MOT history

| MOT expiry date | 2022-06-24 | |
|--------------------|------------|--|
| MOT pass rate | 61 % | |
| MOT passed | 17 | |
| Failed MOT tests | 11 | |
| Total advice items | 148 | |
| Total items failed | 34 | |

| MOT #28 | 2021-06-25 09:07 |
|--|------------------|
| MOT test number | 554118994013 |
| Result | ✓ Passed |
| Next expiry date | 2022-06-24 |
| Advice Nearside Front Tyre worn close to legal limit/worn on edge on limit (5.2.3 (e)) | |
| Advice Offside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) | |
| Advice Offside Front Tyre worn close to legal limit/worn on edge on limit (5.2.3 (e)) | |
| Advice Nearside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) | |

MOT #272020-06-17 13:23MOT test number820899499086ResultPassedAdviceCentral Exhaust has a minor leak of exhaust gases (6.1.2 (a))AdviceRear Brake pad(s) wearing thin (1.1.13 (a) (ii))AdviceBoth rear tyres low and perished



| S793VDP |
|-------------------------|
| report date: 2024-03-28 |

| MOT #26 | | 2020-06-17 13:23 |
|----------|---|----------------------|
| MOT test | number | 949063800966 |
| Result | | 🗙 Failed |
| Advice | Rear Brake pad(s) wearing thin (1.1.13 (a) (ii)) | |
| Advice | Central Exhaust has a minor leak of exhaust gases (6.1.2 (a)) | |
| Advice | Both rear tyres low and perished | |
| Pass wit | h rectification Nearside Rear Lower Shock absorbers has an excessively we | orn bush (5.3.2 (c)) |

| MOT #25 | 2019-03-12 16:35 |
|--|-------------------------|
| MOT test number | 953521452659 |
| Result | ✓ Passed |
| Advice Front Registration plate deteriorated but not likely to be misread (0.1 (b)) | |
| Advice Fuel lines corroded | |
| Advice Nearside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) | |
| Minor Nearside Front Lower Suspension arm ball joint dust cover severely deterio | prated (5.3.4 (b) (i)) |
| Advice Child Seat fitted not allowing full inspection of adult belt n/s/r & o/s/r | |
| Advice Offside Rear arch trim loose | |
| Advice Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice Offside Front Anti-roll bar linkage pin or bush worn but not resulting in exercise (a) (i)) | cessive movement (5.3.4 |
| Advice Front anti roll bar d-bushes worn | |
| Advice Offside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) | |
| Minor Offside Front Lower Suspension arm ball joint dust cover severely deteriora | ated (5.3.4 (b) (i)) |
| Advice Rear prop play | |
| Advice Nearside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e) |)) |





| MOT #24 2019-02-27 1 | 1:18 |
|---|-------|
| MOT test number 909146905 | 5449 |
| Result × Fa | ailed |
| Fail Nearside Front Anti-roll bar linkage damaged and seriously weakened (5.3.3 (b) (i)) | |
| Minor Nearside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i)) | |
| Advice Offside Rear arch trim loose | |
| Advice (a) (i)) Offside Front Anti-roll bar linkage pin or bush worn but not resulting in excessive movement (5. | 3.4 |
| Advice Front anti roll bar d-bushes worn | |
| Advice Offside Rear Nail in tyre | |
| Advice Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice Offside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) | |
| Advice Front Registration plate deteriorated but not likely to be misread (0.1 (b)) | |
| Minor Offside Front Lower Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i)) | |
| Advice Fuel lines corroded | |
| Advice Child Seat fitted not allowing full inspection of adult belt n/s/r & o/s/r | |
| Advice Nearside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice Nearside Front Brake hose slightly deteriorated (1.1.12 (b) (ii)) | |
| Advice Rear prop play | |
| Fail Nearside Stop lamp(s) adversely affected by the operation of another lamp (4.3.3 (b)) | |





| MOT #23 | 2017-11-08 10:06 |
|------------------------|--|
| MOT test | number 783383020936 |
| Result | ✓ Passed |
| Advice of dirt (2.4 | Nearside Front Lower Front suspension ball joint dust cover damaged, but preventing the ingress .G.2) |
| Advice | Rear prop play |
| Advice | Front Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2) |
| Advice | Offside Front Brake hose slightly deteriorated (3.6.B.4d) |
| Advice movement | Offside Front Anti-roll bar linkage rubber mounting deteriorated but not resulting in excessive (2.4.G.2) |
| Advice | Nearside Rear Child Seat fitted not allowing full inspection of adult belt |
| Advice | Steering system has slight free play detected at steering wheel rack bushes have play (2.2.A.1b) |
| Advice | Central Rear unable to gain access to seat belt |
| Advice dirt (2.4.G | Offside Front Lower Front suspension ball joint dust cover damaged, but preventing the ingress of 2) |
| Advice | Fuel lines corroded |
| Advice | Nearside Front Brake hose slightly deteriorated (3.6.B.4d) |
| Advice movement | Nearside Front Anti-roll bar linkage rubber mounting deteriorated but not resulting in excessive (2.4.G.2) |
| Advice | Rear Brake pipe slightly corroded leading to rear flexi (3.6.B.2c) |
| Advice | Offside Rear Child Seat fitted not allowing full inspection of adult belt |





| MOT #22 | 2017-11-02 17:41 |
|-------------------------------|--|
| MOT test | number 614360180964 |
| Result | × Failed |
| Advice | Nearside Rear Child Seat fitted not allowing full inspection of adult belt |
| Advice movement | Offside Front Anti-roll bar linkage rubber mounting deteriorated but not resulting in excessive (2.4.G.2) |
| Fail Of | fside Front Tyre has ply or cords exposed (4.1.D.1b) |
| Advice | Steering system has slight free play detected at steering wheel rack bushes have play (2.2.A.1b) |
| Advice | Nearside Front Brake hose slightly deteriorated (3.6.B.4d) |
| Advice dirt (2.4.G | Offside Front Lower Front suspension ball joint dust cover damaged, but preventing the ingress of 2) |
| Fail Ne | earside Rear Brake pipe excessively corroded across rear axle (3.6.B.2c) |
| Advice | Rear prop play |
| Fail Of | fside Rear Upper Shock absorber has an excessively worn bush (2.7.4) |
| Advice | Rear Brake pipe slightly corroded leading to rear flexi (3.6.B.2c) |
| Fail Ne | earside Front Tyre has ply or cords exposed (4.1.D.1b) |
| Advice movement | Nearside Front Anti-roll bar linkage rubber mounting deteriorated but not resulting in excessive (2.4.G.2) |
| Advice | Offside Rear Child Seat fitted not allowing full inspection of adult belt |
| Fail Ne | earside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) |
| Advice of dirt (2.4 | Nearside Front Lower Front suspension ball joint dust cover damaged, but preventing the ingress .G.2) |
| Advice | Offside Front Brake hose slightly deteriorated (3.6.B.4d) |
| Advice | Central Rear unable to gain access to seat belt |
| Fail Br condition (| ake performance not tested not in legal condition to carry out brake test on road due to tyre 3.7.A.1) |
| Fail Ne | earside Rear Upper Shock absorber has an excessively worn bush (2.7.4) |
| Fail Of | fside Rear Brake pipe excessively corroded across rear axle (3.6.B.2c) |
| Advice | Fuel lines corroded |
| Advice | Front Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2) |





| MOT #21 | 2016-10-01 11:31 |
|--|------------------|
| MOT test number | 971625440099 |
| Result | ✓ Passed |
| Advice Offside Front Tyre worn close to the legal limit p265/70/16 111s m&s du | nlop (4.1.E.1) |
| MOT #20 | 2016-09-29 13:18 |
| MOT test number | 114443631948 |
| Result | 🗙 Failed |
| Fail Rear registration plate delaminated (6.3.1d) | |
| | |

| MOT #19 | | 2015-09-18 16:38 |
|----------|--|------------------|
| MOT test | number | 616588302144 |
| Result | | ✓ Passed |
| Advice | Rear Brake pipe slightly corroded at load valve (3.6.B.2c) | |
| Advice | Offside Front Tyre worn close to the legal limit on inner edge (4.1.E.1) | |
| Advice | Offside Front coil spring corroded (2.4.C.1b) | |
| Advice | Offside Rear Brake pipe slightly corroded on axel (3.6.B.2c) | |
| Advice | Front Brake pad(s) wearing thin both (3.5.1g) | |
| Advice | Nearside Front coil spring corroded (2.4.C.1b) | |
| Advice | Nearside Rear Brake pipe slightly corroded on axle (3.6.B.2c) | |





| MOT #18 | 2015-09-17 13:41 |
|---|------------------|
| MOT test number | 153755783923 |
| Result | 🗙 Failed |
| Advice Rear Brake pipe slightly corroded at load valve (3.6.B.2c) | |
| Advice Offside Front Tyre worn close to the legal limit on inner edge (4.1.E.1) | |
| Fail Parking brake: efficiency below requirements (3.7.B.7) | |
| Advice Offside Front coil spring corroded (2.4.C.1b) | |
| Fail Nearside Front Brake pipe excessively corroded (3.6.B.2c) | |
| Advice Offside Rear Brake pipe slightly corroded on axel (3.6.B.2c) | |
| Advice Front Brake pad(s) wearing thin both (3.5.1g) | |
| Advice Nearside Front coil spring corroded (2.4.C.1b) | |
| Fail Windscreen wiper does not clear the windscreen effectively both (8.2.2) | |
| Advice Nearside Rear Brake pipe slightly corroded on axle (3.6.B.2c) | |

| MOT #17 | 2014-08-28 10:13 |
|--|------------------|
| MOT test number | 346530244427 |
| Result | ✓ Passed |
| Advice Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) | |

| MOT #16 | 2014-08-28 10:13 | |
|---|--|--|
| MOT test number | 536770144207 | |
| Result | × Failed | |
| Pass with rectification | Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2) | |
| Pass with rectification Nearside Front Windscreen wiper does not clear the windscreen effectively | | |
| (8.2.2) | | |
| Advice Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) | | |





| MOT #15 | 2014-07-08 12:05 |
|---|------------------|
| MOT test number | 537449484174 |
| Result | 🗙 Failed |
| Advice Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a) | a) |
| Notice Fuel pipe/s corroded | |
| Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3) | |
| Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c) | |
| Fail Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2) | |
| Fail Rear Brake pipe excessively corroded (3.6.B.2c) | |
| Fail Parking brake: efficiency below requirements (3.7.C.1b) | |
| Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.3) | 1d) |
| Notice Exhaust and flanges corroded | |
| Fail Exhaust emissions hydrocarbon content after 2nd fast idle excessive (7.3.D.3) | |
| Advice Rear Brake pipe slightly corroded (3.6.B.2c) | |
| Fail Offside Windscreen wiper does not clear the windscreen effectively (8.2.2) | |
| Fail Nearside Rear Brake lever has abnormal movement of levers indicating maladjustme | nt (3.5.1f) |



| MOT #14 | | 2013-07-12 12:19 |
|----------|--|------------------|
| MOT test | number | 365423293186 |
| Result | | ✓ Passed |
| Notice | Fuel pipe/s corroded | |
| Advice | Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a | a) |
| Advice | Nearside Front Brake pipe slightly corroded (3.6.B.2c) | |
| Advice | Offside Headlamp deteriorated but light output not reduced (1.7.5a) | |
| Notice | Corrosion under vehicle | |
| Advice | Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1 | ld) |
| Advice | Rear Brake pipe slightly corroded (3.6.B.2c) | |

| MOT #13 | 2013-07-12 11:15 |
|---|------------------|
| MOT test number | 258963593417 |
| Result | 🗙 Failed |
| Fail Nearside Rear Parking brake lever defective so that it cannot be satisfactorily oper | rated (3.1.3c) |
| Advice Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3 | 3.1a) |
| Notice Fuel pipe/s corroded | |
| Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c) | |
| Advice Offside Headlamp deteriorated but light output not reduced (1.7.5a) | |
| Fail Parking brake: efficiency below requirements (3.7.C.1b) | |
| Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8 | .3.1d) |
| Notice Corrosion under vehicle | |
| Advice Rear Brake pipe slightly corroded (3.6.B.2c) | |





| MOT #12 | | 2012-07-18 12:54 |
|-----------------------|---|--------------------------|
| MOT test | number | 758930002284 |
| Result | | ✓ Passed |
| Advice | Windscreen has damage to an area less than a 10mm circle within zone ' | A' (8.3.1a) |
| Advice | Offside Headlamp damaged but light output not reduced (1.7.5a) | |
| Advice | Nearside Front Brake pipe slightly corroded (3.6.B.2c) | |
| Notice | Fuel Pipes Corroded Rear / Fuel Tank Corroded | |
| Advice | Windscreen has damage to an area less than a 40mm circle outside zone | 'A' (8.3.1d) |
| Advice dirt (2.4.G | Offside Front Lower Suspension arm ball joint dust cover damaged, but pr .2) | reventing the ingress of |
| Advice | Vehicle structure has slight corrosion (6.1.A.1) | |
| 1 | | |

| MOT #11 | 2011-07-25 13:45 |
|-----------------|------------------|
| MOT test number | 567826101200 |
| Result | ✓ Passed |
| | |
| MOT #10 | 2011-07-23 00.33 |

| MO1 #10 | 2011-07-25 09.55 |
|-----------------|------------------|
| MOT test number | 929574401201 |
| Result | ✓ Passed |



| MOT #9 | 2011-07-22 16:58 |
|--|------------------|
| MOT test number | 498393201232 |
| Result | 🗙 Failed |
| Notice Fuel pipe/s corroded | |
| Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (| 8.3.1d) |
| Fail Offside Rear Service brake grabbing severely (3.7.C.2) | |
| Advice Windscreen has damage to an area less than a 10mm circle within zone 'A' (8 | .3.1a) |
| Advice Rear Brake pipe slightly corroded (3.6.B.2c) | |
| Advice Offside Headlamp damaged but light output not reduced (1.7.5a) | |
| | |
| MOT #8 | 2010-05-19 16:30 |

| MOT #8 | | 2010-02-19 10:30 |
|----------|--|------------------|
| MOT test | number | 512589430128 |
| Result | | ✓ Passed |
| Advice | Offside Rear brake disc slightly scored (3.5.1h) | |
| Advice | Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a | a) |





| MOT #7 | 2010-04-30 11:45 |
|--|------------------|
| MOT test number | 322340220170 |
| Result | 🗙 Failed |
| Fail Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3 | 3.D.3) |
| Notice Fuel tank+fuel pipes slightly corroded in places | |
| Advice Nearside Steering rack gaiter deteriorated (2.2.D.2d) | |
| Notice Slight play in all front lower wishbone bushes | |
| Fail Offside Rear fog lamp emits a light other than red (1.3.2e) | |
| Notice Rear anti roll bar slightly corroded | |
| Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.) | 3) |
| Notice Crack in os headlamp not effecting beam pattern | |
| Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (| 8.3.1d) |
| Notice Osr disc outer face lightly scored | |
| Notice Slight movement from rear drop link bushes | |
| Fail Steering rack insecure (2.2.B.1a) | |





| MOT #6 | 200 | 09-05-12 14:46 |
|----------|---|----------------|
| MOT test | number | 310952039167 |
| Result | | ✓ Passed |
| Advice | Nearside Inner Front Tyre worn close to the legal limit (4.1.E.1) | |
| Advice | Rear brake disc slightly pitted (3.5.1h) | |
| Advice | Rear Anti-roll bar corroded but not seriously weakened (2.4.G.1) | |
| Advice | Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a) | |
| Advice | Rear brake disc slightly scored (3.5.1h) | |
| Notice | N/s/r tyre weathering/cracking | |
| Advice | Rear Vehicle structure has slight corrosion (6.1.B.2) | |

| MOT #5 | | 2008-07-14 14:40 | |
|----------|--|------------------|--|
| MOT test | MOT test number 612956698121 | | |
| Result | | ✓ Passed | |
| Advice | Windscreen has damage to an area less than a 10mm circle within zone 'A' | (8.3.1a) | |
| Advice | Vehicle structure has slight corrosion (6.1.A.1) | | |
| Advice | Offside Front Anti-roll bar has slight play in a pin/bush (2.4.G.2) | | |
| Advice | Offside Rear Anti-roll bar has slight play in a pin/bush (2.4.G.2) | | |
| Notice | O/S/R tyre showing signs of weathering | | |
| Advice | Windscreen has damage to an area less than a 40mm circle outside zone 'A | ' (8.3.1d) | |
| Advice | Nearside Front Anti-roll bar has slight play in a pin/bush (2.4.G.2) | | |
| Advice | Nearside Rear Anti-roll bar has slight play in a pin/bush (2.4.G.2) | | |

| МОТ #4 | 2007-07-30 15:22 |
|-----------------|------------------|
| MOT test number | 462061717271 |
| Result | ✓ Passed |





| MOT #3 | 2007-07-30 15:20 |
|---|------------------|
| MOT test number | 454541717237 |
| Result | 🗙 Failed |
| Advice Exhaust has part of the system slightly deteriorated (7.1.1a) | |
| Fail Offside Rear Rear position lamp(s) excessively deteriorated so that it is not visible f distance (1.1.A.3d) | rom a reasonable |
| Advice Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3. | .1a) |
| Advice Front Anti-roll bar has slight play in a pin/bush (2.4.G.2) | |
| Advice Vehicle structure has slight corrosion (6.1.A.1) | |
| Notice Tyres showing signs of age | |
| Fail Offside Rear Stop lamp not working (1.2.1b) | |
| Fail Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2) | |
| Advice Offside Rear Rear fog lamp slightly discoloured (1.3.2e) | |

| MOT #2 | 2006-07-25 12:00 |
|---|------------------|
| MOT test number | 350146606452 |
| Result | ✓ Passed |
| Advice Front Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2) | |
| Advice Front Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a) | |

| MOT #1 | 2005-07-28 13:45 |
|-----------------|------------------|
| MOT test number | 490279505232 |
| Result | ✓ Passed |





Damage history

Check the damage history for this TOYOTA. See if, where and when this TOYOTA had damage and the car repair costs. We also check if this TOYOTA was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | |
|----------|------|
| Date | |
| Category | Lamp |
| Туре | K K |
| Damage 2 | AMPL |
| | |
| Date | NE |
| Category | AMP |
| Туре | |

Extra TOYOTA salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this TOYOTA? How many owners did this TOYOTA have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| ****** | |
|---|-------------|
| ********** | |
| ******* | |
| ****** | |
| *********** | |
| ******* | |
| | More info > |
| Plate changes | |
| See in this check if this TOYOTA had different number plates. | |
| Number of plates | , |
| Current registration | |
| Plate since | |
| Current registration | |
| Plate since | |
| | |





Finance check

Check if this TOYOTA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this TOYOTA has been settled.

If not, and you buy this TOYOTA then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this TOYOTA is financed.

| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |


More info \rightarrow





Mileage check

| Odometer | In miles |
|----------------------------|------------|
| Mileage registrations | 29 |
| First mileage registration | 1999-08-04 |
| Last registration | 2021-06-25 |
| Complete history | See info |



| Registration #1 | 1999-08-04 | 8 mi |
|------------------|------------|------------|
| Registration #2 | 2005-07-28 | 49.772 mi |
| Registration #3 | 2006-07-25 | 52.917 mi |
| Registration #4 | 2007-07-30 | 56.363 mi |
| Registration #5 | 2007-07-30 | 56.363 mi |
| Registration #6 | 2008-07-14 | 63.911 mi |
| Registration #7 | 2009-05-12 | 68.931 mi |
| Registration #8 | 2010-04-30 | 76.689 mi |
| Registration #9 | 2010-05-19 | 76.697 mi |
| Registration #10 | 2011-07-22 | 82.838 mi |
| Registration #11 | 2011-07-23 | 82.838 mi |
| Registration #12 | 2011-07-25 | 82.838 mi |
| Registration #13 | 2012-07-18 | 85.668 mi |
| Registration #14 | 2013-07-12 | 90.746 mi |
| Registration #15 | 2013-07-12 | 90.746 mi |
| Registration #16 | | 11.117 esi |
| Registration #17 | | 11.222 esi |
| Registration #18 | | 11.177 esi |
| Registration #19 | | 11.777 esi |
| Registration #20 | | 11.777 esi |
| Registration #21 | | 11.777 esi |
| Registration #22 | | 11.117 esi |
| Registration #23 | | 11.777 mi |
| Registration #24 | | 11.117 mi |
| Registration #25 | | 11.117 mi |
| Registration #26 | | 11.117 mil |
| CarCheck.co.uk | | page 20/21 |
| | | |

| Registration #27 | 10.317 esi |
|------------------|------------|
| Registration #28 | 11.777 est |
| Registration #29 | 11.777 esi |
| | |

More info \rightarrow





Car features

| S0225 | Air conditionin |
|--------|-----------------|
| S0295 | |
| S0482 | |
| \$0501 | |
| \$0566 | |
| \$0567 | |
| S0569 | |

Dimensions & weight

| Width | 1820 mm |
|------------|---------|
| Height | 1915 mm |
| Length | 4750 mm |
| Wheel base | 2675 mm |

Additional information

| Fuel tank capacity | 90 |
|--------------------|-----------------------|
| Fuel delivery | Multi-Point Injection |
| Number of doors | 5 |
| Number of axles | 2 |
| Engine number | 5VZ0773084 |