




report date: 2024-03-29

General information

Make	VOLVO
Model	XC70 D5 AWD S
Colour	Gold
Year of manufacture	2003
Top speed	124 mph
0 - 60 mph	11.3 seconds
Gearbox	5 speed automatic

Engine & fuel consumption

Power	161 BHP
Max. torque	340 Nm at 1.750 rpm
Engine capacity	2.401 cc
Cylinders	5
Fuel type	Diesel
Consumption city	25.0 mpg
Consumption extra urban	40.9 mpg
Consumption combined	33.2 mpg
CO2 emission	226 g/km
CO2 label	L





Internet history

Entry 2

Date	2021-06-27
Pictures	3
Listing price	View report



source: cargurus.co.uk

Entry 1

Date	2021-06-26
Pictures	3
Listing price	View report



source: autotrader.co.uk



MOT history

MOT expiry date	2024-10-25
MOT pass rate	67 %
MOT passed	18
Failed MOT tests	9
Total advice items	84
Total items failed	32

MOT #27 2023-10-26 10:47

MOT test number 874576732706

Result ✓ Passed

Next expiry date 2024-10-25

- Advice** Power steering component has slight seepage from a component rack area (2.1.5 (a))
- Advice** Offside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Advice** Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

MOT #26 2023-10-19 09:58

MOT test number 279583010333

Result ✗ Failed

- Fail** Offside Parking brake inoperative on one side (1.4.1 (a))
- Advice** Offside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Fail** Parking brake efficiency below requirements (1.4.2 (a) (i))
- Fail** Nearside Stop lamp(s) not working (4.3.1 (a) (ii))
- Advice** Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Fail** Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- Advice** Power steering component has slight seepage from a component rack area (2.1.5 (a))

**MOT #25**

2022-09-29 12:12

MOT test number

544112147524

Result

✓ Passed

- Advice** Power steering component has slight seepage from a component rack area (2.1.5 (a))
- Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Offside Front Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))
- Advice** Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Nearside Rear Child Seat fitted not allowing full inspection of adult belt

MOT #24

2022-09-29 12:12

MOT test number

381471253620

Result

✗ Failed

- Advice** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Nearside Rear Child Seat fitted not allowing full inspection of adult belt
- Advice** Offside Front Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))
- Advice** Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Power steering component has slight seepage from a component rack area (2.1.5 (a))
- Advice** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Pass with rectification** Nearside Front Position lamp not working (4.2.1 (a) (ii))

MOT #23

2021-09-28 12:30

MOT test number

141362864139

Result

✓ Passed

- Advice** Power steering component has slight seepage from a component rack area (2.1.5 (a))

**MOT #22** 2021-09-21 11:11**MOT test number** 647608404955**Result** ✗ Failed**Fail** Nearside Front Lower Suspension arm pin or bush excessively worn front bush (5.3.4 (a) (i))**Advice** Power steering component has slight seepage from a component rack area (2.1.5 (a))**Fail** Offside Front Position lamp not working (4.2.1 (a) (ii))**Fail** Nearside Front Lower Suspension component ball joint excessively worn (5.3.4 (a) (i))**Fail** Offside Rear Wheel bearing has excessive play (5.1.3 (a) (i))**Fail** Parking brake efficiency below requirements (1.4.2 (a) (i))**Fail** Offside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))**MOT #21** 2020-09-11 08:26**MOT test number** 107113546716**Result** ✓ Passed**MOT #20** 2019-09-10 09:57**MOT test number** 964508979047**Result** ✓ Passed**MOT #19** 2018-09-12 09:20**MOT test number** 293343116990**Result** ✓ Passed



MOT #18

2017-09-05 13:38

MOT test number

861956452040

Result

✓ Passed

- Advice

Front Anti-roll bar corroded but not seriously weakened as marked (2.4.G.1)
- Advice

Rear Valve stem slightly damaged both sides (4.1.D.1e)
- Advice

Central Rear Anti-roll bar corroded but not seriously weakened as marked (2.4.G.1)
- Advice

Central Rear Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice

Rear Anti-roll bar corroded but not seriously weakened as marked (2.4.G.1)
- Advice

Front Valve stem slightly damaged both sides (4.1.D.1e)
- Advice

Front Anti-roll bar corroded but not seriously weakened as marked (2.4.G.1)
- Advice

Nearside Rear Anti-roll bar synthetic bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #17**

2017-09-01 15:13

MOT test number

824486022967

Result**✗ Failed**

- Fail** Nearside Rear Registration plate lamp not working (1.1.C.1d)
- Advice** Rear Valve stem slightly damaged both sides (4.1.D.1e)
- Advice** Central Rear Anti-roll bar corroded but not seriously weakened as marked (2.4.G.1)
- Fail** Rear Stop lamp not working lower level ns & os (1.2.1b)
- Advice** Central Rear Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Fail** Nearside Front Front suspension ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt as marked (2.4.G.2)
- Advice** Front Valve stem slightly damaged both sides (4.1.D.1e)
- Fail** Offside Front Front suspension has excessive play in a track control arm inner bush as marked (2.5.B.2b)
- Advice** Front Anti-roll bar corroded but not seriously weakened as marked (2.4.G.1)
- Advice** Rear Anti-roll bar corroded but not seriously weakened as marked (2.4.G.1)
- Advice** Nearside Rear Anti-roll bar synthetic bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Front Anti-roll bar corroded but not seriously weakened as marked (2.4.G.1)
- Fail** Offside Front Front suspension has excessive play in a track control arm inner bush as marked (2.5.B.2b)

MOT #16

2016-09-13 11:16

MOT test number

867887151377

Result**✓ Passed**



MOT #15

2016-09-10 08:24

MOT test number

485229367459

Result

✗ Failed

- Advice** Rear Anti-roll bar corroded but not seriously weakened (2.4.G.1)
- Fail** Parking brake: efficiency below requirements (3.7.C.1b)
- Fail** Offside Headlamp aim too low and too far to the left. (1.8)
- Advice** Oil leak
- Advice** Nearside Front Valve stem slightly damaged (4.1.D.1e)
- Advice** Nearside Front Direction indicator slightly discoloured (1.4.A.2f)
- Advice** Offside Front Valve stem slightly damaged (4.1.D.1e)
- Advice** Under tray fitted obscuring some components under side
- Advice** Offside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)
- Fail** Nearside Headlamp aim too low and too far to the left. (1.8)
- Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
- Advice** Nearside Rear Valve stem slightly damaged (4.1.D.1e)
- Advice** Items removed from driver's view prior to test
- Advice** Rear exhaust hanger excessively corroded
- Advice** Offside Rear Valve stem slightly damaged (4.1.D.1e)
- Advice** Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**MOT #14**

2015-09-10 15:44

MOT test number

985075742267

Result

✓ Passed

Advice Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

Advice Nearside Front Direction indicator slightly discoloured (1.4.A.2f)

MOT #13

2015-09-10 14:17

MOT test number

135848057757

Result

✗ Failed

Fail Nearside Headlamp aim beam image obviously incorrect (1.8.A.1b)

Fail Nearside Front position lamp(s) not working (1.1.A.3b)

Fail Parking brake lever has no reserve travel (3.1.6b)

Advice Offside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

Advice Nearside Front Direction indicator slightly discoloured (1.4.A.2f)

Fail Offside Headlamp aim beam image obviously incorrect (1.8.A.1b)

Fail Offside Registration plate lamp not working (1.1.C.1d)

Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

Fail Parking brake: efficiency below requirements (3.7.C.1b)

Fail Offside Front Direction indicator incorrect colour (1.4.A.2f)

MOT #12

2014-09-06 09:00

MOT test number

927669044218

Result

✓ Passed



MOT #11	2013-09-07 09:57
MOT test number	727890053278
Result	✓ Passed

MOT #10	2012-08-29 15:34
MOT test number	366002842201
Result	✓ Passed

- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Notice** Intercooler hissing
- Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Offside Front Seat belt stitching slightly frayed (5.2.2b)
- Advice** Front registration plate deteriorated but not likely to be misread (6.3.1d)

**MOT #9** 2012-08-29 15:34**MOT test number** 467102342269**Result** ✗ Failed**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Advice** Offside Front Seat belt stitching slightly frayed (5.2.2b)**Pass with rectification** Offside Rear Registration plate lamp not working (1.1.C.1d)**Advice** Front registration plate deteriorated but not likely to be misread (6.3.1d)**Notice** Intercooler hissing**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Pass with rectification** Nearside Front Front position lamp(s) not working (1.1.A.3b)**Pass with rectification** Nearside Front Headlamp aim too high (1.8)**MOT #8** 2011-09-07 12:42**MOT test number** 378800051251**Result** ✓ Passed**MOT #7** 2011-09-06 17:51**MOT test number** 495009441275**Result** ✗ Failed**Notice** Front discs corroded**Fail** Offside Front position lamp(s) not working (1.1.A.3b)**Advice** Offside Rear Shock absorber has a light misting of oil (2.7.3)**Fail** Nearside Track rod end ball joint has excessive play (2.2.B.1f)

**MOT #6** 2010-08-25 14:12**MOT test number** 264337230268**Result** ✓ Passed

- Advice** Nearside Front Suspension arm has slight play in a pin/bush (2.4.G.2)
- Advice** Centre Exhaust has part of the system slightly deteriorated (7.1.1a)
- Advice** Offside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)
- Advice** Nearside Front Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

MOT #5 2009-09-01 13:04**MOT test number** 163064649236**Result** ✓ Passed

- Advice** Nearside Inner Front brake disc slightly pitted (3.5.1h)
- Advice** Offside Front Seat belt damaged but not affecting the operation of the belt (5.2.2a)
- Advice** Offside Inner Front brake disc slightly pitted (3.5.1h)

MOT #4 2009-08-31 12:59**MOT test number** 874903749269**Result** ✗ Failed

- Advice** Offside Front Seat belt damaged but not affecting the operation of the belt (5.2.2a)
- Advice** Offside Inner Front brake disc slightly pitted (3.5.1h)
- Fail** Offside Rear Mechanical brake component has restricted free movement (3.5.1k)
- Advice** Nearside Inner Front brake disc slightly pitted (3.5.1h)

MOT #3 2008-09-01 10:31**MOT test number** 311645848288**Result** ✓ Passed



MOT #2	2007-09-04 13:07
MOT test number	403337247276
Result	✓ Passed

MOT #1	2006-08-22 14:49
MOT test number	540044636246
Result	✓ Passed
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)



Tax & MOT check

✓
Taxed

Tax due:
1 July 2024

✓
MOT

Expires:
25 October 2024

Tax status	Valid until 1 July
Days left	62
MOT expiry date	25 October 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	49
Band	K
Single payment (12 months)	£ 395,00,-
Single six month payment	£ 217,25,-
Total payable by 12 monthly instalments	£ 414,75,-



Damage history


Check the damage history for this VOLVO. See if, where and when this VOLVO had damage and the car repair costs. We also check if this VOLVO was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra VOLVO salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this VOLVO in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,299
Auction value	£ 19,299
Average private trade value	£ 19,299

More info >



Owner history

For how long did the current and previous owner(s) have this VOLVO? How many owners did this VOLVO have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****

More info >

Plate changes

See in this check if this VOLVO had different number plates.

Number of plates	1
Current registration	*****
Plate since	2023-03-29
Current registration	*****
Plate since	2023-03-29

More info >



Finance check

Check if this VOLVO is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VOLVO has been settled.

If not, and you buy this VOLVO then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this VOLVO is financed.


Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	29
First mileage registration	2003-09-10
Last registration	2023-10-26
Complete history	See info



Registration #1	2003-09-10	6 mi
Registration #2	2006-08-22	30.642 mi
Registration #3	2007-09-04	38.338 mi
Registration #4	2008-09-01	47.390 mi
Registration #5	2009-08-31	55.876 mi
Registration #6	2009-09-01	55.877 mi
Registration #7	2010-08-25	64.591 mi
Registration #8	2011-09-06	75.556 mi
Registration #9	2011-09-07	75.556 mi
Registration #10	2012-08-29	86.513 mi
Registration #11	2013-09-07	101.244 mi
Registration #12	2014-09-06	119.158 mi
Registration #13	2015-09-10	131.617 mi
Registration #14	2015-09-10	131.617 mi
Registration #15	2016-09-10	139.400 mi
Registration #16	2016-09-10	139.400 mi
Registration #17	2016-09-10	139.400 mi
Registration #18	2016-09-10	139.400 mi
Registration #19	2016-09-10	139.400 mi
Registration #20	2016-09-10	139.400 mi
Registration #21	2016-09-10	139.400 mi
Registration #22	2016-09-10	139.400 mi
Registration #23	2016-09-10	139.400 mi
Registration #24	2016-09-10	139.400 mi
Registration #25	2016-09-10	139.400 mi
Registration #26	2016-09-10	139.400 mi

Registration #27	2025-25-25	25,252,442
Registration #28	2025-25-25	25,252,442
Registration #29	2025-25-25	25,252,442

More info >



Car features

The VOLVO factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete VOLVO factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating

Video [see crash video](#)



Dimensions & weight

Width	1804 mm
Height	1490 mm
Length	4710 mm
Wheel base	2755 mm
Kerb weight	1710 kg

Additional information

Fuel tank capacity	70 l
Fuel delivery	Direct Injection
Number of doors	5
Number of axles	2
Engine number	155118