

Ford



General information

Make	FORD
Model	TRANSIT CONNECT T220 LWB P/V
Colour	White
Year of manufacture	2005
Gearbox	5 speed Manual

Engine & fuel consumption

Engine capacity	1.753 cc
Cylinders	4
Fuel type	Diesel





MOT history

MOT expiry date	2024-11-17
MOT pass rate	67 %
MOT passed	16
Failed MOT tests	8
Total advice items	59
Total items failed	24

MOT #24	2023-11-16 10:12
MOT test number	934586251652
Result	✓ Passed
Next expiry date	2024-11-17
Advice Front Headlamp has a product on the lens but not seriously reducing li (b))	ight output both sides (4.1.4

MOT #23	2023-11-15 10:11
MOT test number	373141761120
Result	🗙 Failed
Advice Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Minor (b) (i)) Nearside Registration plate lamp inoperative in the case of multiple lamp	s or light sources (4.7.1
Fail Offside Front Position lamp not working (4.2.1 (a) (ii))	
Fail Nearside Front Direction indicator incorrect colour (4.4.3 (a))	
Fail Nearside Front Tyre has ply or cords exposed (5.2.3 (d) (ii))	
Fail Nearside Front Wheel bearing play so excessive it is likely to break up (5.1.3)	3 (a) (ii))
Advice Front Headlamp has a product on the lens but not seriously reducing light (b))	nt output both sides (4.1.4





MOT #22	2 20)22-11-18 08:44	
MOT test	t number	563681908781	
Result		✓ Passed	
Minor (b) (i))	Nearside Registration plate lamp inoperative in the case of multiple lamps or light so	ources (4.7.1	
Advice	Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))		
Advice	Nearside Front Tyre worn close to legal limit/worn on edge inner edge worn (5.2.3 (e))	
MOT #21	L 20)22-11-10 07:53	
MOT test	t number	237068539508	
Result		🗙 Failed	
Fail N	Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii))		
Fail Nearside Rear Bumper damaged and likely to cause injury when grazed or contacted end cap missing (6.1.4 (a) (i))			
Fail C	Offside Headlamp lens seriously defective (4.1.1 (b) (ii))		
Advice	Nearside Front Tyre worn close to legal limit/worn on edge inner edge worn (5.2.3 (e))	
Advice	Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))		
Fail N	Nearside Headlamp lens seriously defective (4.1.1 (b) (ii))		
Fail C	Offside Front Tyre has ply or cords exposed (5.2.3 (d) (ii))		
Fail H	Headlamp aim not tested (4.1.2 (b))		
Minor	Nearside Registration plate lamp inoperative in the case of multiple lamps or light so	urces (4.7.1	

MOT #20

(b) (i))

2021-09-07 14:42

MOT test number	360886883086
Result	✓ Passed



DE05NEF
report date: 2024-03-28

2019-09-24 12:55

MOT #19		2020-09-24 13:31
MOT test	number	258169736915
Result		✓ Passed
Advice	N/s/f link pin dust cover split	
Advice	Oil leak	
Advice	Both front tyres bald on edges + close to limit	
Advice	N/s/f inner driveshaft boot split	
Advice	Corrosion not through all skins chassis rails + all inner wheel arches + outer sills	
Advice	Exhaust bracket broken off rear silencer + rubber split	
Advice	Some roughness in n/s/f wheel bearing	
Advice	Both front brake pipes corroding	

MOT #18

MOT test num	ber 1	19096543103
Result		🗸 Passed
Advice Bra	ake hoses showing signs of wear	
Advice Sur	face corrosion to: inner / outer sills, chassis rails, floor pans to inner wheel arches	

MOT #1	7	2019-09-19 09:21
MOT tes	t number	502954784204
Result		🗙 Failed
Advice	Brake hoses showing signs of wear	
Advice	Surface corrosion to: inner / outer sills, chassis rails, floor pans to inner wheel arch	es
Fail	Brake pipe excessively corroded both front to rear corroded at rear (1.1.11 (c))	



DE05NEF report date: 2024-03-28

MOT #16		2018-09-26 11:06
MOT test nur	nber	586169984444
Result		✓ Passed
Advice No	earside Rear Service brake fluctuating, but not excessively (1.2.1 (e))	
Advice Bi	rake pedal wearing smooth (1.1.2 (c))	
Advice Re (c))	ear Brake pipe corroded, covered in grease or other material All and cover	red in grease (1.1.11
Advice Fr	ont Oil leak, but not excessive (8.4.1 (a) (i))	
	ffside Rear Suspension component mounting prescribed area is corroded l ackle mount area (5.3.6 (a) (i))	but not considered
	ear Brakes imbalanced requirements only just met. It would appear that th stment or repair. (1.2.1 (b) (i))	ne braking system
Advice Fr	ont Brake pipe corroded, covered in grease or other material All (1.1.11 (c))
Advice Po	ower steering pipe/hose has slight seepage Rack area (2.1.5 (a))	
	earside Rear Suspension component mounting prescribed area is corrodec ackle mount area (5.3.6 (a) (i))	d but not considered
	ont Suspension component mounting prescribed area is corroded but not ng areas (5.3.6 (a) (i))	considered excessive



DE05NEF report date: 2024-03-28

MOT #15 2018-09-25 10:53
MOT test number 726781182769
Result × Failed
Fail Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Inner sill area (5.3.6 (a) (i))
Fail Central Rear Stop lamp(s) not working (4.3.1 (a) (ii))
Advice Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive Shackle mount area (5.3.6 (a) (i))
Advice Power steering pipe/hose has slight seepage Rack area (2.1.5 (a))
Advice Rear Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (1.2.1 (b) (i))
Advice Front Suspension component mounting prescribed area is corroded but not considered excessive Turret mounting areas (5.3.6 (a) (i))
Fail Rear Other passenger door cannot be opened from outside the vehicle (6.2.3 (a))
Fail Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength Outer sill area (5.3.6 (a) (i))
Advice Rear Brake pipe corroded, covered in grease or other material All and covered in grease (1.1.11 (c))
Advice Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive Shackle mount area (5.3.6 (a) (i))
Fail Nearside Front Inner Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))
Advice Nearside Rear Service brake fluctuating, but not excessively (1.2.1 (e))
Advice Front Oil leak, but not excessive (8.4.1 (a) (i))
Advice Brake pedal wearing smooth (1.1.2 (c))
Advice Front Brake pipe corroded, covered in grease or other material All (1.1.11 (c))

MOT #14	2017-09-18 13:37
MOT test number	355819205879
Result	✓ Passed

Advice

Both front brake pipes corroding

Advice Both rear brake pipes heavily undersealed

Advice

Some brake fluctuation both rear





MOT #13	2016-09-26 13:06	
MOT test number	658104112316	
Result	✓ Passed	
MOT #12	2016-09-23 13:52	
MOT test number	540995036027	
Result	× Failed	
Fail Offside Front Anti-roll bar ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)		
FailNearside Front Ball joint has excessive play steering rack inner (2.2.B.1f)		
Fail Rear Brake pipe excessively corroded (3.6.B.2c)		

MOT #11		2015-12-01 14:53
MOT test	number	833485227640
Result		✓ Passed
Advice	Brake pipe slightly corroded both rear (3.6.B.2c)	
Advice	Brake pipe slightly corroded both front (3.6.B.2c)	

MOT #10	2015-12-01 10:19
MOT test number	887519522810
Result	🗙 Failed
Advice Brake pipe slightly corroded both rear (3.6.B.2c)	
Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Advice Brake pipe slightly corroded both front (3.6.B.2c)	
Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	





MOT #9		2014-10-27 15:29
MOT test	number	955900104337
Result		✓ Passed
Advice	Brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice	Brake pipe slightly corroded (3.6.B.2c)	
Advice	Anti-roll bar linkage ball joint dust cover deteriorated, but preventing the ingres	ss of dirt (2.4.G.2)
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	

MOT #8	2013-11-05 10:40	
MOT test number	389409403345	
Result	✓ Passed	
Advice Tyre worn close to the legal limit (4.1.E.1)		
Advice Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.5b)		
Advice Brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)		

MOT #7	2013-11-05 10:40
MOT test number	147829403383
Result	🗙 Failed
Advice Brake disc worn, pitted or scored, but not seriously weak	kened (3.5.1i)
Pass with rectification Nearside Front Headlamp aim too high	and too far to the right. (1.8)
Advice Tyre worn close to the legal limit (4.1.E.1)	
Advice Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.5b)	
Pass with rectification Offside Front Headlamp aim too high (1.8)

МОТ #6	2012-11-09 12:19
MOT test number	795574412389
Result	✓ Passed





MOT #5	2011-11-04 12:06
MOT test number	516848001344
Result	✓ Passed
MOT #4	2010-10-14 09:54
MOT test number	810287280251
Result	✓ Passed
MOT #3	2009-11-12 13:37
MOT test number	404196919476
Result	✓ Passed
MOT #2	2008-05-14 10:36
MOT test number	490835038138
Result	✓ Passed
MOT #1	2008-05-14 10:36
MOT test number	733965538119
Result	× Failed
Pass with rectification	Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)



DE05NEF report date: 2024-03-28

Tax & MOT check

√ Taxed	✓ MOT	
Tax due: 1 April 2025	Expires: 17 November 2024	
Tax status	Valid until 1 April	
Days left	338	
MOT expiry date	17 November 2024	
Full MOT history	See MOT history	





Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report <u>here</u> for the results.

Damage 1		
Date	le l	
Category		Appropriate
Туре		
Damage 2		AMPLE
	K	
Date		1.E
Category		AMP.
Туре		

Extra FORD salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

xxxxxxxx	

	More info >
Plate changes	
See in this check if this FORD had different number plates.	
Number of plates	
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FORD is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	22
First mileage registration	2005-06-27
Last registration	2023-11-16
Complete history	<u>See info</u>



Registration #1	2005-06-27	12 mi
Registration #2	2008-05-14	27.529 mi
Registration #3	2009-11-12	41.859 mi
Registration #4	2010-10-14	43.081 mi
Registration #5	2011-11-04	44.756 mi
Registration #6	2012-11-09	49.100 mi
Registration #7	2013-11-05	56.379 mi
Registration #8	2014-10-27	63.327 mi
Registration #9	2015-12-01	70.092 mi
Registration #10	2015-12-01	70.092 mi
Registration #11	2016-09-23	70.837 mi
Registration #12		11.777 est
Registration #13		11.777 est
Registration #14		11.777 est
Registration #15		11.777 est
Registration #16		11.777 est
Registration #17		11.777 est
Registration #18		11.777 est
Registration #19		11.777 est
Registration #20		01.777 est
Registration #21		11.777 mi
Registration #22		11.777 est

More info \rightarrow





Car features

S0225	Air conditionin
\$0295	
\$0482	
\$0501	
\$0566	
50567	
S0569	

Dimensions & weight

Width	1795 mm
Kerb weight	1435 kg
Max. allowed weight	2260 kg
Additional information	
Number of seats	2
Number of axles	2
Engine number	5J26104