

\$ SUZUKI



General information

Make	SUZUKI
Model	SPLASH DDIS
Colour	Silver
Year of manufacture	-
Top speed	102 mph
0 - 60 mph	13.9 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	74 BHP
Max. torque	190 Nm at 1.750 rpm
Cylinders	4
Fuel type	Diesel
Consumption city	51.4 mpg
Consumption extra urban	70.6 mpg
Consumption combined	62.8 mpg





Internet history

Entry 1

Date Pictures 2021-06-06

5

Listing price

View report









source: autotrader.co.uk



MOT history

MOT #15	2022-03-11 09:32
MOT test number	615777310173
Result	✓ Passed
Next expiry date	2023-03-10
Minor Front Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))
Advice Nearside Front Macpherson strut pin or bush worn but not resulting in excess (a) (i))	ive movement (5.3.4
Advice Nearside Front Suspension arm pin or bush worn but not resulting in excessiv (a) (i))	re movement (5.3.4
Advice Integral body structure or chassis corroded within 30cm of a mounting, but no overall security (6.2.2 (d) (i))	ot seriously affecting
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive (i))	movement (5.3.4 (a)
Advice Offside Front Macpherson strut pin or bush worn but not resulting in excessive (a) (i))	e movement (5.3.4

MOT #14		2021-02-05 08:39
MOT test	number	781074810167
Result		✓ Passed
Advice	Nearside Front Upper Shock absorbers has a slightly worn bush (5.3.2 (c))	
Advice	Offside Front Upper Shock absorbers has a slightly worn bush (5.3.2 (c))	
Advice (i))	Offside Front Suspension arm pin or bush worn but not resulting in excessive	movement (5.3.4 (a)
Advice	Brake pipe corroded, covered in grease or other material all coated in grease	(1.1.11 (c))



YF09DZB report date: 2024-03-28

MOT #13	202	1-02-02 07:50
MOT test	number 1	48189165276
Result		🗙 Failed
Advice	Exhaust has a minor leak of exhaust gases (6.1.2 (a))	
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice (i))	Offside Front Suspension arm pin or bush worn but not resulting in excessive moveme	ent (5.3.4 (a)
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Offside Front Upper Shock absorbers has a slightly worn bush (5.3.2 (c))	
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Fail N	learside Rear Service brake excessively binding (1.2.1 (f))	
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Nearside Front Upper Shock absorbers has a slightly worn bush (5.3.2 (c))	
Advice	Front Exhaust mounting defective (6.1.2 (a))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
Fail N	learside Front Coil spring fractured or broken (5.3.1 (b) (i))	

MOT #:	12 202	21-01-28 11:18
MOT te	est number S	919094084105
Result		🗙 Failed
Advic	Front Registration plate deteriorated but not likely to be misread (0.1 (b))	
Fail	Boot lid cannot be secured in the closed position (6.2.1 (e))	
Fail	Nearside Rear Service brake excessively binding (1.2.1 (f))	
Fail	Front Macpherson strut top bush or bearing has excessive wear or free play x 2 (5.3.4 (a) (i))
Fail	Brake fluid contaminated (1.8 (a))	
Fail	Nearside Front Coil spring fractured or broken (5.3.1 (b) (i))	





MOT #11		2019-07-09 07:20
MOT test	number	776918526111
Result		✓ Passed
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Offside Front Upper Shock absorbers has a slightly worn bush (5.3.2 (c))	
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice	Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Nearside Front Upper Shock absorbers has a slightly worn bush (5.3.2 (c))	
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (:))

MOT #10		2018-07-12 08:56
MOT test	number	865423674748
Result		✓ Passed
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (i))	
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11	L (c))
Advice	Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11	(c))
Advice (i))	Offside Front Suspension arm pin or bush worn but not resulting in excessive m	ovement (5.3.4 (a)





MOT #9		2017-06-29 15:28
MOT test	number	233254793727
Result		✓ Passed
Advice	Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Front Brake pad(s) wearing thin (3.5.1g)	
Advice	Nearside Rear tyre has a deep cut between tread	

MOT #8	2017-06-29 10:07
MOT test number	708090969927
Result	🗙 Failed
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice Front Brake pad(s) wearing thin (3.5.1g)	
Fail Offside Front Suspension arm has excessive play in a ball joint (2.4.G.2)	
Advice Nearside Rear tyre has a deep cut between tread	
Advice Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Fail Offside Front coil spring broken (2.4.C.1a)	

MOT #7	2016-07-11 13:35
MOT test number	296890457460
Result	✓ Passed
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice Nearside Front Upper Suspension arm rubber bush deteriorated but not r movement (2.4.G.2)	resulting in excessive
Advice Nearside Rear tyre scrubbed off on inside edge	
Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c)	



MOT #6		2016-07-11 10:04
MOT test	number	760717944481
Result		🗙 Failed
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Offside Front Upper Shock absorber has a slightly worn bush (2.7.4)	
Advice	Nearside Rear tyre scrubbed off on inside edge	
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Front Upper Shock absorber has a slightly worn bush (2.7.4)	
Advice	Nearside Front tyre scrubbed off on inside edge	
Advice movement	Nearside Front Upper Suspension arm rubber bush deteriorated but not result (2.4.G.2)	ing in excessive
Fail Of	fside Front Tyre has ply or cords exposed (4.1.D.1b)	

MOT #5	2015-0	07-08 11:24
MOT test	number 636	529385159
Result		✓ Passed
Advice	Nearside Inner Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Offside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c))
Advice	Nearside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1	.c)

YF09DZB

report date: 2024-03-28





MOT #4		2014-07-14 12:06
MOT test	number	338595194113
Result		✓ Passed
Advice	Nearside Front Macpherson strut has slight movement at the upper attach	ment (2.5.A.1c)
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Notice	Nail in nearside rear tyre	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	

MOT #3	2013-07-12 15	:36
MOT test	number 3688832933	185
Result	✓ Pas.	sed
Advice	Suspension arm has slight play in a ball joint (2.4.G.2)	
Advice	Nearside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)	

MOT #2	2013-07-12 10:45
MOT test number	679023293199
Result	🗙 Failed
Advice Front Brake pad(s) wearing thin (3.5.1g)	
Advice Suspension arm has slight play in a ball joint (2.4.G.2)	
FailNearside Front Front position lamp(s) not working (1.1.A.3b)	
Advice Rear registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice Nearside Front Macpherson strut has slight movement at the upper attachme	ent (2.5.A.1c)





MOT #1	2012-07-13 10:17
MOT test number	878625592167
Result	Passed
Notice Child seat fitted not allowing full inspection of adult belt	





Damage history

Check the damage history for this SUZUKI. See if, where and when this SUZUKI had damage and the car repair costs. We also check if this SUZUKI was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	
Damage 2	AMPL
Date	
Date	OLE
Category	E.S.
Туре	

Extra SUZUKI salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this SUZUKI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 10.200





Owner history

For how long did the current and previous owner(s) have this SUZUKI? How many owners did this SUZUKI have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second s	

	More info >
Plate changes	
See in this check if this SUZUKI had different number plates.	
Number of plates	,
Current registration	
Plate since	
Plate since Carrent registration	
Plata since Carrent registration Plate since	





Finance check

Check if this SUZUKI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this SUZUKI has been settled.

If not, and you buy this SUZUKI then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this SUZUKI is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	





Mileage check

Odometer	In miles
Mileage registrations	17
First mileage registration	2009-07-14
Last registration	2022-03-11
Complete history	<u>See info</u>



2009-07-14	27 mi
2012-07-13	18.316 mi
2013-07-12	27.006 mi
2013-07-12	27.006 mi
2014-07-14	35.307 mi
2015-07-08	42.761 mi
2016-07-11	48.991 mi
2016-07-11	48.991 mi
2017-06-29	54.560 mi
	11.777 est
	11.707 est
	11.777 est
	11.707 est
	11.777 est
	11.777 est
	11.777 est
	2012-07-13 2013-07-12 2013-07-12 2014-07-14 2015-07-08 2016-07-11 2016-07-11





Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1680 mm
Height	1590 mm
Length	3715 mm
Wheel base	2360 mm
Kerb weight	1160 kg
Max. allowed weight	1530 kg
Additional information	
Additional information Fuel tank capacity	45 l
	45 l Direct Injection
Fuel tank capacity	
Fuel tank capacity Fuel delivery	Direct Injection
Fuel tank capacity Fuel delivery Number of doors	Direct Injection 5