


Ford



General informationMakeFORDModelTRANSIT CONNECT T220 L SWB P/VColourWhiteYear of manufacture-Gearbox5 speed Manual

Engine & fuel consumption

| Power | 89 BHP |
|-------------|---------------------|
| Max. torque | 220 Nm at 1.750 rpm |
| Cylinders | 4 |
| Fuel type | Diesel |







Internet history

| Entry 1 | |
|---------------|-------------|
| Date | 2021-07-22 |
| Pictures | 19 |
| Listing price | View report |







source: cargurus.co.uk



MOT history

| МОТ #20 | 2023-03-27 15:53 | |
|--|-------------------|--|
| MOT test number | 317336258341 | |
| Result | ✓ Passed | |
| Next expiry date | 2024-04-03 | |
| Advice Exhaust has a minor leak of exhaust gases (6.1.2 (a)) | | |
| Minor Offside Front Headlamp lens slightly defective (4.1.1 (b) (i)) | | |
| Advice Offside Front Inner Drive shaft joint worn, but not excessively (6.1.7 (c) (i)) | | |
| Advice Nearside Front Brake disc worn, pitted or scored, but not seriously weakened | (1.1.14 (a) (ii)) | |
| Advice Nearside Rear Anti-roll bar linkage pin or bush worn but not resulting in excessive movement D bush (5.3.4 (a) (i)) | | |
| Minor Central Front Headlamp lens slightly defective (4.1.1 (b) (i)) | | |
| Advice Nearside Front Inner Drive shaft joint worn, but not excessively (6.1.7 (c) (i)) | | |
| Minor Offside Front Suspension arm ball joint dust cover severely deteriorated (5.3.4 | (b) (i)) | |
| Advice Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1 | .1.14 (a) (ii)) | |





| MOT #19 | | 2023-03-27 14:23 |
|--------------------------|---|-------------------|
| MOT test | number | 720051808915 |
| Result | | 🗙 Failed |
| Advice | Nearside Front Brake disc worn, pitted or scored, but not seriously weakened | (1.1.14 (a) (ii)) |
| Advice bush (5.3. | Nearside Rear Anti-roll bar linkage pin or bush worn but not resulting in exces 4 (a) (i)) | ssive movement D |
| Advice | Nearside Front Inner Drive shaft joint worn, but not excessively (6.1.7 (c) (i)) | |
| Minor | Offside Front Headlamp lens slightly defective (4.1.1 (b) (i)) | |
| Fail 0 (5.2.3 (d) | ffside Rear Tyre has a cut in excess of the requirements deep enough to reach ((i)) | the ply or cords |
| Advice | Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1 | L.1.14 (a) (ii)) |
| Advice | Exhaust has a minor leak of exhaust gases (6.1.2 (a)) | |
| Minor | Central Front Headlamp lens slightly defective (4.1.1 (b) (i)) | |
| Advice | Offside Front Inner Drive shaft joint worn, but not excessively (6.1.7 (c) (i)) | |
| Minor | Offside Front Suspension arm ball joint dust cover severely deteriorated (5.3.4 | (b) (i)) |

| MOT #18 | 2022-03-25 17:07 |
|---|-----------------------------|
| MOT test number | 788521512463 |
| Result | ✓ Passed |
| Advice Offside Front Inner Drive shaft joint worn, but not excessively (6.1.7 (c) | (i)) |
| Minor Nearside Front Lower Suspension component ball joint dust cover sever (i)) | ely deteriorated (5.3.4 (b) |
| Advice Nearside Rear Anti-roll bar pin or bush worn but not resulting in excess (5.3.4 (a) (i)) | ive movement D bush. |
| Advice Nearside Front Inner Drive shaft joint worn, but not excessively (6.1.7 (| c) (i)) |
| Advice Exhaust has a minor leak of exhaust gases (6.1.2 (a)) | |





| MOT #17 | 2022-03-23 12:32 |
|--|-------------------|
| MOT test number | 923394006761 |
| Result | 🗙 Failed |
| Fail Nearside Front Anti-roll bar pin or bush excessively worn D bush. (5.3.4 (a) (i)) | |
| Advice Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive move (5.3.4 (a) (i)) | ment D bush. |
| Advice Nearside Front Inner Drive shaft joint worn, but not excessively (6.1.7 (c) (i)) | |
| Fail Offside Rear Suspension component mounting prescribed area excessively corroded reducing structural strength (5.3.6 (a) (i)) | d significantly |
| Fail Offside Front Anti-roll bar pin or bush excessively worn D bush. (5.3.4 (a) (i)) | |
| Advice Exhaust has a minor leak of exhaust gases (6.1.2 (a)) | |
| Minor Nearside Front Lower Suspension component ball joint dust cover severely determine (i)) | orated (5.3.4 (b) |
| Advice Offside Front Inner Drive shaft joint worn, but not excessively (6.1.7 (c) (i)) | |

| MOT #16 | | 2021-03-16 14:37 |
|----------|---|------------------|
| MOT test | number | 191016735807 |
| Result | | ✓ Passed |
| Advice | Both rear tyres cracking around sidewalls | |
| Advice | Small exhaust blow from rear pipe | |

| MOT #15 | 2020-03-11 12:29 |
|-----------------|------------------|
| MOT test number | 702999538938 |
| Result | ✓ Passed |
| | |
| MOT #14 | |

| MOT #14 | 2019-04-04 11:23 |
|-----------------|------------------|
| MOT test number | 111879306516 |
| Result | ✓ Passed |
| | |





| MOT #13 | 2018-03-19 08:58 |
|---|------------------|
| MOT test number | 655822815004 |
| Result | ✓ Passed |
| | |
| MOT #12 | 2017-03-08 17:05 |
| MOT test number | 730688440475 |
| Result | ✓ Passed |
| Advice Offside Front Tyre worn close to the legal limit (4.1.E.1) | |
| Advice Tyre worn close to the legal limit (195/65R15 91H) (4.1.E.1) | |
| Advice Front Brake pad(s) wearing thin (3.5.1g) | |
| | |

| MOT #11 | 2017-03-08 12:47 |
|---|------------------|
| MOT test number | 171216064134 |
| Result | 🗙 Failed |
| Fail Nearside Stop lamp not working (1.2.1b) | |
| Advice Tyre worn close to the legal limit (195/65R15 91H) (4.1.E.1) | |
| Advice Front Brake pad(s) wearing thin (3.5.1g) | |
| Fail Offside Front Inner Front constant velocity joint gaiter insecure to the extent that it prevents the ingress of dirt etc (2.5.C.1a) | no longer |
| Advice Offside Front Tyre worn close to the legal limit (4.1.E.1) | |
| Fail Offside Rear Rear fog lamp not working (1.3.2b) | |

| MOT #10 | 2016-03-10 17:04 |
|--------------------------------|------------------|
| MOT test number | 672587941263 |
| Result | ✓ Passed |
| Advice Brake pedel rubber worn | |





| MOT #9 | 2015-03-03 08:36 |
|--|-----------------------|
| MOT test number | 127682265089 |
| Result | ✓ Passed |
| | |
| MOT #8 | 2015-03-02 14:41 |
| MOT test number | 215391865055 |
| Result | 🗙 Failed |
| Fail Nearside Front Anti-roll bar has excessive play in a ball joint (2.4.G.2) | |
| Notice Engine stabilizer spilt | |
| Advice Nearside Front Front constant velocity joint gaiter damaged, but preventin (2.5.C.1a) | g the ingress of dirt |

| MOT #7 | 2014-03-10 15:38 |
|-----------------|------------------|
| MOT test number | 745479264042 |
| Result | ✓ Passed |
| | |
| MOT #6 | 2013-03-08 14:30 |
| MOT test number | 997327063099 |
| Result | ✓ Passed |
| | |
| MOT #5 | 2012-02-29 08:09 |
| MOT test number | 109220662477 |
| Result | Passed |
| | |
| MOT #4 | 2011-03-21 16:40 |
| MOT test number | 737260481026 |
| Result | ✓ Passed |
| | |
| MOT #3 | 2010-11-23 15:22 |

| MOT test number | 883507420368 |
|-----------------|--------------|
| Result | ✓ Passed |





| MOT #2 | 2010-11-23 13:54 |
|--|------------------|
| MOT test number | 730097520333 |
| Result | 🗙 Failed |
| Fail Offside Front Anti-roll bar linkage has excessive play in a ball jo | int (2.4.G.2) |
| Fail Nearside Front Anti-roll bar linkage has excessive play in a ball | joint (2.4.G.2) |

| MOT #1 | 2009-11-18 15:40 |
|---|------------------|
| MOT test number | 464792229324 |
| Result | ✓ Passed |
| Advice Windscreen has damage to an area less than a 10mm circle within zone | 'A' (8.3.1a) |





Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | | |
|----------|--|-------|
| Date | F | |
| Category | | ARME |
| Туре | | |
| Damage 2 | | AMPLE |
| | E E | |
| Date | | \$ |
| Category | AMP | |
| Туре | No. Contraction of the second se | |

Extra FORD salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value | 4 10.000 |
|-----------------------------|----------|
| Auction value | 4 10.000 |
| Average private trade value | 4 |





Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| And a second sec | |
|--|-------------|
| ************ | |
| ******* | |
| ****** | |
| *********** | |
| ******* | |
| | More info > |
| Plate changes | |
| See in this check if this FORD had different number plates. | |
| Number of plates | , |
| Current registration | |
| Plate since | |
| Current registration | |
| Plate since | |
| | More info > |





Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FORD is financed.


| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |





Mileage check

| Odometer | In miles |
|----------------------------|-----------------|
| Mileage registrations | 22 |
| First mileage registration | 2006-12-13 |
| Last registration | 2023-03-27 |
| Complete history | <u>See info</u> |



| Registration #1 | 2006-12-13 | 24 mi |
|------------------|------------|------------|
| Registration #2 | 2009-11-18 | 28.723 mi |
| Registration #3 | 2010-11-23 | 35.068 mi |
| Registration #4 | 2010-11-23 | 35.068 mi |
| Registration #5 | 2011-03-21 | 35.098 mi |
| Registration #6 | 2012-02-29 | 43.820 mi |
| Registration #7 | 2013-03-08 | 55.151 mi |
| Registration #8 | 2014-03-10 | 67.237 mi |
| Registration #9 | 2015-03-02 | 76.616 mi |
| Registration #10 | 2015-03-03 | 76.616 mi |
| Registration #11 | 2016-03-10 | 87.889 mi |
| Registration #12 | | 11.777 esi |
| Registration #13 | | 11.777 esi |
| Registration #14 | | 11.117 esi |
| Registration #15 | | 11.117 esi |
| Registration #16 | | 11.777 esi |
| Registration #17 | | 11.777 esi |
| Registration #18 | | 11.777 esi |
| Registration #19 | | 11.777 esi |
| Registration #20 | | 11.117 est |
| Registration #21 | | 11.777 esi |
| Registration #22 | | 11.777 esi |
| | | |





Car features

| S0225 | Air conditioning |
|--------|------------------|
| \$0295 | |
| \$0482 | |
| \$0501 | |
| \$0566 | |
| 50567 | |
| S0569 | |

Dimensions & weight

| Width | 2044 mm |
|---------------------|---------|
| Height | 598 mm |
| Length | 4278 mm |
| Max. allowed weight | 2230 kg |

Additional information

| Fuel tank capacity | 60 I |
|--------------------|------------------|
| Fuel delivery | Direct Injection |
| Number of doors | 4 |
| Number of seats | 2 |
| Engine number | 5E59552 |