



report date: 2024-03-28

General information

Make	CITROEN
Model	DISPATCH 1000 L1H1 SWB P/V HDI 120
Colour	White
Year of manufacture	2011
Gearbox	6 speed Manual

Engine & fuel consumption

Power	120 BHP
Max. torque	300 Nm at 2.000 rpm
Engine capacity	1.997 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-07-14
Pictures	10
Listing price	View report



source: cargurus.co.uk



MOT history

MOT expiry date	2024-07-15
MOT pass rate	53 %
MOT passed	10
Failed MOT tests	9
Total advice items	41
Total items failed	26

MOT #19	2023-06-30 15:15
MOT test number	888454697212
Result	✓ Passed
Next expiry date	2024-07-15
Advice	Front Anti-roll bar pin or bush worn but not resulting in excessive movement both sides D bushes (5.3.4 (a) (i))
Advice	Power steering component has slight seepage from a component Pinion area . (2.1.5 (a))
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))
Advice	Play in steering rack inner joint(s)
Advice	Nearside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))
Advice	Long service brake travel
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened both sides inside face (1.1.14 (a) (ii))

**MOT #18**

2023-06-30 08:51

MOT test number

490064155875

Result**✗ Failed**

Advice Front Anti-roll bar pin or bush worn but not resulting in excessive movement both sides D bushes (5.3.4 (a) (i))

Advice Power steering component has slight seepage from a component Pinion area . (2.1.5 (a))

Fail Exhaust emissions exceed default limit of 1.5m-1 (8.2.2.2 (b))

Advice Rear Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))

Pass with rectification Offside Front Headlamp aim too low (4.1.2 (a))

Fail Nearside Front Inner Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))

Advice Long service brake travel

Advice Nearside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))

Advice Front Brake disc worn, pitted or scored, but not seriously weakened both sides inside face (1.1.14 (a) (ii))

Pass with rectification Nearside Front Headlamp aim too low (4.1.2 (a))

Advice Play in steering rack inner joint(s)

Fail Nearside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))

MOT #17

2022-07-05 06:59

MOT test number

352683646742

Result**✓ Passed**

Advice Nearside Front Track rod end ball joint has slight play (2.1.3 (b) (i))

Minor Power steering fluid level below minimum (2.1.5 (b) (i))

Advice Nearside Front Play in steering rack inner joint(s)

Advice Power steering component has slight seepage from a component Pinion area . (2.1.5 (a))

Advice Front Anti-roll bar pin or bush worn but not resulting in excessive movement D bushes both sides . (5.3.4 (a) (i))

Advice Nearside Front Nail in tyre

**MOT #16**

2022-07-04 10:50

MOT test number

343231743037

Result**✗ Failed****Advice** Nearside Front Track rod end ball joint has slight play (2.1.3 (b) (i))**Advice** Nearside Front Play in steering rack inner joint(s)**Fail** Nearside Front Inner Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))**Advice** Nearside Front Nail in tyre**Minor** Power steering fluid level below minimum (2.1.5 (b) (i))**Advice** Power steering component has slight seepage from a component Pinion area . (2.1.5 (a))**MOT #15**

2021-07-16 08:00

MOT test number

122072315027

Result**✓ Passed****Advice** Nearside Front Play in steering rack inner joint(s)**Advice** Front Anti-roll bar linkage pin or bush worn but not resulting in excessive movement D bushes. (5.3.4 (a) (i))**MOT #14**

2020-10-22 09:30

MOT test number

463769411496

Result**✓ Passed****MOT #13**

2020-10-22 07:57

MOT test number

987525288770

Result**✗ Failed****Advice** Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Fail** Offside Stop lamp(s) not working (4.3.1 (a) (ii))**Fail** Offside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))

**MOT #12** 2019-10-21 09:10**MOT test number** 261059909430**Result** ✓ Passed**Advice** Central Exhaust mounting defective (6.1.2 (a))**Advice** Front Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (1.2.1 (b) (i))**MOT #11** 2019-10-21 08:15**MOT test number** 113104924179**Result** ✗ Failed**Fail** Front Position lamp not working both (4.2.1 (a) (ii))**Advice** Front Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (1.2.1 (b) (i))**Fail** Nearside Stop lamp(s) not working (4.3.1 (a) (ii))**Advice** Central Exhaust mounting defective (6.1.2 (a))**MOT #10** 2018-10-03 07:43**MOT test number** 217264305767**Result** ✓ Passed**Advice** Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))

**MOT #9** 2018-10-01 14:50**MOT test number** 406940714258**Result** ✗ Failed**Fail** Nearside Stop lamp(s) not working (4.3.1 (a) (ii))**Fail** Front Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))**Fail** Offside Front Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))**Minor** Nearside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))**Fail** Offside Stop lamp(s) not working (4.3.1 (a) (ii))**Fail** Rear Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))**Advice** Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))**MOT #8** 2017-10-24 16:06**MOT test number** 674756748233**Result** ✓ Passed**Advice** Front Brake pad(s) wearing thin (3.5.1g)**Advice** Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**MOT #7** 2017-10-24 16:06**MOT test number** 965792545152**Result** ✗ Failed**Advice** Front Brake pad(s) wearing thin (3.5.1g)**Pass with rectification** Nearside Rear Direction indicator incorrect colour (1.4.A.2f)**Advice** Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**Pass with rectification** Offside Rear Direction indicator incorrect colour (1.4.A.2f)**Pass with rectification** Nearside Front Headlamp aim beam image obviously incorrect (1.8.A.1b)**Pass with rectification** Nearside Front constant velocity joint gaiter deteriorated to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)**Pass with rectification** Front registration plate deteriorated (6.3.1d)**MOT #6** 2016-10-22 08:30**MOT test number** 211007853508**Result** ✓ Passed**Advice** Front registration plate deteriorated but not likely to be misread (6.3.1d)**MOT #5** 2016-10-15 09:51**MOT test number** 495352836825**Result** ✗ Failed**Fail** Offside Registration plate lamp not working (1.1.C.1d)**Fail** Offside Inner Front constant velocity joint gaiter deteriorated to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)**Advice** Front registration plate deteriorated but not likely to be misread (6.3.1d)**MOT #4** 2015-10-21 09:39**MOT test number** 439380350988**Result** ✓ Passed



MOT #3	2015-10-19 13:38
MOT test number	374166725959
Result	✗ Failed
Fail	Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
Fail	Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

MOT #2	2014-09-30 11:17
MOT test number	349383474430
Result	✓ Passed

MOT #1	2014-09-30 10:03
MOT test number	538633274283
Result	✗ Failed
Fail	Offside Stop lamp not working (1.2.1b)
Fail	Nearside Front position lamp(s) not working (1.1.A.3b)



Tax & MOT check

✓
Taxed
Tax due:
1 January 2025

✓
MOT
Expires:
15 July 2024

Tax status		Valid until 1 January
Days left		247
MOT expiry date		15 July 2024
Full MOT history		See MOT history



Damage history

Check the damage history for this CITROEN. See if, where and when this CITROEN had damage and the car repair costs. We also check if this CITROEN was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra CITROEN salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this CITROEN in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 15,200
Auction value	£ 15,200
Average private trade value	£ 15,200

More info >



Owner history

For how long did the current and previous owner(s) have this CITROEN? How many owners did this CITROEN have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this CITROEN had different number plates.

Number of plates	1
Current registration	XXXXXX
Plate since	2019-01-01
Current registration	XXXXXX
Plate since	2019-01-01

More info >



Finance check

Check if this CITROEN is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this CITROEN has been settled.

If not, and you buy this CITROEN then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this CITROEN is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	21
First mileage registration	2011-10-19
Last registration	2023-06-30
Complete history	See info



Registration #1	2011-10-19	13 mi
Registration #2	2014-09-30	68.582 mi
Registration #3	2014-09-30	68.582 mi
Registration #4	2015-10-19	89.987 mi
Registration #5	2015-10-21	89.987 mi
Registration #6	2016-10-15	96.718 mi
Registration #7	2016-10-22	96.872 mi
Registration #8	2017-10-24	103.597 mi
Registration #9	2017-10-24	103.597 mi
Registration #10	2018-10-01	110.288 mi
Registration #11	2018-10-03	110.288 mi
Registration #12	2019-06-20	121.277 mi
Registration #13	2019-06-20	121.277 mi
Registration #14	2019-06-20	121.277 mi
Registration #15	2019-06-20	121.277 mi
Registration #16	2019-06-20	121.277 mi
Registration #17	2019-06-20	121.277 mi
Registration #18	2019-06-20	121.277 mi
Registration #19	2019-06-20	121.277 mi
Registration #20	2019-06-20	121.277 mi
Registration #21	2019-06-20	121.277 mi

More info >



Dimensions & weight

Width	2194 mm
Height	1942 mm
Length	4805 mm
Kerb weight	1661 kg

Additional information

Fuel tank capacity	80 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	3
Engine number	DYXA4040818