



TOYOTA



report date: 2024-03-28

General information

Make	TOYOTA
Model	COROLLA VVTI T SPIRIT
Colour	Silver
Year of manufacture	2005
Top speed	109 mph
0 - 60 mph	11.8 seconds
Gearbox	4 speed automatic

Engine & fuel consumption

Power	109 BHP
Max. torque	150 Nm at 3.800 rpm
Engine capacity	1.598 cc
Cylinders	4
Fuel type	Petrol
Consumption city	26.6 mpg
Consumption extra urban	44.1 mpg
Consumption combined	35.7 mpg
CO2 emission	190 g/km
CO2 label	J





MOT history

MOT expiry date	2024-05-17
MOT pass rate	67 %
MOT passed	16
Failed MOT tests	8
Total advice items	303
Total items failed	15

MOT #24	2023-05-18 13:55
MOT test number	543559211331
Result	✓ Passed
Next expiry date	2024-05-17

MOT #23	2022-03-11 14:54
MOT test number	350936447843
Result	✓ Passed

MOT #22	2021-01-13 16:46
MOT test number	172679099413
Result	✓ Passed

MOT #21	2020-08-18 15:53
MOT test number	696392022557
Result	✓ Passed
Advice	Front Brake disc worn, but not excessively both front (1.1.14 (a) (i))
Minor	Offside Front Windscreen wiper blade defective torn (3.4 (b) (i))
Advice	Front reg plate cracked
Advice	Nearside Rear Service brake binding but not excessively (1.2.1 (f))
Advice	Nearside Front Play in steering rack inner joint(s)



MOT #202020-08-12 10:46

MOT test number710380484421

ResultX Failed

- Fail

Nearside Rear Brake pipe connection leaking on a hydraulic braking system (1.1.11 (b) (ii))
- Minor

Brake fluid warning lamp illuminated (1.1.10 (f))
- Advice

Nearside Front Play in steering rack inner joint(s)
- Advice

Nearside Rear Service brake binding but not excessively (1.2.1 (f))
- Fail

Brake fluid not visible (1.1.10 (d) (iii))
- Minor

Offside Front Windscreen wiper blade defective torn (3.4 (b) (i))
- Advice

Front reg plate cracked
- Advice

Front Brake disc worn, but not excessively both front (1.1.14 (a) (i))



MOT #19

2019-08-14 11:14

MOT test number

473073925787

Result

✓ Passed

- Advice

Nearside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice

Offside Rear Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Front Coil spring corroded (5.3.1 (b) (i))
- Advice

Nearside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice

Nearside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice

Offside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice

Nearside Rear Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice

Nearside Front Coil spring corroded (5.3.1 (b) (i))
- Advice

Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice

Bodywork damaged
- Advice

Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))

**MOT #18**

2019-08-14 09:26

**MOT test number**

544218292540

**Result****✗ Failed**

- Advice** Offside Rear Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Nearside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))
- Advice** Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Bodywork damaged
- Advice** Nearside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Nearside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice** Nearside Rear Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Offside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))
- Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Fail** Nearside Front Outer Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt Insecure (6.1.7 (g) (ii))
- Advice** Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Offside Front Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))



MOT #17

2018-08-08 13:25

MOT test number

302007564108

Result

✓ Passed

- Advice

Nearside Front Coil spring corroded (5.3.1 (b) (i))
- Advice

Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice

Bodywork damaged
- Advice

Front Anti-roll bar corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Nearside Rear Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Front Anti-roll bar linkage corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Front Coil spring corroded (5.3.1 (b) (i))
- Advice

Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice

Vehicle fitted with side skirts obscuring the view of the outer sills
- Advice

Nearside Front Anti-roll bar linkage corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Rear Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Nearside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))



MOT #16

2018-08-07 10:25

MOT test number

130166961799

Result

✗ Failed

- Advice

Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Bodywork damaged
- Advice

Front Anti-roll bar corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Front Coil spring corroded (5.3.1 (b) (i))
- Advice

Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Fail

Nearside Rear Brake pipe leaking on a hydraulic braking system (1.1.11 (b) (ii))
- Advice

Nearside Front Anti-roll bar linkage corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Rear Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Nearside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice

Nearside Front Coil spring corroded (5.3.1 (b) (i))
- Advice

Vehicle fitted with side skirts obscuring the view of the outer sills
- Advice

Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice

Nearside Rear Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))
- Fail

Brake hydraulic reservoir cap missing (1.1.10 (e))
- Advice

Offside Front Anti-roll bar linkage corroded but not seriously weakened (5.3.3 (b) (i))
- Fail

Offside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords 195/60/15 (5.2.3 (d) (i))
- Advice

Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))



MOT #15

2017-08-14 10:38

MOT test number

814893648788

Result

✓ Passed

- Advice

Nearside Rear coil spring corroded (2.4.C.1b)
- Advice

Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Rear Shock absorber has slight corrosion to the casing (2.7.2a)
- Advice

Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Offside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice

Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Advice

Offside Front coil spring corroded (2.4.C.1b)
- Advice

Rear Axle is corroded
- Advice

Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Rear Brake slightly binding on
- Advice

Offside Rear coil spring corroded (2.4.C.1b)
- Advice

Nearside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice

Offside Rear Shock absorber has slight corrosion to the casing (2.7.2a)
- Advice

Front Sub-frame corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Front coil spring corroded (2.4.C.1b)
- Advice

Offside Front Wiper blade slightly smearing the windscreen





MOT #14

2017-08-10 12:08

MOT test number

435406968805

Result

✗ Failed

- Advice

Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Advice

Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Front coil spring corroded (2.4.C.1b)
- Advice

Front Sub-frame corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Rear coil spring corroded (2.4.C.1b)
- Advice

Offside Front Wiper blade slightly smearing the windscreen
- Advice

Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Rear Shock absorber has slight corrosion to the casing (2.7.2a)
- Advice

Rear Axle is corroded
- Advice

Offside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Fail

Nearside Rear Brake pipe excessively corroded (3.6.B.2c)
- Advice

Offside Front coil spring corroded (2.4.C.1b)
- Advice

Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice

Offside Rear coil spring corroded (2.4.C.1b)
- Advice

Nearside Rear Brake slightly binding on
- Advice

Nearside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice

Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Offside Rear Shock absorber has slight corrosion to the casing (2.7.2a)



MOT #13

2016-08-15 10:17

MOT test number

757209335508

Result

✓ Passed

- Advice
- Nearside Rear coil spring corroded (2.4.C.1b)
- Advice
- Bodywork damaged
- Advice
- Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice
- Nearside Rear Shock absorber has slight corrosion to the casing (2.7.2a)
- Advice
- All the brake ferrules are corroded
- Advice
- Nearside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice
- Nearside Rear Bonded suspension unit deteriorated but can function as intended axel bush (2.4.F.3)
- Advice
- Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Advice
- Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Advice
- Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice
- Offside Front coil spring corroded (2.4.C.1b)
- Advice
- Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice
- Offside Rear coil spring corroded (2.4.C.1b)
- Advice
- Car fitted with side skirts obscuring the view of the outer sills
- Advice
- Front Anti-roll bar corroded but not seriously weakened (2.4.G.1)
- Advice
- Offside Rear Shock absorber has slight corrosion to the casing (2.7.2a)
- Advice
- Rear axel is corroded but not considered excessive
- Advice
- Offside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice
- Parking brake lever has little reserve travel (3.1.6b)
- Advice
- Offside Rear Bonded suspension unit deteriorated but can function as intended axel bush (2.4.F.3)
- Advice
- Nearside Front coil spring corroded (2.4.C.1b)
- Advice
- Front Sub-frame corroded but not seriously weakened (2.4.G.1)



MOT #12

2015-08-19 10:23

MOT test number

899891262732

Result

✓ Passed

- Advice

Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)
- Advice

BOTH FRONT STRUTS ARE SLIGHTLY STIFF
- Advice

Offside Front Upper Macpherson strut has slight movement in the upper support bearing assembly (2.5.B.1b)
- Advice

Nearside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Nearside Front Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)
- Advice

Nearside Rear Brake pipe slightly corroded TO FRONT MAIN BRAKE PIPE (3.6.B.2c)
- Advice

NEARSIDE FRONT HEADLAMP AIM IS AT ITS HIGHEST LEVEL
- Advice

Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Advice

Offside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Nearside Front Track rod end ball joint has slight play (2.2.B.1f)
- Advice

REAR AXLE IS CORRODED
- Advice

Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Front Upper Anti-roll bar ball joint dust cover deteriorated, but preventing the ingress of dirt AND LOWER (2.4.G.2)
- Advice

Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Offside Front Lower Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)
- Advice

EXHAUST SYSTEM IS CORRODED
- Advice

MOST OF THE BRAKE PIPES ARE PLASTIC COATED
- Advice

Nearside Front Upper Macpherson strut has slight movement in the upper support bearing assembly (2.5.B.1b)
- Advice

Nearside Front Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)
- Advice

ALL FOUR BRAKE CDISCS ARE WORN
- Advice

Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)

- Advice** Offside Front Brake hose slightly deteriorated (3.6.B.4d)
- Advice** Offside Front Track rod end ball joint has slight play (2.2.B.1f)
- Advice** Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice** BODY WORK DAMAGE
- Advice** Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice** Front Anti-roll bar corroded but not seriously weakened (2.4.G.1)
- Advice** Nearside Front Lower Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)
- Advice** ALL FOUR COIL SPRINGS ARE SLIGHTLY CORRODED
- Advice** Nearside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice** NEARSIDE AND OFFSIDE OUTER SILLS HAVE PLASTIC COVERS
- Advice** Centre Front Upper Anti-roll bar ball joint dust cover deteriorated, but preventing the ingress of dirt AND LOWER (2.4.G.2)



MOT #11

2015-08-19 08:03

MOT test number

696707014471

Result

✗ Failed

- Advice

BOTH FRONT STRUTS ARE SLIGHTLY STIFF
- Advice

Offside Front Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Offside Front Track rod end ball joint has slight play (2.2.B.1f)
- Fail

Offside Rear Brake pipe excessively corroded TO FRONT MAIN BRAKE PIPE (3.6.B.2c)
- Advice

Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice

NEARSIDE FRONT HEADLAMP AIM IS AT ITS HIGHEST LEVEL
- Advice

Front Anti-roll bar corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Front Lower Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)
- Advice

Nearside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

REAR AXLE IS CORRODED
- Advice

Centre Front Upper Anti-roll bar ball joint dust cover deteriorated, but preventing the ingress of dirt AND LOWER (2.4.G.2)
- Advice

Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)
- Advice

EXHAUST SYSTEM IS CORRODED
- Advice

Offside Front Upper Macpherson strut has slight movement in the upper support bearing assembly (2.5.B.1b)
- Advice

MOST OF THE BRAKE PIPES ARE PLASTIC COATED
- Advice

Nearside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Nearside Front Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)
- Advice

Nearside Rear Brake pipe slightly corroded TO FRONT MAIN BRAKE PIPE (3.6.B.2c)
- Advice

Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Advice

ALL FOUR BRAKE CDISCS ARE WORN
- Advice

Offside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Nearside Front Track rod end ball joint has slight play (2.2.B.1f)
- Advice

Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)

**Advice** Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)

**Advice** BODY WORK DAMAGE

**Advice** Nearside Front Upper Anti-roll bar ball joint dust cover deteriorated, but preventing the ingress of dirt AND LOWER (2.4.G.2)

**Advice** Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)

**Advice** Offside Front Lower Suspension arm ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)

**Advice** ALL FOUR COIL SPRINGS ARE SLIGHTLY CORRODED

**Advice** Nearside Front Upper Macpherson strut has slight movement in the upper support bearing assembly (2.5.B.1b)

**Advice** Nearside Front Brake hose slightly deteriorated (3.6.B.4d)

**Advice** Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)

**Advice** NEAR SIDE AND OFFSIDE OUTER SILLS HAVE PLASTIC COVERS

**Advice** Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)



MOT #10

2014-04-25 10:44

MOT test number

635195214132

Result

✓ Passed

- Advice

Nearside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Front coil spring corroded (2.4.C.1b)
- Advice

Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Notice

BODY WORK DAMAGE
- Advice

Nearside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Rear Shock absorber has slight corrosion to the casing (2.7.2a)
- Advice

Offside Front coil spring corroded (2.4.C.1b)
- Notice

NEARSIDE AND OFFSIDE OUTER SILLS HAVE PLASTIC COVERS ON THE SILLS..SILLS NOT CHECKED
- Notice

THE WHOLE UNDERSIDE OF THE VEHICLE..I.E FLOOR AREA HAS BEEN CHECKED..APPLIED FINGER AND THUMB PRESSURE AS PER THE M.O.T MANUAL
- Advice

Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Notice

BOTH FRONT HEADLAMP AIMS ARE AT THERE HIGHEST ACCEPITABLE LEVEL..WILL REQUIRE AJUSTEMENT..SET AT ZERO..ON THE DASH
- Advice

Nearside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice

Front Anti-roll bar corroded but not seriously weakened (2.4.G.1)
- Advice

Offside Rear Brake hose slightly deteriorated (3.6.B.4d)
- Advice

Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice

Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Offside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice

Nearside Rear coil spring corroded (2.4.C.1b)
- Advice

Nearside Inner Front Drag link end ball joint has slight play (2.2.B.1f)
- Notice

Engine covers fitted obscuring some components in the engine bay
- Notice

EXHAUST SYSTEM IS CORRODED
- Advice

Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)

**Advice** Offside Rear Shock absorber has slight corrosion to the casing (2.7.2a)

**Advice** Offside Rear coil spring corroded (2.4.C.1b)

**Notice** MOST OF THE BRAKE PIPES ARE PLASTIC COATED

**Notice** ALL FOUR BRAKE DISCS ARE WORN

**Advice** Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)

**Advice** Nearside Front Brake hose slightly deteriorated (3.6.B.4d)

**Advice** Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)

**Advice** Offside Front Brake hose slightly deteriorated (3.6.B.4d)

**Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)





MOT #9	2013-04-29 12:15
MOT test number	837879813194
Result	✓ Passed

- Notice** NEARSIDE AND OFFSIDE INNER AND OUTER SILLS COULD NOT BE FULLY CHECKED DUE TO PLASTIC SILLS COVERS ...
- Advice** Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice** Offside Front coil spring corroded (2.4.C.1b)
- Notice** Engine covers fitted obscuring some components in the engine bay
- Advice** Nearside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice** Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice** Offside Rear coil spring corroded (2.4.C.1b)
- Advice** Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Notice** MOST OF THE BRAKE PIPES ARE PLASTIC COATED ...
- Notice** HEADLAMP ADJUSTER IS SET AT ZERO ...
- Advice** Nearside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice** Offside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
- Advice** Nearside Rear Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Notice** BOTH REAR TYRES ARE STARTING TO WEAR UNEVENLY ...
- Notice** BODYWORK DAMAGED ...
- Advice** Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Advice** Nearside Front coil spring corroded (2.4.C.1b)
- Notice** FULL UNDERSIDE OF THE VEHICLE HAS BEEN CHECKED, I.E FLOOR AREA ... APPLIED FINGER AND THUMB PRESSURE AS PER THE M.O.T MANUAL ...
- Advice** Front Anti-roll bar corroded but not seriously weakened (2.4.G.1)
- Advice** Nearside Rear coil spring corroded (2.4.C.1b)
- Notice** ALL FOUR BRAKE DISCS ARE SLIGHTLY WORN ...
- Advice** Offside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Advice** Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice** Nearside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
- Advice** Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Notice** FRONT BRAKE PADS ARE LOW ...
- Notice** NEARSIDE FRONT HEADLAMP AIM IS AT ITS HIGHEST ACCEPTABLE POSITION ...
- Advice** Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice** Offside Rear Macpherson strut corroded but not seriously weakened (2.4.G.1)





MOT #8

2013-04-25 16:31

MOT test number

259905213491

Result

✗ Failed

- Advice

Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Advice

Offside Rear Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Notice

NEARSIDE AND OFFSIDE INNER AND OUTER SILLS COULD NOT BE FULLY CHECKED DUE TO PLASTIC SILLS COVERS ...
- Advice

Nearside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Offside Front coil spring corroded (2.4.C.1b)
- Advice

Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Notice

Engine covers fitted obscuring some components in the engine bay
- Notice

HEADLAMP ADJUSTER IS SET AT ZERO ...
- Advice

Offside Rear coil spring corroded (2.4.C.1b)
- Advice

Front Anti-roll bar corroded but not seriously weakened (2.4.G.1)
- Notice

MOST OF THE BRAKE PIPES ARE PLASTIC COATED ...
- Advice

Offside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
- Fail

Brakes imbalanced across an axle (3.7.B.5b)
- Advice

Offside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)
- Notice

BOTH REAR TYRES ARE STARTING TO WEAR UNEVENLY ...
- Advice

Nearside Rear Macpherson strut corroded but not seriously weakened (2.4.G.1)
- Notice

BODYWORK DAMAGED ...
- Advice

Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Front coil spring corroded (2.4.C.1b)
- Notice

FULL UNDERSIDE OF THE VEHICLE HAS BEEN CHECKED, I.E FLOOR AREA ... APPLIED FINGER AND THUMB PRESSURE AS PER THE M.O.T MANUAL ...
- Advice

Offside Rear Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice

Nearside Rear coil spring corroded (2.4.C.1b)
- Advice

Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)
- Notice

ALL FOUR BRAKE DISCS ARE SLIGHTLY WORN ...

**Notice** NEAR SIDE FRONT HEADLAMP AIM IS AT ITS HIGHEST ACCEPTABLE POSITION ...

**Advice** Nearside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)

**Fail** Offside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)

**Advice** Nearside Front Anti-roll bar linkage corroded but not seriously weakened (2.4.G.1)

**Notice** FRONT BRAKE PADS ARE LOW ...

**Advice** Offside Front Macpherson strut corroded but not seriously weakened (2.4.G.1)



MOT #7	2012-04-26 19:01
MOT test number	757717612146
Result	✓ Passed
Notice	Parking brake lever may require some adjustment

MOT #6	2012-04-26 18:02
MOT test number	789717512124
Result	✗ Failed
Fail	Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)
Fail	Offside Front Headlamp aim too high (1.8)
Fail	Nearside Front Headlamp aim too high (1.8)
Notice	Parking brake lever may require some adjustment

MOT #5	2011-05-06 13:33
MOT test number	587246221177
Result	✓ Passed
Advice	Rear Service brake: service brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)
Advice	Offside Rear Brake pad(s) wearing thin (3.5.1g)
Advice	Parking brake: parking brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)

MOT #4	2010-05-06 10:53
MOT test number	253166720493
Result	✓ Passed
Notice	Both front tyres are worn to 3mm tread and wearing on edges

MOT #3	2009-05-01 11:52
MOT test number	400781629151
Result	✓ Passed



MOT #2	2008-05-01 10:50
MOT test number	992822428150
Result	✓ Passed

MOT #1	2008-05-01 10:50
MOT test number	491242628110
Result	✗ Failed
Pass with rectification	Nearside Headlamp aim too low (1.8)
Pass with rectification	Offside Headlamp aim too low (1.8)



Tax & MOT check

✓  
**Taxed**  
**Tax due:**  
1 November 2024

✓  
**MOT**  
**Expires:**  
17 May 2024

<b>Tax status</b>	Valid until 1 November
<b>Days left</b>	185
<b>MOT expiry date</b>	17 May 2024
<b>Full MOT history</b>	<a href="#">See MOT history</a>

Tax calculation

<b>Vehicle class</b>	48
<b>Band</b>	J
<b>Single payment (12 months)</b>	£ 365,00,-
<b>Single six month payment</b>	£ 200,75,-
<b>Total payable by 12 monthly instalments</b>	£ 383,25,-





Damage history

Check the damage history for this TOYOTA. See if, where and when this TOYOTA had damage and the car repair costs. We also check if this TOYOTA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra TOYOTA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this TOYOTA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this TOYOTA? How many owners did this TOYOTA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****

More info >

Plate changes

See in this check if this TOYOTA had different number plates.

Number of plates	1
Current registration	*****
Plate since	2019-09-29
Current registration	*****
Plate since	2019-09-29

More info >



Finance check

Check if this TOYOTA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this TOYOTA has been settled. If not, and you buy this TOYOTA then you could lose the money and the car you paid for. Download the premium report [here](#) and check if this TOYOTA is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2005-03-30
Last registration	2023-05-18
Complete history	<a href="#">See info</a>



Registration #1	2005-03-30	14 mi
Registration #2	2008-05-01	14.896 mi
Registration #3	2009-05-01	19.574 mi
Registration #4	2010-05-06	24.274 mi
Registration #5	2011-05-06	26.656 mi
Registration #6	2012-04-26	29.132 mi
Registration #7	2012-04-26	29.132 mi
Registration #8	2013-04-25	31.341 mi
Registration #9	2013-04-29	31.358 mi
Registration #10	2014-04-25	33.682 mi
Registration #11	2015-08-19	36.989 mi
Registration #12	2015-08-19	36.989 mi
Registration #13	2016-08-19	39.297 mi
Registration #14	2017-08-19	41.605 mi
Registration #15	2018-08-19	43.913 mi
Registration #16	2019-08-19	46.221 mi
Registration #17	2020-08-19	48.529 mi
Registration #18	2021-08-19	50.837 mi
Registration #19	2022-08-19	53.145 mi
Registration #20	2023-05-18	55.453 mi
Registration #21	2023-05-18	55.453 mi
Registration #22	2023-05-18	55.453 mi
Registration #23	2023-05-18	55.453 mi
Registration #24	2023-05-18	55.453 mi

More info >



Car features

The TOYOTA factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete TOYOTA factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating

Video [see crash video](#)



Dimensions & weight

Width	1710 mm
Height	1475 mm
Length	4180 mm
Wheel base	2600 mm
Kerb weight	1255 kg
Max. allowed weight	1670 kg

Additional information

Fuel tank capacity	55 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats	5

<b>Number of axles</b>	2
<b>Engine number</b>	3ZZU625053