





## General information

| Make                | HONDA          |
|---------------------|----------------|
| Model               | FR-V I-VTEC SE |
| Colour              | Grey           |
| Year of manufacture | 2008           |
| Top speed           | 118 mph        |
| 0 - 60 mph          | 10.6 seconds   |
| Gearbox             | 6 speed Manual |

## Engine & fuel consumption

| Power                   | 138 BHP             |
|-------------------------|---------------------|
| Max. torque             | 174 Nm at 4.300 rpm |
| Engine capacity         | 1.799 сс            |
| Cylinders               | 4                   |
| Fuel type               | Petrol              |
| Consumption city        | 30.1 mpg            |
| Consumption extra urban | 44.8 mpg            |
| Consumption combined    | 37.7 mpg            |
| CO2 emission            | 177 g/km            |
| CO2 label               | I                   |





# Internet history

| Entry | 1 |
|-------|---|
|       |   |

Date Pictures 2021-08-07

13

Listing price

View report



source: autotrader.co.uk



# MOT history

| MOT expiry date    | 2024-07-12 |
|--------------------|------------|
| MOT pass rate      | 62 %       |
| MOT passed         | 13         |
| Failed MOT tests   | 8          |
| Total advice items | 69         |
| Total items failed | 16         |

| MOT #21   |  | 2023-07-13 15:52    |
|---|--|---------------------|
| MOT test nun  | nber   | 963250844685        |
| Result  |  | ✓ Passed            |
| Next expiry d   | late   | 2024-07-12          |
| <b>Advice</b> He  | eadlamp has a product on the lens but not seriously reducing light outpu | ut both (4.1.4 (b)) |
| Advice Re   | ear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))        |                     |
| <b>Advice</b> Oi  | l leak, but not excessive (8.4.1 (a) (i))                                |                     |
| Advice Of   | fside Rear Service brake binding but not excessively (1.2.1 (f))         |                     |
| <b>Minor</b> Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt both front (2.1.3 (g) (i)) |  |                     |





| MOT #20  | 2023-07-11 15:44           |
|--|----------------------------|
| MOT test number  | 517735894180               |
| Result   | 🗙 Failed                   |
| Advice Oil leak, but not excessive (8.4.1 (a) (i))   |                            |
| <b>Minor</b> Track rod end ball joint dust cover damaged or deteriorated, but preventing front (2.1.3 (g) (i))                       | g the ingress of dirt both |
|  |                            |
| Advice Offside Rear Service brake binding but not excessively (1.2.1 (f))  |                            |
| <b>Fail</b> Nearside Rear Outer Integral body structure corroded to the extent that the risignificantly reduced sill (6.1.1 (c) (i)) | gidity of the assembly is  |
| Advice Headlamp has a product on the lens but not seriously reducing light output  | t both (4.1.4 (b))         |
| Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))  |                            |
| Fail Offside Front Service brake excessively binding (1.2.1 (f))   |                            |

| MOT #19   | 2022-04-07 14:43                                  |
|---|---|
| MOT test number   | 803938675810                                      |
| Result  | ✓ Passed  |
| <b>Minor</b> Nearside Front Track rod end ball joint dust ingress of dirt (2.1.3 (g) (i)) | cover damaged or deteriorated, but preventing the |

| MOT #18   | 2022-04-06 16:04 |  |
|---|------------------|--|
| MOT test number   | 239245202757     |  |
| Result  | 🗙 Failed         |  |
| Fail Offside Front Suspension arm ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))                             |                  |  |
| Fail Windscreen washer provides insufficient washer liquid (3.5 (a))  |                  |  |
| <b>Minor</b> Nearside Front Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i)) |                  |  |





| MOT #17 2023  | 1-04-27 13:53  |
|---|----------------|
| MOT test number 55  | 57551469162    |
| Result  | 🗸 Passed       |
| Advice Nearside Front Headlamp has a product on the light source but not seriously reducing (4.1.4 (b))           | light output   |
| Advice Brake pedal wearing smooth (1.1.2 (c))   |                |
| Advice Nearside Front outer sill slight damage  |                |
| Minor Offside Front Suspension arm ball joint dust cover severely deteriorated and small pinh (5.3.4 (b) (i))     | ole in boot    |
| Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))  |                |
| <b>Advice</b> Offside Front Headlamp has a product on the light source but not seriously reducing lie (4.1.4 (b)) | ght output     |
| Advice Vehicle general corrosion  |                |
| Advice Offside Front Tyre worn close to legal limit/worn on edge slight wear on very inner edge                   | je (5.2.3 (e)) |
| Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))   |                |
| Minor Offside Front Obligatory mirror slightly damaged (3.3 (b) (i))  |                |
| Advice Offside Front Service brake binding but not excessively (1.2.1 (f))  |                |

| MOT #16  | i de la constante de la constan | 2020-03-04 13:46         |
|----------|---|--------------------------|
| MOT test | number  | 667026702457             |
| Result   |   | ✓ Passed                 |
| Advice   | Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive                                     | movement (5.3.4 (a) (i)) |
| Advice   | Offside Front Brake disc worn, pitted or scored, but not seriously weakened                                     | d (1.1.14 (a) (ii))      |
| Minor    | Offside Front Suspension arm ball joint dust cover severely deteriorated (5.                                    | 3.4 (b) (i))             |
| Advice   | Offside Rear Anti-roll bar pin or bush worn but not resulting in excessive m                                    | novement (5.3.4 (a) (i)) |
| Advice   | Nearside Front Brake disc worn, pitted or scored, but not seriously weaker                                      | ned (1.1.14 (a) (ii))    |





| MOT #15       | <b>5</b> 2020-03-   | 02 14:26        |
|---------------|---|-----------------|
| MOT test      | <b>t number</b> 35041   | 6305760         |
| Result        |   | <b>×</b> Failed |
| Advice        | Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) |                 |
| <b>Fail</b> C | Offside Side repeater not working (4.4.1 (a) (ii))  |                 |
| Advice        | Offside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4    | (a) (i))        |
| Advice        | Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii  | i))             |
| Minor         | Offside Front Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))      |                 |
| Advice        | Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.    | 4 (a) (i))      |

| MOT #14   | 2019-02-27 11:06           |
|---|----------------------------|
| MOT test number   | 317307144543               |
| Result  | ✓ Passed                   |
| Advice Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))   |                            |
| <b>Advice</b> Front Brakes imbalanced requirements only just met. It would appear that requires adjustment or repair. (1.2.1 (b) (i)) | at the braking system      |
| Advice Front Brake pad(s) wearing thin (1.1.13 (a) (ii))  |                            |
| Advice Offside Front Brake disc worn, pitted or scored, but not seriously weaken  | ed (1.1.14 (a) (ii))       |
| Advice Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive  | e movement (5.3.4 (a) (i)) |
| Advice Nearside Front Brake disc worn, pitted or scored, but not seriously weake  | ened (1.1.14 (a) (ii))     |



| MOT #13   | 2019-02-25 14:34      |
|---|-----------------------|
| MOT test number   | 159807809375          |
| Result  | 🗙 Failed              |
| Advice Front Brake pad(s) wearing thin (1.1.13 (a) (ii))  |                       |
| Fail Front Exhaust has a major leak of exhaust gases (6.1.2 (a))  |                       |
| Advice Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.3   | 1.14 (a) (ii))        |
| <b>Advice</b> Front Brakes imbalanced requirements only just met. It would appear that the l requires adjustment or repair. (1.2.1 (b) (i)) | braking system        |
| Fail Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))  |                       |
| Advice Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (2  | 1.1.14 (a) (ii))      |
| Advice Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive mov  | ement (5.3.4 (a) (i)) |
| Advice Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))   |                       |
| <b>Fail</b> Nearside Front Position lamp not working (4.2.1 (a))  |                       |

| MOT #12   | 2018-03-05 14:26 |
|---|------------------|
| MOT test number   | 583113651117     |
| Result  | ✓ Passed         |
| AdviceOffside Front Inner Tyre worn close to the legal limit (4.1.E.1)AdviceNearside Front Inner Tyre worn close to the legal limit (4.1.E.1) |                  |

| 239891401711 |
|--------------|
| ✓ Passed     |
|              |
|              |

HJ08JKE report date: 2024-03-29



| MOT #10  | 2017-03-03 11:26 |
|--|------------------|
| MOT test number  | 260333888256     |
| Result   | 🗙 Failed         |
| <b>Fail</b> Nearside Rear Anti-roll bar linkage has excessive play in a ball joint (2.4.G.2) |                  |
| Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)                            |                  |
| <b>Fail</b> Offside Rear Anti-roll bar linkage has excessive play in a ball joint (2.4.G.2)  |                  |
| Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)                           |                  |

| MOT #9   |   | 2016-03-03 16:38 |
|----------|---|------------------|
| MOT test | number  | 408893348997     |
| Result   |   | ✓ Passed         |
| Advice   | Offside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)  |                  |
| Advice   | Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2) |                  |

| МОТ #8   | 2016-03-03 09:32 |
|--|------------------|
| MOT test number  | 234311094324     |
| Result   | 🗙 Failed         |
| Fail Nearside Front Tyre has ply or cords exposed (4.1.D.1b)                         |                  |
| FailOffside Rear Tyre has ply or cords exposed (4.1.D.1b)                            |                  |
| Advice Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2) |                  |
| Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)                    |                  |
| FailOffside Front Tyre has ply or cords exposed (4.1.D.1b)                           |                  |
| FailOffside Front Anti-roll bar linkage fractured (2.4.G.1)                          |                  |
| Advice Offside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)  |                  |
| Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)                   |                  |



| MOT #7   |                            | 2015-02-19 09:08 |
|----------|----------------------------|------------------|
| MOT test | number                     | 835490355022     |
| Result   |                            | ✓ Passed         |
| Notice   | NSF tyre low on inner edge |                  |
| Notice   | OSF tyre low on inner edge |                  |

| МОТ #6          | 2014-02-14 09:15 |
|-----------------|------------------|
| MOT test number | 337555544061     |
| Result          | ✓ Passed         |

| MOT #5          | 2013-02-22 09:12 |
|-----------------|------------------|
| MOT test number | 518293853017     |
| Result          | ✓ Passed         |

| МОТ #4   | 2012-03-03 11:08 |
|--|------------------|
| MOT test number  | 797723062030     |
| Result   | ✓ Passed         |
| <b>Notice</b> Both rear tyres slightly perished          |                  |
| Advice Offside Front Brake pad(s) wearing thin (3.5.1g)  |                  |
| Advice Nearside Front Brake pad(s) wearing thin (3.5.1g) |                  |

| MOT #3  | 2012-03-03 11:08 |
|---|------------------|
| MOT test number   | 389873562083     |
| Result  | 🗙 Failed         |
| Advice Nearside Front Brake pad(s) wearing thin (3.5.1g)            |                  |
| Notice Both rear tyres slightly perished                            |                  |
| <b>Pass with rectification</b> Nearside Headlamp aim too high (1.8) |                  |
| Advice Offside Front Brake pad(s) wearing thin (3.5.1g)             |                  |

HJ08JKE report date: 2024-03-29





| MOT #2   | 2011-03-03 16:56 |
|--|------------------|
| MOT test number  | 466982761054     |
| Result   | ✓ Passed         |
| NoticeOffside front tyre 3mmNoticeNearside front tyre 3mm          |                  |
|  |                  |
| MOT #1   | 2011-03-03 16:56 |
| MOT test number  | 136392761479     |
| Result   | 🗙 Failed         |
| <b>Pass with rectification</b> Nearside Headlamp aim too low (1.8) |                  |
| Notice Offside front tyre 3mm                                      |                  |

Notice Nearside front tyre 3mm



Tax & MOT check

| Taxed<br>Tax due:<br>1 August 2024 | ✓<br>MOT<br>Expires:<br>12 July 2024 |
|------------------------------------|--------------------------------------|
| Tax status                         | Valid until 1 August                 |
| Days left                          | 93                                   |
| MOT expiry date                    | 12 July 2024                         |
| Full MOT history                   | <u>See MOT history</u>               |

## Tax calculation

| Vehicle class                           | 48         |
|---|------------|
| Band                                    | I          |
| Single payment (12 months)              | £ 320,00,- |
| Single six month payment                | £ 176,00,- |
| Total payable by 12 monthly instalments | £ 336,00,- |





### Damage history

Check the damage history for this HONDA. See if, where and when this HONDA had damage and the car repair costs. We also check if this HONDA was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 |   |
|----------|---|
| Date     |   |
| Category | Lamp  |
| Туре     |   |
| Damage 2 | AMPLE   |
|          | E Stand   |
| Date     | N. Sterring and a start of the |
| Category | ame   |
| Туре     |   |

#### Extra HONDA salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





### Vehicle valuation

What is this car worth? See the vehicle value of this HONDA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value          | 4 10.000 |
|-----------------------------|----------|
| Auction value               | 4 10.000 |
| Average private trade value | 4 10.200 |

More info  $\rightarrow$ 





## Owner history

For how long did the current and previous owner(s) have this HONDA? How many owners did this HONDA have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| xxxxxxxx   |             |
|--|-------------|
| ***********  |             |
| ********   |             |
| *******  |             |
| ***********  |             |
| ********   |             |
|  | More info > |
| Plate changes  |             |
| See in this check if this HONDA had different number plates. |             |
| Number of plates   | ,           |
| Carrent registration   |             |
| Plate since  |             |
| Current registration   |             |
| Plate since  |             |
|  | More info > |





### Finance check

Check if this HONDA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HONDA has been settled.

If not, and you buy this HONDA then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this HONDA is financed.

| Finance company   |  |
|-------------------|--|
| Date of agreement |  |
| Agreement type    |  |
| Agreement term    |  |
| Agreement number  |  |
| Contact info      |  |


More info >





# Mileage check

| Odometer                   | In miles   |
|----------------------------|------------|
| Mileage registrations      | 21         |
| First mileage registration | 2008-03-03 |
| Last registration          | 2023-07-13 |
| Complete history           | See info   |



| Registration #1  | 2008-03-03 | 27 mi      |
|------------------|------------|------------|
| Registration #2  | 2011-03-03 | 22.687 mi  |
| Registration #3  | 2012-03-03 | 30.170 mi  |
| Registration #4  | 2013-02-22 | 39.424 mi  |
| Registration #5  | 2014-02-14 | 52.189 mi  |
| Registration #6  | 2015-02-19 | 68.419 mi  |
| Registration #7  | 2016-03-03 | 84.901 mi  |
| Registration #8  | 2016-03-03 | 84.901 mi  |
| Registration #9  | 2017-03-03 | 99.193 mi  |
| Registration #10 | 2017-03-06 | 99.193 mi  |
| Registration #11 | 2018-03-05 | 112.381 mi |
| Registration #12 |            | 11.777 esi |
| Registration #13 |            | 11.777 esi |
| Registration #14 |            | 11.777 esi |
| Registration #15 |            | 11.777 esi |
| Registration #16 |            | 11.777 esi |
| Registration #17 |            | 11.777 esi |
| Registration #18 |            | 11.777 esi |
| Registration #19 |            | 11.777 mi  |
| Registration #20 |            | 11.777 est |
| Registration #21 |            | 10.317 est |
|                  |            |            |

More info >





Safety ratings

NCAP rating

Video

see crash video



| Dimensions & weight    |                       |
|------------------------|-----------------------|
| Width                  | 1810 mm               |
| Height                 | 1610 mm               |
| Length                 | 4285 mm               |
| Wheel base             | 2680 mm               |
| Kerb weight            | 1423 kg               |
| Additional information |                       |
| Fuel tank capacity     | 58 I                  |
| Fuel delivery          | Multi-Point Injection |
| Number of doors        | 5                     |
| Number of seats        | 6                     |
| Number of axles        | 2                     |
| Engine number          | R18A12301445          |