





General information

| Make | KIA |
|---------------------|----------------|
| Model | SEDONA CRDI LE |
| Colour | Black |
| Year of manufacture | - |
| Top speed | 108 mph |
| 0 - 60 mph | 15.5 seconds |
| Gearbox | 5 speed Manual |

Engine & fuel consumption

| Power | 143 BHP |
|-------------------------|---------------------|
| Max. torque | 310 Nm at 2.000 rpm |
| Cylinders | 4 |
| Fuel type | Diesel |
| Consumption city | 26.7 mpg |
| Consumption extra urban | 45.6 mpg |
| Consumption combined | 36.2 mpg |






Internet history

| Entry 1 | |
|---------------|-------------|
| Date | 2021-11-03 |
| Pictures | 22 |
| Listing price | View report |
| | |









source: yesauto.com



MOT history

| MOT #21 | | 2021-10-14 11:28 |
|--------------------------|--|-----------------------|
| MOT test | number | 637372196585 |
| Result | | ✓ Passed |
| Next expiry date 2022-10 | | 2022-10-25 |
| Advice | Offside Front Brake disc worn, pitted or scored, but not seriously weakene | ed (1.1.14 (a) (ii)) |
| Advice | Nearside Rear Brake pipe corroded, covered in grease or other material (1 | 1.1.11 (c)) |
| Advice | Nearside Front Brake disc worn, pitted or scored, but not seriously weake | ned (1.1.14 (a) (ii)) |

| MOT #20 | | 2021-10-13 08:41 |
|----------|---|---------------------|
| MOT test | number | 262887756610 |
| Result | | 🗙 Failed |
| MAJOR | Offside Front Track rod end ball joint has excessive play (2.1.3 (b) (i)) | |
| Advice | Offside Front Brake disc worn, pitted or scored, but not seriously weakened (| 1.1.14 (a) (ii)) |
| Advice | Nearside Rear Brake pipe corroded, covered in grease or other material (1.1. | 11 (c)) |
| Advice | Nearside Front Brake disc worn, pitted or scored, but not seriously weakened | l (1.1.14 (a) (ii)) |

| MOT #19 | 2020-10-26 15:57 |
|--------------------------|---|
| MOT test | number 413264095967 |
| Result | ✓ Passed |
| Advice | Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) |
| Advice | Suspension arm corroded but not seriously weakened rear (5.3.3 (b) (i)) |
| Advice (5.3.6 (a) | Rear Suspension component mounting prescribed area is corroded but not considered excessive (i)) |
| Advice | Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) |
| Advice | Rear Coil spring corroded (5.3.1 (b) (i)) |
| Advice | Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) |





| MOT #18 | | 2020-10-21 11:34 |
|--------------------------|---|------------------------|
| MOT test | number | 606847472684 |
| Result | | 🗙 Failed |
| MAJOR reducing s | Offside Outer Suspension component mounting prescribed area excessively tructural strength sill (5.3.6 (a) (i)) | corroded significantly |
| Advice | Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |
| Advice | Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Suspension arm corroded but not seriously weakened rear (5.3.3 (b) (i)) | |
| MAJOR | Anti-lock braking system warning lamp indicates an ABS fault (1.6 (b)) | |
| Advice (5.3.6 (a) | Rear Suspension component mounting prescribed area is corroded but not c i)) | considered excessive |
| Advice | Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |
| Advice | Rear Coil spring corroded (5.3.1 (b) (i)) | |

| MOT #17 | 2019-05-17 15:46 |
|--|------------------|
| MOT test number | 659576430944 |
| Result | Passed |
| Advice Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |





| MOT #16 | | 2019-05-15 10:23 |
|---------------------|---|------------------|
| MOT test | number | 605104638483 |
| Result | | 🗙 Failed |
| MAJOR | Offside Front Windscreen wiper does not clear the windscreen effectively (3.4 (b |)) (ii)) |
| Advice | Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |
| MAJOR | Rear Brake hose ferrule excessively corroded x2 $(1.1.12 (f) (i))$ | |
| MAJOR | Anti-lock braking system warning lamp indicates an ABS fault (1.6 (b)) | |
| Advice | Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| MAJOR reduced si | Offside Vehicle structure corroded to the extent that the rigidity of the assembly l (6.1.1 (c) (i)) | is significantly |
| DANGER | OUS Offside Rear Tyre tread depth below requirements of 1.6mm (5.2.3 (e)) | |
| Advice | Exhaust mounting defective (6.1.2 (a)) | |
| | | |

| MOT #15 | | 2018-05-22 10:53 |
|----------------|--|-----------------------|
| MOT test i | number | 137085864240 |
| Result | | ✓ Passed |
| Advice | Rear Child Seat fitted not allowing full inspection of adult belt | |
| Advice | Rear o/s n/s rear ferrells | |
| Advice (e)) | Front Tyre worn close to legal limit/worn on edge o/s n/s worn on inside edg | e and o/s rear (5.2.3 |
| Advice | Rear Fuel Pipe/s corroded | |





| MOT #14 | 2018-05-22 10:53 |
|---|----------------------------|
| MOT test number | 900592776625 |
| Result | 🗙 Failed |
| Pass with rectification Offside Front Headlamp aim too high (4.1.2 (a)) | |
| Advice Rear Fuel Pipe/s corroded | |
| Pass with rectification Nearside Front Headlamp aim too high (4.1.2 (a)) | |
| Advice Rear o/s n/s rear ferrells | |
| Advice Front Tyre worn close to legal limit/worn on edge o/s n/s worn on insid (e)) | e edge and o/s rear (5.2.3 |
| Advice Rear Child Seat fitted not allowing full inspection of adult belt | |

| MOT #13 | 2017-05-26 10:10 | þ |
|-----------------------|---|---|
| MOT test | number 405513699394 | ŀ |
| Result | ✓ Passed | 1 |
| Advice | Offside Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6) | |
| Advice rear (2.4.A | Suspension component mounting prescribed area is corroded but not considered excessive both3) | |
| Advice | Nearside Rear Child Seat fitted not allowing full inspection of adult belt middle row | |
| Advice | Rear Suspension arm corroded but not seriously weakened both (2.4.G.1) | |
| Advice | Front Sub-frame corroded but not seriously weakened (2.4.G.1) | |





| MOT #12 | 2017-05-24 11:08 | |
|--|------------------|--|
| MOT test number | 242714160757 | |
| Result | 🗙 Failed | |
| Advice Offside Seat belt anchorage prescribed area is corroded but not considered ex | cessive (5.2.6) | |
| Advice Suspension component mounting prescribed area is corroded but not considered excessive both | | |
| rear (2.4.A.3) | | |
| FailNearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | | |
| Advice Nearside Rear Child Seat fitted not allowing full inspection of adult belt middle row | | |
| Advice Rear Suspension arm corroded but not seriously weakened both (2.4.G.1) | | |
| Fail Offside Front Tyre has ply or cords exposed (4.1.D.1b) | | |
| Advice Front Sub-frame corroded but not seriously weakened (2.4.G.1) | | |

| MOT #11 | | 2016-05-20 13:59 |
|----------|---|------------------|
| MOT test | number | 132704243457 |
| Result | | ✓ Passed |
| Advice | Brake hose has slight corrosion to ferrules o/s n/s rear (3.6.B.4e) | |
| Advice | Rear suspension slightly corroded | |
| Advice | Plastic covers and under trays fitted | |

| MOT #10 | 2016-05-19 10:33 |
|--|------------------|
| MOT test number | 620957035506 |
| Result | 🗙 Failed |
| Advice Rear suspension slightly corroded | |
| FailTyre has ply or cords exposed n/s front (4.1.D.1b) | |
| Advice Brake hose has slight corrosion to ferrules o/s n/s rear (3.6.B.4e) | |
| Advice Plastic covers and under trays fitted | |
| Fail Tyre has ply or cords exposed o/s front (4.1.D.1b) | |





| МОТ #9 | 2015-05-28 16:48 |
|---------------------------|----------------------------------|
| MOT test number | 365188145133 |
| Result | ✓ Passed |
| | |
| | |
| MOT #8 | 2014-05-09 11:36 |
| MOT #8 MOT test number | 2014-05-09 11:36 868079924115 |

| MOT #7 | | 2013-05-03 17:08 |
|----------|--|------------------|
| MOT test | number | 158043923133 |
| Result | | ✓ Passed |
| Notice | Engine covers fitted obscuring some components in the engine bay | |
| Notice | Nail in nearside rear tyre | |
| Notice | Centre exhaust mounting damaged/defective | |

| МОТ #6 | 2013-05-03 09:29 |
|--|------------------|
| MOT test number | 557653723128 |
| Result | 🗙 Failed |
| Fail Offside Front Tyre has ply or cords exposed (4.1.D.1b) | |
| Notice Nail in nearside rear tyre | |
| Notice Centre exhaust mounting damaged/defective | |
| Fail Nearside Front Tyre has ply or cords exposed (4.1.D.1b) | |
| Fail Offside Rear Tyre has ply or cords exposed (4.1.D.1b) | |
| Notice Engine covers fitted obscuring some components in the engine bay | |



| LB06FDN |
|-------------------------|
| report date: 2024-03-29 |

| MOT #5 | | 2011-11-14 12:53 |
|------------------|---|------------------|
| MOT test | number | 948608511345 |
| Result | | ✓ Passed |
| Advice Advice | Offside Rear Tyre worn close to the legal limit (4.1.E.1) Front Brake pad(s) wearing thin (3.5.1g) | |
| | | |

| MOT #4 | | 2010-11-09 16:00 |
|----------|--|------------------|
| MOT test | number | 541253810355 |
| Result | | ✓ Passed |
| Notice | Both front tyres wearing on inner edge | |
| Notice | Nail in nearside rear tyre | |

| МОТ #3 | 2010-11-09 16:00 | |
|---|---|--|
| MOT test number | 270433310313 | |
| Result | × Failed | |
| Pass with rectification | Offside Rear Stop lamp not working (1.2.1b) | |
| Pass with rectification | Parking brake lever has no reserve travel (3.1.6b) | |
| Notice Nail in nearside | rear tyre | |
| Pass with rectification | Windscreen has a sticker or other obstruction encroaching into the swept area | |
| by more than 40mm outside zone 'A' (8.3.1e) | | |
| Notice Both front tyres wearing on inner edge | | |
| Pass with rectification | Windscreen washer provides insufficient washer liquid (8.2.3) | |

| MOT #2 | 2009-09-26 15:07 |
|-----------------|------------------|
| MOT test number | 644409069251 |
| Result | ✓ Passed |





| MOT #1 | 2009-09-26 11:44 |
|---|------------------|
| MOT test number | 172269269280 |
| Result | 🗙 Failed |
| Fail Nearside Rear Tyre has ply or cords exposed (4.1.D.1b) Fail Offside Front Tyre has ply or cords exposed (4.1.D.1b) Advice Front Brake pad(s) wearing thin (3.5.1g) | |
| | |





Damage history

Check the damage history for this KIA. See if, where and when this KIA had damage and the car repair costs. We also check if this KIA was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | |
|----------|---------|
| Date | FERRE |
| Category | Lamp |
| Туре | |
| Damage 2 | AMPLE |
| Damage 2 | E CUT-S |
| Date | St. |
| Category | AMP |
| Туре | |

Extra KIA salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this KIA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value | 4 10.000 |
|-----------------------------|----------|
| Auction value | 4 10.000 |
| Average private trade value | 4 10.200 |





Owner history

For how long did the current and previous owner(s) have this KIA? How many owners did this KIA have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| xxxxxxxx | |
|--|-------------|
| *********** | |
| ******** | |
| ******* | |
| ************ | |
| ******** | |
| | More info > |
| Plate changes | |
| See in this check if this KIA had different number plates. | |
| Number of plates | , |
| Carrent registration | |
| Plate since | |
| Current registration | |
| Plate since | |
| | |





Finance check

Check if this KIA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this KIA has been settled.

If not, and you buy this KIA then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this KIA is financed.


| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |





Mileage check

| Odometer | In miles |
|----------------------------|------------|
| Mileage registrations | 22 |
| First mileage registration | 2006-05-10 |
| Last registration | 2021-10-14 |
| Complete history | See info |



| Registration #1 | 2006-05-10 | 7 mi |
|------------------|------------|------------|
| Registration #2 | 2009-09-26 | 20.077 mi |
| Registration #3 | 2009-09-26 | 20.077 mi |
| Registration #4 | 2010-11-09 | 26.900 mi |
| Registration #5 | 2011-11-14 | 31.536 mi |
| Registration #6 | 2013-05-03 | 38.578 mi |
| Registration #7 | 2013-05-03 | 38.578 mi |
| Registration #8 | 2014-05-09 | 42.185 mi |
| Registration #9 | 2015-05-28 | 46.379 mi |
| Registration #10 | 2016-05-19 | 54.079 mi |
| Registration #11 | 2016-05-20 | 54.084 mi |
| Registration #12 | | 11.777 est |
| Registration #13 | | 11.777 mi |
| Registration #14 | | 11.777 est |
| Registration #15 | | 11.777 mi |
| Registration #16 | | 11.777 est |
| Registration #17 | | 11.777 mi |
| Registration #18 | | 11.777 est |
| Registration #19 | | 11.777 mi |
| Registration #20 | | 11.317 esi |
| Registration #21 | | 11.777 mi |
| Registration #22 | | 11.777 est |





Car features

| S0225 | Air conditioning |
|-------|------------------|
| S0295 | |
| S0482 | |
| S0501 | |
| S0566 | |
| S0567 | |
| S0569 | |

Safety ratings

NCAP rating

Video

see crash video



| Dimensions & weight | |
|-----------------------------------|------------------|
| Width | 1900 mm |
| Height | 1805 mm |
| Length | 4925 mm |
| Wheel base | 2905 mm |
| Kerb weight | 2220 kg |
| Max. allowed weight | 2738 kg |
| Additional information | |
| Fuel tank capacity | 75 I |
| Fuel delivery | Direct Injection |
| Number of doors | 5 |
| Number of seats CarCheck.co.uk | 7 page 16/16 |

| Number of axles | 2 |
|-----------------|----------|
| Engine number | J3725235 |