





### General information

Make	AUDI
Model	A2 SE
Colour	Black
Year of manufacture	2001
Top speed	107 mph
0 - 60 mph	12.0 seconds
Gearbox	5 speed Manual

## Engine & fuel consumption

Power	74 BHP	
Max. torque	126 Nm at 3.800 rpm	
Engine capacity	1.390 cc	
Cylinders	4	
Fuel type	Petrol	
Consumption city	34.5 mpg	
Consumption extra urban	60.1 mpg	
Consumption combined	47.1 mpg	
CO2 emission	146 g/km	
CO2 label	F	







# Internet history

Entry 1	
Date	2021-01-27
Pictures	10
Listing price	View report









source: autoonline.co.uk



# MOT history

MOT expiry date	2023-06-28	
MOT pass rate	64 %	
MOT passed	16	
Failed MOT tests	9	
Total advice items	57	
Total items failed	39	

MOT #25	2022-06-29 15:52
MOT test number	594271753456
Result	✓ Passed
Next expiry date	2023-06-28
Minor Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))	

MOT #24	2022-06-29 08:58
MOT test number	845819367386
Result	🗙 Failed
Fail   Rear Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2)	(c))
<b>Fail</b> Front Windscreen washer provides insufficient washer liquid (3.5 (a))	
<b>Fail</b> Rear Brakes imbalanced across an axle Axle 2 (1.2.1 (b) (i))	
<b>Minor</b> Front Driver's view to the front outside the swept area of the windscreen wiper obstruction (3.1 (a) (i))	s restricted by an
FailRear Exhaust carbon monoxide content after 2nd fast idle exceeds manufacturer(8.2.1.2 (a))	s specified limits
Fail Front Horn not working (7.7 (a))	





MOT #2	23	2022-06-29 08:46
MOT te	st number	728045172949
Result		🗙 Failed
Fail	Rear Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (	c))
Fail	Rear Brakes imbalanced across an axle Axle 2 (1.2.1 (b) (i))	
FailRear Exhaust carbon monoxide content after 2nd fast idle exceeds manufacturer's specified limits(8.2.1.2 (a))		

MOT #22	2020-12-11 13:17
MOT test number	124808014374
Result	✓ Passed
Advice Nearside Rear Seat belt buckle slightly damaged cover missing (7.1.2 (d))	



LK510P0 report date: 2024-03-29

MOT #21 2020-12-03 13:41
<b>MOT test number</b> 520140331830
Result X Failed
Advice Mill light displaying a fault
Advice Oil leak, but not excessive engine (8.4.1 (a) (i))
Fail   Offside Front Inner Anti-roll bar pin or bush excessively worn d bush (5.3.4 (a) (i))
FailRear Direction indicator incorrect colour (4.4.3 (a))
Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))
Fail   Nearside Front Position lamp not working (4.2.1 (a) (ii))
<b>Fail</b> Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))
Advice Front brake disks corroded
<b>Fail</b> Nearside Rear Passenger's seat backrest cannot be secured in the upright position. (6.2.6 (a) (i))
<b>Fail</b> Offside Front Outer Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))
Advice Nearside Rear Seat belt buckle slightly damaged cover missing (7.1.2 (d))
Advice Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Fail   Nearside Front Direction indicator not working (4.4.1 (a) (ii))
Fail   Central Front Exhaust system insecure (6.1.2 (a))
Fail Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii))





MOT #20		2019-07-05 13:58
MOT test	number	234015267723
Result		✓ Passed
Advice	Offside Front Seat belt buckle slightly damaged (7.1.2 (d))	
Advice	Nearside Rear Coil spring corroded (5.3.1 (b) (i))	
Advice	Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (	1.1.14 (a) (ii))
Minor	Offside Outer Drive shaft joint constant velocity boot severely deteriorated (6.1	.7 (g) (i))
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Offside Rear Seat belt buckle slightly damaged (7.1.2 (d))	
<b>Minor</b> (b) (i))	Nearside Registration plate lamp inoperative in the case of multiple lamps or lig	ght sources (4.7.1
Advice	Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.	.1.14 (a) (ii))
Advice	Service light on	





MOT #19	2019-07-05 09::	18
MOT test	number 1023363901	59
Result	× Faile	ed
<b>Minor</b> (b) (i))	Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1	
Minor	Offside Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))	
Advice	Offside Rear Seat belt buckle slightly damaged (7.1.2 (d))	
Advice	Service light on	
Advice	Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
Pass wi	th rectification Offside Headlamp aim too high (4.1.2 (a))	
<b>Fail</b> C	ffside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))	
<b>Fail</b> P	arking brake lever has excessive movement indicating incorrect adjustment (1.1.6 (c))	
Advice	Offside Front Seat belt buckle slightly damaged (7.1.2 (d))	
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Pass wi	th rectification Nearside Headlamp aim too low (4.1.2 (a))	
Advice	Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
Fail N	earside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))	
Advice	Nearside Rear Coil spring corroded (5.3.1 (b) (i))	

MOT #18		2018-07-11 07:56
MOT test	number	616996622030
Result		✓ Passed
Advice	Offside Front Seat belt buckle plastic casing missing but operation not affected	
<b>Minor</b> Offside Front Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i))		
Advice	Nearside Rear Seat belt buckle plastic casing missing but operation not affected	ł
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	





MOT #17	2018-07-06 14:14
MOT test number	392896937549
Result	🗙 Failed
Advice Offside Front Seat belt buckle plastic casing missing but operation not affected	
<b>Fail</b> Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))	
<b>Fail</b> Nearside Front Outer Prop shaft joint constant velocity boot no longer prevents the (6.1.7 (g) (ii))	ingress of dirt
Advice Nearside Rear Seat belt buckle plastic casing missing but operation not affected	1
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
<b>Minor</b> Offside Front Track rod end ball joint dust cover damaged or deteriorated, but pringress of dirt (2.1.3 (g) (i))	eventing the

MOT #16	2017-	07-07 15:36
MOT test	number 416	6460409790
Result		✓ Passed
Advice	Oil leak	
Advice	Offside Front OSF seat belt buckle casing missing but belt still locks in	
Advice	Nearside Rear NSR seat belt buckle casing missing but belt still locks in	
<b>Advice</b> (2.2.C.1c)	Offside Front Track rod end ball joint dust cover deteriorated, but preventing the ingres	s of dirt





MOT #15	2017-07-07 11:24
MOT test number	158528928385
Result	× Failed
<b>Fail</b> Nearside Front Track rod end ball prevents the ingress of dirt (2.2.C.1c)	joint dust cover excessively deteriorated so that it no longer
Advice Nearside Front Outer Suspensingress of dirt (2.4.G.2)	ion arm ball joint dust cover deteriorated, but preventing the
FailNearside Front Upper Anti-roll barlonger prevents the ingress of dirt (2.4.G.2)	r linkage ball joint dust cover excessively deteriorated so that it no 2)
Advice Oil leak	
Advice Nearside Rear NSR seat belt b	uckle casing missing but belt still locks in
<b>Fail</b> Nearside Rear Inner Tyre has a cucords Inner sidewall has various splits (4.1	ut in excess of the requirements deep enough to reach the ply or l.D.1a)
<b>Fail</b> Offside Front Outer Front constan prevents the ingress of dirt etc (2.5.C.1a)	t velocity joint gaiter damaged to the extent that it no longer
Advice Offside Front Track rod end ba	all joint dust cover deteriorated, but preventing the ingress of dirt
<b>Fail</b> Offside Front Outer Suspension an prevents the ingress of dirt (2.4.G.2)	rm ball joint dust cover excessively deteriorated so that it no longer
Pass with rectification Nearside Reg	gistration plate lamp not working (1.1.C.1d)
Fail   Nearside Rear coil spring broken	(2.4.C.1a)
<b>Fail</b> Nearside Front Outer Front consta prevents the ingress of dirt etc (2.5.C.1a)	ant velocity joint gaiter damaged to the extent that it no longer
Advice Offside Front OSF seat belt bu	ckle casing missing but belt still locks in
MOT #14	2016-07-07 10:33

		2010-07-07 10.55
MOT test n	umber	194854558801
Result		✓ Passed
Advice	Nearside Front Anti-roll bar has slight play in a ball joint (2.4.G.2)	
<b>Advice</b> (2.2.C.1c)	Nearside Track rod end ball joint dust cover deteriorated, but preventing the	e ingress of dirt





MOT #13		2015-07-08 10:44
MOT test	number	256479085442
Result		✓ Passed
<b>Advice</b> (2.5.C.1a)	Offside Front Front constant velocity joint gaiter deteriorated, but preven	ting the ingress of dirt
<b>Advice</b> (2.5.C.1a)	Nearside Front Front constant velocity joint gaiter deteriorated, but preve	enting the ingress of dirt

MOT #12	2014-07-10 14:55
MOT test number	216011794450
Result	✓ Passed
AdviceOffside Rear Tyre worn close to the legal limit (4.1.E.1)AdviceNearside Outer Front constant velocity joint gaiter deteriorated, but(2.5.C.1a)Outer Front constant velocity joint gaiter deteriorated, but	preventing the ingress of dirt

MOT #11	2014-07-09 14:39
MOT test number	256380294432
Result	🗙 Failed
Fail   Nearside Front coil spring broken (2.4.C.1a)	
Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Fail   Offside Stop lamp not working (1.2.1b)	
Advice Nearside Outer Front constant velocity joint gaiter deteriorated, but pre (2.5.C.1a)	eventing the ingress of dirt

MOT #10	2013-07-12 14:52
MOT test number	246753793406
Result	✓ Passed
Advice Nearside Outer Front constant velocity joint gaiter damaged, but preve (2.5.C.1a)	enting the ingress of dirt



<b>LK510P0</b>
report date: 2024-03-29

MOT #9	2013-07-10 14:03	
MOT test number	775821293154	
Result	🗙 Failed	
<b>Fail</b> Rear rear parking brake recording little or no effort (3.7.B.6a)		
Fail   Parking brake: efficiency below requirements (3.7.B.7)		
<b>Fail</b> Offside Front Anti-roll bar linkage ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)		
FailParking brake lever has no reserve travel (3.1.6b)		
Advice Nearside Outer Front constant velocity joint gaiter damaged, but preventing the (2.5.C.1a)	e ingress of dirt	

MOT #8	2012-06-27 10:37
MOT test number	935679472123
Result	✓ Passed

MOT #7	2011-07-05 11:25
MOT test number	288116881184
Result	✓ Passed

МОТ #6	2010-06-15 15:12
MOT test number	731626460119
Result	✓ Passed
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)	

MOT #5		2009-05-28 11:58
MOT test number		503088249102
Result		🗙 Failed
Pass with rectification	Offside Headlamp aim too high and too far to the right. (1.8)	





MOT #4	2009-05-28 11:58
MOT test number	172868049197
Result	✓ Passed
MOT #3	2008-06-20 10:09
MOT test number	511912478114
Result	✓ Passed
Advice Front Tyre worn close to the legal limit (4.1.E.1)	
MOT #2	2007-04-03 12:46
MOT test number	202723697039
Result	✓ Passed
MOT #1	2006-04-04 15:08
MOT test number	574234496095
Result	✓ Passed



Tax & MOT check

X Untaxed Tax expired: 13 October 2022	<b>X</b> <b>MOT</b> Expired: 28 June 2023
Tax status	Expired at 13 October 2022
Days left	563 days too late
MOT expiry date	28 June 2023
Full MOT history	See MOT history
Tax calculation	

Vehicle class	48
Band	F
Single payment (12 months)	£ 200,00,-
Single six month payment	£ 110,00,-
Total payable by 12 monthly instalments	£ 210,00,-





### Damage history

Check the damage history for this AUDI. See if, where and when this AUDI had damage and the car repair costs. We also check if this AUDI was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	Lamp
Туре	
Damage 2	AMPLE
Damage 2	e et a
Date	*
Category	AMP
Туре	

#### Extra AUDI salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





#### Vehicle valuation

What is this car worth? See the vehicle value of this AUDI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200

More info  $\rightarrow$ 





### Owner history

For how long did the current and previous owner(s) have this AUDI? How many owners did this AUDI have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second sec	
***********	
********	
******	
**********	
********	
	More info >
Plate changes	
See in this check if this AUDI had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Carrent registration	
Plate since	





#### Finance check

Check if this AUDI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this AUDI has been settled.

If not, and you buy this AUDI then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this AUDI is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info  $\rightarrow$ 





# Mileage check

Odometer	In miles
Mileage registrations	26
First mileage registration	2001-10-23
Last registration	2022-06-29
Complete history	See info



Registration #1	2001-10-23	25 mi
Registration #2	2006-04-04	78.386 mi
Registration #3	2007-04-03	85.450 mi
Registration #4	2008-06-20	87.021 mi
Registration #5	2009-05-28	92.422 mi
Registration #6	2010-06-15	101.380 mi
Registration #7	2011-07-05	106.468 mi
Registration #8	2012-06-27	110.562 mi
Registration #9	2013-07-10	114.720 mi
Registration #10	2013-07-12	114.720 mi
Registration #11	2014-07-09	118.042 mi
Registration #12	2014-07-10	118.042 mi
Registration #13	2015-07-08	121.242 mi
Registration #14		11.777 esi
Registration #15		11.777 est
Registration #16		11.777 esi
Registration #17		11.707 est
Registration #18		11.777 esi
Registration #19		11.777 esi
Registration #20		11.777 esi
Registration #21		11.777 esi
Registration #22		11.777 esi
Registration #23		11.777 mi
Registration #24		11.777 est
Registration #25		11.777 mi
Registration #26		11.777 est
CarCheck co.uk		nago 18/10

CarCheck.co.uk

More info >





### Car features

S0225	Air conditioning
S0295	
S0482	
\$0501	
\$0566	
\$0567	
S0569	

## Dimensions & weight

Width	1676 mm
Height	1550 mm
Length	3810 mm
Wheel base	2405 mm
Kerb weight	1380 kg

## Additional information

Fuel tank capacity	34
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of axles	2
Engine number	AUA 200916