





## General information

MakeVOLVOModelS40 S S40ColourSilverYear of manufacture-
<b>Colour</b> Silver
Year of manufacture -
Top speed124 mph
<b>0 - 60 mph</b> 10.3 seconds
Gearbox 5 speed Manual

# Engine & fuel consumption

Power	123 BHP
Max. torque	165 Nm at 4.000 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	28.8 mpg
Consumption extra urban	49.6 mpg
Consumption combined	39.2 mpg



## MOT history

MOT #22	2	020-12-29 15:15
MOT test	number	554928160152
Result		🗸 Passed
Next expi	ry date	2021-12-28
Advice	Oil leak, but not excessive @ engine (8.4.1 (a) (i))	
Advice	Nearside Rear Inner Road wheel slightly distorted (5.2.2 (c) (i))	
Advice	Oil leak, but not excessive @ gearbox (8.4.1 (a) (i))	
Advice	Front Service brake fluctuating, but not excessively (1.2.1 (e))	
Advice	Power steering component has slight seepage from a component @ rack (2.1.5 (a)	)
Advice	Front Exhaust mounting defective (6.1.2 (a))	



	report date: 2024-03-28
MOT #21	2020-12-18 11:35
MOT test number	636158801435
Result	🗙 Failed
Advice Oil leak, but not excessive @ gearbox (8.4.1 (a) (i))	
<b>Fail</b> Offside Rear Parking brake inoperative on one side (1.4.1 (a))	
Advice Nearside Rear Inner Road wheel slightly distorted (5.2.2 (c) (i))	
Fail Registration plate lamp inoperative in the case of a single lamp or all lamps	; (4.7.1 (b) (ii))
Fail Parking brake efficiency below requirements (1.4.2 (a) (i))	
Advice Oil leak, but not excessive @ engine (8.4.1 (a) (i))	
Advice Power steering component has slight seepage from a component @ rack	< (2.1.5 (a))
<b>Fail</b> Offside Rear Wheel bearing rough when rotated (5.1.3 (b) (i))	
Fail Nearside Front Tyre has a bulge, caused by separation or partial failure of it	ts structure (5.2.3 (d) (ii))
Advice Front Service brake fluctuating, but not excessively (1.2.1 (e))	
Advice Front Exhaust mounting defective (6.1.2 (a))	
<b>Fail</b> Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))	

- Boot not opening Advice
- Fail Nearside Steering rack gaiter missing or no longer prevents the ingress of dirt (2.1.3 (g) (ii))

LF55YPH



	<b>Teport date:</b> 2024 03 20
MOT #20	2020-10-28 14:59
MOT test number	334484629917
Result	🗙 Failed
<b>Fail</b> Offside Rear Wheel bearing rough when rotated (5.1.3 (b) (i))	
<b>Fail</b> Parking brake efficiency less than 50% of the required value (1.4.2 (a)	) (ii))
Advice Nearside Rear Parking brake very poor effort recorded. Dangerous inoperative totally.	due to offside parking brake
<b>Fail</b> Registration plate lamp inoperative in the case of a single lamp or all (4.7.1 (b) (ii))	lamps Both lamps inoperative.
Advice Power steering component has slight seepage from a component S turret. (2.1.5 (a))	Slight leak at steering rack
Fail Windscreen washer provides insufficient washer liquid No washer liquid	id to screen. (3.5 (a))
<b>Fail</b> Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))	
<b>Fail</b> Offside Rear Parking brake inoperative on one side (1.4.1 (a))	

MOT #19	2019-10-04 11:05		
MOT test number	990421038721		
Result	✓ Passed		
AdvicePower steering component has slight seepage from a component Slight oil leak/dampness at bottom of steering rack turret. (2.1.5 (a))AdviceOffside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))			
MOT #18	2019-10-03 15:59		
MOT test number	618994300235		
Result	🗙 Failed		
<b>Fail</b> Parking brake efficiency below requirements (1.4.2 (a) (i))			
Fail Parking brake lever has excessive movement indicating incorrect adjustment (1.1.6 (c))			
Advice Power steering component has slight seepage from a component Slight oil leak/dampness at			

bottom of steering rack turret. (2.1.5 (a))

Fail Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))

Offside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b)) **Advice** 

LF55YPH

report date: 2024-03-28





MOT #17		2018-06-06 16:15
MOT test	number	446354961837
Result		✓ Passed
Minor (i))	Offside Registration plate lamp inoperative in the case of multiple lamps of	or light sources (4.7.1 (b)
Advice	Power steering component has slight seepage from a component at rack	(2.1.5 (a))

MOT #16		2017-06-01 10:05
MOT test	number	512871381707
Result		Passed
Advice	Nearside Rear Valve stem slightly damaged (4.1.D.1e)	
Advice	Nearside Front Tyre worn close to the legal limit on minimum (4.1.E.1)	
Advice	Offside Front Valve stem slightly damaged (4.1.D.1e)	
Advice	Rear brake disc worn, pitted or scored, but not seriously weakened both (3.5.1i	)
Advice	Power steering component(s) has slight seepage from a component rack area (	2.3.3b)
Advice	Offside Front Tyre worn close to the legal limit 2.5mm approx (4.1.E.1)	

MOT #15		2017-06-01 10:05
MOT test	number	872547569766
Result		× Failed
Advice	Offside Front Valve stem slightly damaged (4.1.D.1e)	
Advice	Rear brake disc worn, pitted or scored, but not seriously weakened both (3.5.1i)	
Advice	Power steering component(s) has slight seepage from a component rack area (2	.3.3b)
Advice	Offside Front Tyre worn close to the legal limit 2.5mm approx (4.1.E.1)	
Advice	Nearside Rear Valve stem slightly damaged (4.1.D.1e)	
Pass wit	h rectification Nearside Outer Rear position lamp(s) not working (1.1.A.3b)	
Advice	Nearside Front Tyre worn close to the legal limit on minimum (4.1.E.1)	





MOT #14		2016-05-24 09:12
MOT test number		921437777733
Result		🗸 Passed
Advice Play in both from	t lower arm bushes	
MOT #13		2015-05-29 09:42
MOT test number		168979245120
Result		✓ Passed
MOT #12		2015-05-29 09:42
MOT test number		698649745129
Result		🗙 Failed
Pass with rectification	Offside Registration plate lamp not working (1.1.C.1d)	
Pass with rectification	Nearside Registration plate lamp not working (1.1.C.1d)	
MOT #11		2014-06-06 10:07
MOT test number		885107154173
Result		✓ Passed
MOT #10		2013-10-01 12:08
MOT test number		555424873278
Result		✓ Passed
МОТ #9		2013-09-30 16:09
MOT test number		258683573267
Result		🗙 Failed
Fail Centre Rear Seat be	elt locking mechanism does not secure or release (5.2.5a)	
Fail Registration plate la	amp not working (1.1.C.1d)	

Nearside Rear Mechanical brake component has restricted free movement (3.5.1k)

Fail





МОТ #8	2013-09-06 14:06
MOT test number	568099643240
Result	✓ Passed
MOT #7	2012-09-06 12:58
MOT test number	106510152212
Result	✓ Passed

MOT #6		2011-09-07 16:28
MOT test	number	439260251202
Result		✓ Passed
Advice	Nearside Front Shock absorber has a light misting of oil (2.7.3)	
Notice	Nearside rear brake binding slightly	
Notice	Nail in nearside front tyre	

MOT #5		2011-01-04 10:21
MOT test number		906654801023
Result		🗙 Failed
Pass with rectification	Offside Rear Direction indicators incorrect colour (1.4.A.2f)	
Advice Offside Front Ty	re worn close to the legal limit (4.1.E.1)	
Pass with rectification	Nearside Rear Direction indicators incorrect colour (1.4.A.2f)	
Advice Nearside Front T	Fyre worn close to the legal limit (4.1.E.1)	
Pass with rectification	Nearside Rear Registration plate lamp not working (1.1.C.1d)	





MOT #4		2011-01-04 10:21
MOT test	number	329524101096
Result		✓ Passed
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)	

MOT #3	2009-08-05 16:17
MOT test	number 103547319298
Result	✓ Passed
Notice	Both left hand and right hand rear seat belts only partialy tested due to child seats fitted
Advice	Offside Front Seat belt damaged but not affecting the operation of the belt (5.2.2a)

MOT #2	2009-08-05 11:11
MOT test number	624327119283
Result	× Failed
Advice Offside Front Seat belt damaged but not affecting the operation of the belt (	(5.2.2a)
Fail Nearside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)	
<b>Fail</b> Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
<b>Notice</b> Both left hand and right hand rear seat belts only partialy tested due to child	d seats fitted
Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	

MOT #1		2008-08-16 09:29
MOT test	number	401729028227
Result		✓ Passed
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	





#### Damage history

Check the damage history for this VOLVO. See if, where and when this VOLVO had damage and the car repair costs. We also check if this VOLVO was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FEIDO
Category	4. ARMPE
Туре	
Damage 2	AMPL
	F Stores
Date	1.E
Category	ante
Туре	

#### Extra VOLVO salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





#### Vehicle valuation

What is this car worth? See the vehicle value of this VOLVO in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 10.200

More info  $\rightarrow$ 





## Owner history

For how long did the current and previous owner(s) have this VOLVO? How many owners did this VOLVO have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second sec	
*********	
********	
******	
*********	
********	
	More info >
Plate changes	
See in this check if this VOLVO had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Carrent registration	
Plate since	





#### Finance check

Check if this VOLVO is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VOLVO has been settled.

If not, and you buy this VOLVO then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this VOLVO is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info  $\rightarrow$ 





# Mileage check

Odometer	In miles
Mileage registrations	21
First mileage registration	2005-09-01
Last registration	2020-12-29
Complete history	See info



Registration #1	2005-09-01	29 mi
Registration #2	2008-08-16	37.125 mi
Registration #3	2009-08-05	49.151 mi
Registration #4	2009-08-05	49.151 mi
Registration #5	2011-01-04	66.070 mi
Registration #6	2011-09-07	74.200 mi
Registration #7	2012-09-06	83.895 mi
Registration #8	2013-09-06	93.786 mi
Registration #9	2013-09-30	94.449 mi
Registration #10	2013-10-01	94.449 mi
Registration #11	2014-06-06	96.247 mi
Registration #12		11. JUL 444
Registration #12 Registration #13		11.777 es
-		11,777 es
Registration #13		01,000 est 01,000 est 01,000 est 01,000 est
Registration #13 Registration #14		01,000 est 01,000 est 01,000 est 01,000 est 01,000 est
Registration #13 Registration #14 Registration #15		01,000 est 01,000 est 01,000 est 01,000 est 01,000 est 01,000 est
Registration #13 Registration #14 Registration #15 Registration #16		01,000 est 01,000 est 01,000 est 01,000 est 01,000 est 01,000 est 01,000 est 01,000 est
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17		0.000 es 0.000 es 0.000 es 0.000 es 0.000 es 0.000 es 0.000 es 0.000 es
Registration #13 Registration #14 Registration #15 Registration #16 Registration #17 Registration #18		11, 227 44 11, 227 44

More info >





### Car features

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

# Safety ratings

**NCAP** rating

Video

see crash video



Dimensions & weight	
Width	1770 mm
Height	1452 mm
Length	4468 mm
Wheel base	2640 mm
Kerb weight	1376 kg
Max. allowed weight	1850 kg
Additional information	
Fuel tank capacity	55 l
Fuel delivery	Multi-Point Injection
Number of doors	4
Number of seats CarCheck.co.uk	5 page 14/14

Number of axles	2
Engine number	12922