





General information

Make	VAUXHALL
Model	VECTRA SRI NAV 16V
Colour	Silver
Year of manufacture	-
Top speed	127 mph
0 - 60 mph	10.5 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	138 BHP
Max. torque	167 Nm at 3.800 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	27.7 mpg
Consumption extra urban	50.4 mpg
Consumption combined	38.7 mpg





Internet history

Entry 1	
Date	2021-09-25
Pictures	6
Listing price	View report



source: autotrader.co.uk



MOT history

MOT #19		2022-12-06 15:31
MOT test	number	688950784252
Result		✓ Passed
Next exp	iry date	2023-12-05
Minor	Front fog lamp insecure (4.5.1 (c) (i))	
Minor	Central Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))	

MOT #18		2021-09-08 11:39
MOT test	number	412311951250
Result		✓ Passed
Advice	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

MOT #17		2021-09-06 08:32
MOT test	number	181888660237
Result		🗙 Failed
MAJOR	Exhaust emits excessive dense blue smoke during acceleration (8.2.1.2 (g))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
MAJOR	Exhaust carbon monoxide content after 2nd fast idle exceeds default limits (8.2	.1.2 (b))
Advice	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	

MOT #16	2020-03-16 10:45
MOT test number	666153450192
Result	✓ Passed





MOT #15		2020-03-16 10:45
MOT test number		281621020985
Result		🗙 Failed
Pass with rectification	Offside Rear Direction indicator incorrect colour (4.4.3 (a))	
Pass with rectification	Offside Headlamp aim too high (4.1.2 (a))	

MOT #14		2019-03-12 16:37
MOT test	number	857106587195
Result		✓ Passed
Advice	Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))	
Advice	Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 ((c))
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Offside Rear Direction indicator slightly discoloured (4.4.3 (a))	
Advice	Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Rear Anti-roll bar corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Front Tyre worn close to legal limit/worn on edge both tyre wearing on edges (5.	2.3 (e))
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c)))





MOT #13		2019-03-12 10:08
MOT test	number	229149911011
Result		🗙 Failed
Advice	Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Front Tyre worn close to legal limit/worn on edge both tyre wearing on edges (5.2.3 (e))
Advice	Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))	
MAJOR	Offside Front Coil spring fractured or broken (5.3.1 (b) (i))	
DANGER	Nearside Rear Tyre has ply or cords exposed (5.2.3 (d) (ii))	
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11	(c))
Advice	Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Offside Rear Direction indicator slightly discoloured (4.4.3 (a))	
Advice	Rear Anti-roll bar corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.1)	1 (c))

MOT #12		2018-03-17 11:50
MOT test	number	130899263159
Result		✓ Passed
Advice	Offside Front Shock absorber has a light misting of oil (2.7.3)	
Advice	Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	





MOT #11	2018-03-16 11:00
MOT test number	690555216373
Result	🗙 Failed
Fail Nearside Rear coil spring broken (2.4.C.1a)	
Fail Offside Front Anti-roll bar linkage has excessive play in a pin/bush (2.4.G.2)	
Fail Front Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Advice Coolant leak	
Advice Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Fail Nearside Front Anti-roll bar linkage has excessive play in a pin/bush (2.4.G.2)	
Fail Front brake disc in such a condition that it is seriously weakened (3.5.1i)	
Fail Offside Headlamp aim too low (1.8)	
Advice Offside Front Shock absorber has a light misting of oil (2.7.3)	
Fail Emissions not tested due to coolant leak (7.3.A.1)	

MOT #10	2017-02-24 13:23
MOT test number	359043285612
Result	✓ Passed
Advice Front Inner Brake pad(s) wearing thin (3.5.1g)	
Advice Temp fuel cap fitted	





MOT #9	2017-02-21 13:49
MOT test number	815689822560
Result	🗙 Failed
Fail Rear Inner Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Advice Front Inner Brake pad(s) wearing thin (3.5.1g)	
Fail Offside Rear coil spring broken (2.4.C.1a)	
Advice Temp fuel cap fitted	

MOT #8	2016-01-22 13:48
MOT test number	182339749527
Result	✓ Passed
Advice Plastic sills fitted.	

MOT #7	2016-01-20 10:46
MOT test number	852677268379
Result	🗙 Failed
Fail Nearside Headlamp aim beam image obviously incorrect (1.8.A.1b)	
Advice Oil leak	
Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Fail Offside Registration plate lamp not working (1.1.C.1d)	
Advice Plastic sills fitted.	
Fail Offside Front Tyre has a cut in excess of the requirements deep enough to reach (4.1.D.1a)	the ply or cords





MOT #6	2015-01-26 13:50
MOT test number	645866025097
Result	✓ Passed
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Notice Oil leak	
MOT #5	2015-01-26 13:50

	Ζ	012-01-20 13:20
MOT test number		936136025001
Result		🗙 Failed
Notice Oil leak		
Advice Nearside Front	Tyre worn close to the legal limit (4.1.E.1)	
Pass with rectification	Offside Headlamp aim beam image obviously incorrect (1.8.A.1b)	1
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)		

MOT #4	2014-02-07 15:47
MOT test number	408668134088
Result	✓ Passed

MOT #3		2012-09-24 12:33
MOT test	number	775258962270
Result		✓ Passed
Notice	Nearside rear 215/50R17W tyre wearing unevenly on inner edge	
Notice	Both front lower arm rear bushes slightly showing signs of deterioration	

MOT #2	2011-09-19 12:40
MOT test number	588252061201
Result	✓ Passed





MOT #1	2010-09-27 11:04
MOT test number	311000570247
Result	✓ Passed





Damage history

Check the damage history for this VAUXHALL. See if, where and when this VAUXHALL had damage and the car repair costs. We also check if this VAUXHALL was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FET O
Category	ARMPE
Туре	
Damage 2	AMPLE
Date	
Category	ampt
Туре	K' C

Extra VAUXHALL salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this VAUXHALL in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 10.200





Owner history

For how long did the current and previous owner(s) have this VAUXHALL? How many owners did this VAUXHALL have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

AND	

	More info >
Plate changes	
See in this check if this VAUXHALL had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	





Finance check

Check if this VAUXHALL is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VAUXHALL has been settled.

If not, and you buy this VAUXHALL then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this VAUXHALL is financed.


Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	





Mileage check

Odometer	In miles
Mileage registrations	20
First mileage registration	2007-09-29
Last registration	2022-12-06
Complete history	See info



Registration #1	2007-09-29	9 mi
Registration #2	2010-09-27	22.836 mi
Registration #3	2011-09-19	30.132 mi
Registration #4	2012-09-24	37.500 mi
Registration #5	2014-02-07	45.037 mi
Registration #6	2015-01-26	62.358 mi
Registration #7	2016-01-20	84.370 mi
Registration #8	2016-01-22	84.385 mi
Registration #9	2017-02-21	88.730 mi
Registration #10	2017-02-24	88.730 mi
Registration #11		11.777 mi
Registration #12		11.777 esi
Registration #13		11.777 mi
Registration #14		11.777 esi
Registration #15		11.777 mi
Registration #16		11.777 esi
Registration #17		11.777 mi
Registration #18		01.207 mi
Registration #19		10.207 mi
Registration #20		11.117 mi





Safety ratings

NCAP rating

Video

see crash video



Width2036 mmHeight1460 mmLength4611 mmWheel base2700 mmKerb weight1346 kgMax. allowed weight1885 kgAdditional information61 lFuel tank capacity61 lFuel deliveryMulti-Point InjectionNumber of doors5Sumber of seats5Engine number20JV1118	Dimensions & weight	
Length4611 mmWheel base2700 mmKerb weight1346 kgMax. allowed weight1885 kgAdditional information61 lFuel tank capacity61 lFuel deliveryMulti-Point InjectionNumber of doors5Number of seats5	Width	2036 mm
Wheel base2700 mmKerb weight1346 kgMax. allowed weight1885 kgAdditional information1000 mmFuel tank capacity61 lFuel deliveryMulti-Point InjectionNumber of doors5Number of seats5	Height	1460 mm
Kerb weight1346 kgMax. allowed weight1885 kgAdditional information1000000000000000000000000000000000000	Length	4611 mm
Max. allowed weight1885 kgAdditional information61 lFuel tank capacity61 lFuel deliveryMulti-Point InjectionNumber of doors5Number of seats5	Wheel base	2700 mm
Additional informationFuel tank capacity61 lFuel deliveryMulti-Point InjectionNumber of doors5Number of seats5	Kerb weight	1346 kg
Fuel tank capacity61 Fuel deliveryMulti-Point InjectionNumber of doors5Number of seats5	Max. allowed weight	1885 kg
Fuel delivery Multi-Point Injection Number of doors 5 Number of seats 5		
Number of doors5Number of seats5	Additional information	
Number of seats 5		61 I
	Fuel tank capacity	
Engine number 20JV1118	Fuel tank capacity Fuel delivery	Multi-Point Injection
	Fuel tank capacity Fuel delivery Number of doors	Multi-Point Injection 5
	Fuel tank capacity Fuel delivery Number of doors Number of seats	Multi-Point Injection 5 5