



YE04YGG

report date: 2024-03-28

General information

Make	FORD
Model	TRANSIT 350 LWB C/C
Colour	Green
Year of manufacture	2004
Top speed	90 mph
0 - 60 mph	26.0 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	113 BHP
Max. torque	285 Nm at 2.300 rpm
Engine capacity	2.402 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



MOT history

MOT expiry date	2022-01-04
MOT pass rate	57 %
MOT passed	13
Failed MOT tests	10
Total advice items	90
Total items failed	46

MOT #23 2021-01-05 08:27

MOT test number 321429848564

Result ✓ Passed

Next expiry date 2022-01-04

Advice Front Suspension component mounting prescribed area is corroded but not considered excessive Cross member (5.3.6 (a) (i))

Advice Offside Front Inner Suspension component mounting prescribed area is corroded but not considered excessive chassis (5.3.6 (a) (i))

Advice Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Offside Front Inner Seat belt anchorage prescribed area is corroded but not considered excessive Step (7.1.1 (a) (i))

Advice Offside Front Suspension component mounting prescribed area is corroded but not considered excessive Chassis (5.3.6 (a) (i))

Advice Central Suspension component mounting prescribed area is corroded but not considered excessive Cross member (5.3.6 (a) (i))

Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Nearside Front Inner Seat belt anchorage prescribed area is corroded but not considered excessive Step (7.1.1 (a) (i))

Advice Nearside Front Play in steering rack inner joint(s)

MOT #22 2019-04-10 10:50

MOT test number 682978073794

Result ✓ Passed



MOT #21

2018-03-12 09:52

MOT test number

193212931090

Result	✗ Failed
<div>Fail</div> Nearside Front Front position lamp(s) not working (1.1.A.3b)	
<div>Fail</div> Nearside Front Seat belt anchorage prescribed area is excessively corroded (5.2.6)	
<div>Fail</div> Nearside Front Steering system has excessive free play detected at the steering wheel (steering rack fitted) steering rack end (2.2.A.1b)	
<div>Fail</div> Nearside Rear Inner Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
<div>Fail</div> Offside Rear Stop lamp not working (1.2.1b)	
<div>Fail</div> Nearside Front Rear position lamp(s) adversely affected by the operation of another lamp (1.1.A.3f)	
<div>Fail</div> Nearside Rear rear parking (secondary) brakes imbalanced low effort (3.7.B.6b)	
<div>Fail</div> Nearside Rear Inner Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
<div>Fail</div> Offside Rear Outer Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
<div>Fail</div> Nearside Rear Stop lamp not working (1.2.1b)	



MOT #20

2017-03-02 09:45

MOT test number

426935086894

Result

✓ Passed

- Advice

Offside Front Suspension component mounting prescribed area is corroded but not considered excessive inner wheel arche (2.4.A.3)
- Advice

Offside Front Seat belt stitching slightly frayed (5.2.2b)
- Advice

Offside Front Bumper insecure
- Advice

Oil leak
- Advice

Nearside Front Play in steering rack inner joint(s)
- Advice

Brake pad(s) wearing thin all front (3.5.1g)
- Advice

Offside Rear Outer Tyre worn close to the legal limit (4.1.E.1)
- Advice

Rear flat back trailer wooden panels inscure
- Advice

Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice

Nearside Front Outer Seat belt anchorage prescribed area is corroded but not considered excessive door step sill (5.2.6)

**MOT #19**

2017-03-01 11:37

MOT test number

484917874839

Result**✗ Failed**

Advice Offside Front Suspension component mounting prescribed area is corroded but not considered excessive inner wheel arche (2.4.A.3)

Fail Windscreen wiper does not clear the windscreen effectively both front (8.2.2)

Advice Offside Front Seat belt stitching slightly frayed (5.2.2b)

Fail Nearside Front Inner Seat belt anchorage prescribed area is excessively corroded door step (5.2.6)

Advice Rear flat back trailer wooden panels insecure

Advice Offside Front Bumper insecure

Fail Offside Front Outer Seat belt anchorage prescribed area is excessively corroded door step sill (5.2.6)

Fail Nearside Front Brake pipe excessively corroded (3.6.B.2c)

Advice Nearside Front Play in steering rack inner joint(s)

Advice Oil leak

Advice Brake pad(s) wearing thin all front (3.5.1g)

Fail Engine mounting bracket fractured and likely to fail lower engine bay support corroded and holed (6.1.D.1b)

Advice Offside Rear Outer Tyre worn close to the legal limit (4.1.E.1)

Fail Offside Front Inner Seat belt anchorage prescribed area is excessively corroded door step (5.2.6)

Advice Rear Brake pipe slightly corroded (3.6.B.2c)

Advice Nearside Front Outer Seat belt anchorage prescribed area is corroded but not considered excessive door step sill (5.2.6)

Fail Offside Front Brake pipe excessively corroded (3.6.B.2c)

**MOT #18** 2016-07-01 10:25**MOT test number** 286179555660**Result** ✓ Passed**Advice** Both outer sill surface corrosion**Advice** Offside Rear Outer Tyre worn close to the legal limit (4.1.E.1)**Advice** O/s/f outer wheel arch surface corrosion**MOT #17** 2016-06-29 10:00**MOT test number** 725451713362**Result** ✗ Failed**Fail** Nearside Front position lamp(s) not working (1.1.A.3b)**Advice** Both outer sill surface corrosion**Fail** Offside Front Track rod end ball joint dust cover insecure so that it no longer prevents the ingress of dirt (2.2.C.1c)**Fail** Offside Rear Rear fog lamp not working (1.3.2b)**Fail** Offside Front Track rod end ball joint has excessive play (2.2.B.1f)**Advice** O/s/f outer wheel arch surface corrosion**Advice** Offside Rear Outer Tyre worn close to the legal limit (4.1.E.1)**MOT #16** 2015-07-11 09:13**MOT test number** 375602595176**Result** ✓ Passed**Advice** Front Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)**Advice** Front Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)



MOT #15

2015-07-08 13:35

MOT test number

465299885129

Result

✗ Failed

Advice

Front Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)

Fail

Rear Anti-roll bar rubber bush deteriorated resulting in excessive movement (2.4.G.2)

Fail

Nearside Front Track rod end ball joint has excessive play (2.2.B.1f)

Fail

Parking brake: efficiency below requirements (3.7.B.7)

Fail

Nearside rear brake recording little or no effort (3.7.B.5a)

Fail

Brake pipe excessively corroded (3.6.B.2c)

Advice

Front Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)

Fail

Nearside Front Front wheel bearing has excessive play (2.5.A.3c)

Fail

Nearside rear parking brake recording little or no effort (3.7.B.6a)

Advice

Nearside Rear Brakes imbalanced requirements only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.5b)

Fail

Brakes imbalanced across an axle (3.7.B.5b)



MOT #14

2014-07-09 11:06

MOT test number

865800294123

Result

✓ Passed

- Advice

Offside Front Seat belt stitching slightly frayed (5.2.2b)
- Advice

Rear Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Notice

2 ft outer sill foot step surface corrosion
- Advice

Centre Brake pipe slightly corroded (3.6.B.2c)
- Advice

Front Track rod end ball joint has slight play (2.2.B.1f)
- Advice

Front Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)
- Advice

Rear Brake pipe slightly corroded (3.6.B.2c)
- Notice

Brake pedal anti slip worn

MOT #13

2014-07-09 11:06

MOT test number

995930394180

Result

✗ Failed

- Advice

Centre Brake pipe slightly corroded (3.6.B.2c)
- Pass with rectification

Nearside Registration plate lamp not working (1.1.C.1d)
- Notice

2 ft outer sill foot step surface corrosion
- Advice

Front Track rod end ball joint has slight play (2.2.B.1f)
- Advice

Front Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)
- Advice

Rear Brake pipe slightly corroded (3.6.B.2c)
- Pass with rectification

Nearside Rear fog lamp not working (1.3.2b)
- Notice

Brake pedal anti slip worn
- Advice

Offside Front Seat belt stitching slightly frayed (5.2.2b)
- Advice

Rear Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #12**

2013-06-21 15:27

MOT test number

599912773170

Result

✓ Passed

Notice Play in prop-shaft centre bearing**Advice** Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Notice** Brake pedal rubber worn slightly**Advice** Brake pipe slightly corroded (3.6.B.2c)**MOT #11**

2013-06-21 11:46

MOT test number

898322673187

Result

✗ Failed

Fail Power steering pipe(s) or hose(s) leaking from a seal (2.3.3b)**Fail** Windscreen wiper does not clear the windscreen effectively (8.2.2)**Advice** Brake pipe slightly corroded (3.6.B.2c)**Notice** Play in prop-shaft centre bearing**Fail** Nearside Front Lower Suspension arm rubber bush deteriorated resulting in excessive movement (2.4.G.2)**Fail** Offside Rear fog lamp not working (1.3.2b)**Notice** Brake pedal rubber worn slightly**Advice** Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**MOT #10**

2012-07-14 10:47

MOT test number

325306092134

Result

✓ Passed

Advice Offside Inner Rear Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Inner Front Tyre worn close to the legal limit (4.1.E.1)**Notice** Oil leak

**MOT #9**

2012-07-12 14:14

MOT test number

898004292192

Result**✗ Failed****Fail** Offside Track rod end ball joint has excessive play (2.2.B.1f)**Fail** Parking brake: efficiency below requirements (3.7.B.7)**Advice** Offside Inner Rear Tyre worn close to the legal limit (4.1.E.1)**Notice** Oil leak**Fail** Nearside Track rod end ball joint has excessive play (2.2.B.1f)**Fail** Front Brake pad(s) less than 1.5 mm thick (3.5.1g)**Advice** Offside Inner Front Tyre worn close to the legal limit (4.1.E.1)**MOT #8**

2011-07-07 11:32

MOT test number

827118781108

Result**✓ Passed****Advice** Nearside Shock absorber has a light misting of oil (2.7.3)**Notice** Oil leak**Advice** Nearside Front wheel bearing has slight play (2.5.A.3c)**Notice** N/s/f high visibility ligh not working**Advice** Offside Track rod end ball joint has slight play (2.2.B.1f)**Notice** Nail in nearside rear tyre**Advice** Offside Front wheel bearing has slight play (2.5.A.3c)**Notice** Brake anti slip slightly worn

**MOT #7**

2011-07-07 11:32

MOT test number

469978081167

Result**✗ Failed**

- Notice** Oil leak
- Advice** Nearside Front wheel bearing has slight play (2.5.A.3c)
- Notice** N/s/f high visibility ligh not working
- Advice** Offside Track rod end ball joint has slight play (2.2.B.1f)
- Pass with rectification** Offside Registration plate lamp not working (1.1.C.1d)
- Notice** Nail in nearside rear tyre
- Advice** Offside Front wheel bearing has slight play (2.5.A.3c)
- Notice** Brake anti slip slightly worn
- Advice** Nearside Shock absorber has a light misting of oil (2.7.3)
- Pass with rectification** Nearside Registration plate lamp not working (1.1.C.1d)

MOT #6

2010-06-23 10:03

MOT test number

830504370187

Result**✗ Failed**

- Notice** O/s/r diff oil leaking
- Pass with rectification** Horn not working (1.6.2a)
- Pass with rectification** Offside Registration plate lamp not working (1.1.C.1d)
- Advice** Offside Inner Rear Tyre worn close to the legal limit (4.1.E.1)
- Pass with rectification** Nearside Registration plate lamp not working (1.1.C.1d)
- Pass with rectification** Nearside Headlamp aim too low (1.8)

**MOT #5** 2010-06-23 10:03**MOT test number** 250264470130**Result** ✓ Passed**Notice** O/s/r diff oil leaking**Advice** Offside Inner Rear Tyre worn close to the legal limit (4.1.E.1)**MOT #4** 2009-07-14 14:05**MOT test number** 580475599172**Result** ✓ Passed**MOT #3** 2008-06-03 17:04**MOT test number** 711255058107**Result** ✓ Passed**MOT #2** 2008-06-03 13:28**MOT test number** 144915758174**Result** ✗ Failed**Fail** Offside Obligatory mirror missing (8.1.1)**MOT #1** 2007-05-29 16:16**MOT test number** 994839447102**Result** ✓ Passed



Tax & MOT check

✕
Untaxed

Tax expired:
1 September 2021

✕
MOT

Expired:
4 January 2022

Tax status		Expired at 1 September
Days left		970 days too late
MOT expiry date		4 January 2022
Full MOT history		See MOT history



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	YE04YGG
Plate since	2019-03-28
Current registration	YE04YGG
Plate since	2019-03-28

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	21
First mileage registration	2004-06-03
Last registration	2021-01-05
Complete history	See info



Registration #1	2004-06-03	13 mi
Registration #2	2007-05-29	66.129 mi
Registration #3	2008-06-03	94.787 mi
Registration #4	2008-06-03	94.790 mi
Registration #5	2009-07-14	108.733 mi
Registration #6	2010-06-23	129.534 mi
Registration #7	2011-07-07	152.482 mi
Registration #8	2012-07-12	174.446 mi
Registration #9	2012-07-14	174.449 mi
Registration #10	2013-06-21	191.585 mi
Registration #11	2013-06-21	191.587 mi
Registration #12	2014-06-21	208.733 mi
Registration #13	2015-06-21	225.879 mi
Registration #14	2016-06-21	243.025 mi
Registration #15	2017-06-21	260.171 mi
Registration #16	2018-06-21	277.317 mi
Registration #17	2019-06-21	294.463 mi
Registration #18	2020-06-21	311.609 mi
Registration #19	2021-01-05	328.755 mi
Registration #20		
Registration #21		

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	2492 mm
Height	2130 mm
Length	6104 mm
Max. allowed weight	3500 kg

Additional information

Fuel tank capacity	80 l
Fuel delivery	Direct Injection
Number of doors	2
Number of seats	3
Engine number	3M64641