



report date: 2024-03-29

General information

Make	FORD
Model	FOCUS C-MAX ZETEC
Colour	Silver
Year of manufacture	2004
Top speed	120 mph
0 - 60 mph	10.8 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	120 BHP
Max. torque	166 Nm at 4.500 rpm
Engine capacity	1.798 cc
Cylinders	4
Fuel type	Petrol
Consumption city	28.0 mpg
Consumption extra urban	48.7 mpg
Consumption combined	38.2 mpg
CO2 emission	170 g/km
CO2 label	H





Internet history

Entry 1

Date	2021-08-20
Pictures	2
Listing price	<a href="#">View report</a>



source: cargurus.co.uk



## MOT history

MOT expiry date	2022-01-03
MOT pass rate	68 %
MOT passed	15
Failed MOT tests	7
Total advice items	61
Total items failed	9

MOT #22	2020-12-08 09:58
MOT test number	976326255218
Result	✓ Passed
Next expiry date	2022-01-03
Advice	Offside Rear Shock absorber dust cover insecure
Advice	Offside Rear Service brake binding but not excessively (1.2.1 (f))

MOT #21	2020-12-08 09:58
MOT test number	579133155416
Result	✗ Failed
Advice	Offside Rear Service brake binding but not excessively (1.2.1 (f))
Pass with rectification	Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))
Advice	Offside Rear Shock absorber dust cover insecure

MOT #20	2019-12-17 11:53
MOT test number	625346142599
Result	✓ Passed

MOT #19	2018-12-05 16:23
MOT test number	851756240484
Result	✓ Passed

**MOT #18**

2018-12-05 09:15

**MOT test number**

104879066160

**Result****✗ Failed****Fail** Parking brake efficiency below requirements (1.4.2 (a) (i))**Advice** Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement radius arm (5.3.4 (a) (i))**Advice** Nearside Rear Brake disc worn, but not excessively (1.1.14 (a) (i))**Advice** Nearside Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))**Fail** Nearside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))**Advice** Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement radius arm (5.3.4 (a) (i))**Advice** Nearside Rear Service brake binding but not excessively (1.2.1 (f))**MOT #17**

2017-12-07 09:44

**MOT test number**

795823855611

**Result****✓ Passed****Advice** Nearside Front Inner Brake pad(s) wearing thin (3.5.1g)**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Rear Inner Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Rear Child Seat fitted not allowing full inspection of adult belt**Advice** Offside Front Inner Brake pad(s) wearing thin (3.5.1g)**Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Rear Inner Tyre worn close to the legal limit (4.1.E.1)**Advice** Slight wear on rear brake discs

**MOT #16**

2016-12-06 13:28

**MOT test number**

671886671273

**Result**

✓ Passed

**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)

**Advice** Nearside Rear Anti-roll bar has slight play in a ball joint link arm (2.4.G.2)

**Advice** Slight wear on n.s.r brake disc

**Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)

**Advice** Offside Rear Anti-roll bar has slight play in a ball joint link arm (2.4.G.2)

**MOT #15**

2016-12-06 09:10

**MOT test number**

431255932372

**Result**

✗ Failed

**Advice** Nearside Rear Anti-roll bar has slight play in a ball joint link arm (2.4.G.2)

**Fail** Nearside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)

**Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)

**Advice** Offside Rear Anti-roll bar has slight play in a ball joint link arm (2.4.G.2)

**Advice** Slight wear on n.s.r brake disc

**Fail** Parking brake: efficiency below requirements (3.7.B.7)

**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)

**MOT #14**

2015-12-22 09:08

**MOT test number**

595107665149

**Result**

✓ Passed

**Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)

**Advice** Offside Rear Anti-roll bar has slight play in a ball joint link arm (2.4.G.2)

**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement rear (2.4.G.2)

**Advice** Nearside Rear Anti-roll bar has slight play in a ball joint link arm (2.4.G.2)

**MOT #13**

2014-12-17 09:58

**MOT test number**

627421254359

**Result**

✓ Passed

**Notice** Under-trays fitted obscuring some underside components

**Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Advice** Offside Rear Anti-roll bar has slight play in a ball joint (2.4.G.2)

**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Notice** Engine covers fitted obscuring some components in the engine bay

**Advice** Nearside Rear Anti-roll bar has slight play in a ball joint (2.4.G.2)

**MOT #12**

2013-12-19 11:56

**MOT test number**

908683953328

**Result**

✓ Passed

**Notice** N.s.r tyre getting low on tread on inner edge

**Advice** Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**Notice** Engine covers fitted obscuring some components in the engine bay

**Advice** Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #11** 2013-01-04 17:15**MOT test number** 367444703086**Result** ✓ Passed**Advice** Nearside Rear rear brake grabbing slightly (3.7.A.5b)**Advice** Offside Rear rear brake grabbing slightly (3.7.A.5b)**MOT #10** 2013-01-02 11:53**MOT test number** 175312403071**Result** ✗ Failed**Fail** Offside Rear Tyre has ply or cords exposed (4.1.D.1b)**Advice** Offside Rear rear brake grabbing slightly (3.7.A.5b)**Advice** Nearside Rear rear brake grabbing slightly (3.7.A.5b)**MOT #9** 2011-08-23 17:18**MOT test number** 538085231254**Result** ✓ Passed**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)**MOT #8** 2010-08-25 16:59**MOT test number** 821637030259**Result** ✓ Passed**Advice** Front Brake pad(s) wearing thin (3.5.1g)**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Rear Seat belt damaged but not affecting the operation of the belt (5.2.2a)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

**MOT #7** 2010-08-25 11:04**MOT test number** 364687430443**Result** ✗ Failed

- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)
- Advice** Nearside Rear Seat belt damaged but not affecting the operation of the belt (5.2.2a)
- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)
- Fail** Nearside Front Seat belt locking mechanism does not secure or release (5.2.5a)

**MOT #6** 2009-08-10 15:02**MOT test number** 700032929202**Result** ✓ Passed**MOT #5** 2008-08-18 16:03**MOT test number** 250201538213**Result** ✓ Passed**MOT #4** 2008-08-18 12:11**MOT test number** 613621438280**Result** ✗ Failed

- Fail** Front Windscreen washer provides insufficient washer liquid (8.2.3)

**MOT #3** 2008-01-14 15:37**MOT test number** 393494718097**Result** ✓ Passed





MOT #2	2007-05-15 16:46
MOT test number	770945737157
Result	✓ Passed

MOT #1	2007-05-14 15:11
MOT test number	451364437166
Result	✗ Failed

- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Fail** Nearside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (4.1.D.1a)



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

XXXXXX	XXXXXX
XXXXXXXXXX	XXXXXX
XXXXXXXXXX	XXXXXX
XXXXXX	XXXXXX
XXXXXXXXXX	XXXXXX
XXXXXXXXXX	XXXXXX

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	XXXXX
Plate since	2023-03-29
Current registration	XXXXX
Plate since	2023-03-29

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2004-06-21
Last registration	2020-12-08
Complete history	<a href="#">See info</a>



Registration #1	2004-06-21	29 mi
Registration #2	2007-05-14	28.327 mi
Registration #3	2007-05-15	28.378 mi
Registration #4	2008-01-14	32.878 mi
Registration #5	2008-08-18	36.408 mi
Registration #6	2008-08-18	36.408 mi
Registration #7	2009-08-10	42.268 mi
Registration #8	2010-08-25	49.161 mi
Registration #9	2010-08-25	49.161 mi
Registration #10	2011-08-23	57.463 mi
Registration #11	2013-01-02	66.096 mi
Registration #12	2013-01-04	66.099 mi
Registration #13	2013-01-04	66.099 mi
Registration #14	2013-01-04	66.099 mi
Registration #15	2013-01-04	66.099 mi
Registration #16	2013-01-04	66.099 mi
Registration #17	2013-01-04	66.099 mi
Registration #18	2013-01-04	66.099 mi
Registration #19	2013-01-04	66.099 mi
Registration #20	2013-01-04	66.099 mi
Registration #21	2013-01-04	66.099 mi
Registration #22	2013-01-04	66.099 mi
Registration #23	2013-01-04	66.099 mi
Registration #24	2013-01-04	66.099 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating

Video [see crash video](#)



Dimensions & weight

Width	1783 mm
Height	1558 mm
Length	4333 mm
Wheel base	2640 mm
Kerb weight	1422 kg

Additional information

Fuel tank capacity	55 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of axles	2
Engine number	3T22392