





General information

Make	HYUNDAI
Model	GETZ CDX
Colour	Blue
Year of manufacture	2005
Top speed	102 mph
Gearbox	5 speed Manual

Engine & fuel consumption

Power	81 BHP	0 < 101 A
Max. torque	117 Nm at 3.200 rpm	101 - 120 ^B _C
Engine capacity	1.341 cc	
Cylinders	4	141 - 165 F G
Fuel type	Petrol	166 - 185 H
Consumption city	35.3 mpg	186 - 225 J
Consumption extra urban	54.3 mpg	225+ L
Consumption combined	45.6 mpg	
CO2 emission	136 g/km	
CO2 label	E	





Internet history

Entry	1
Date	

Pictures

2021-07-12

11

Listing price

View report



source: autotrader.co.uk



MOT history

MOT expiry date	2024-10-25
MOT pass rate	70 %
MOT passed	16
Failed MOT tests	7
Total advice items	53
Total items failed	24

MOT #23	2023-10-26 12:41
MOT test number	305261540291
Result	✓ Passed
Next expiry date	2024-10-25

MOT #2	22 20	023-10-12 10:56
MOT te	est number	805712793192
Result		🗙 Failed
Fail	Rear Brakes imbalanced across an axle (1.2.1 (b) (i))	
Fail	Nearside Front Sub-frame pin or bush likely to become detached forward mount (5.3.4	(a) (ii))
Fail	Anti-lock braking system warning lamp indicates an ABS fault (1.6 (b))	
Fail	Windscreen washer provides insufficient washer liquid (3.5 (a))	
Fail	Offside Front Sub-frame pin or bush likely to become detached forward mount (5.3.4 (a	a) (ii))



CP05WKG report date: 2024-03-28

MOT #212022-10-15 09:22MOT test number478847407027Result✓ PassedAdviceNearside Front Seat belt slightly damaged (7.1.2 (b) (i))AdviceOil leak, but not excessive (8.4.1 (a) (i))AdviceFluid leak, but not excessive Radiator (8.4.1 (a) (i))AdviceNearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))

МОТ #20	2022-10-12 13:51
MOT test number	492942395593
Result	× Failed
FailOffside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ing(ii))	ress of dirt (5.3.4 (b)
Fail Anti-lock braking system warning lamp indicates an ABS fault Lamp comes on int	termittently (1.6 (b))
Fail Nearside Stop lamp(s) not working (4.3.1 (a) (ii))	
Fail Offside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Fail Windscreen washer provides insufficient washer liquid (3.5 (a))	
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Fail Rear Brakes imbalanced across an axle N/S lagging (1.2.1 (b) (i))	
Advice Nearside Front Seat belt slightly damaged (7.1.2 (b) (i))	
Fail Nearside Front Drive shaft joint constant velocity boot split or insecure, no longer ingress of dirt (6.1.7 (g) (ii))	r prevents the
Advice Fluid leak, but not excessive Radiator (8.4.1 (a) (i))	





MOT #19	2021-10-11 07:51
MOT test number	752826766001
Result	✓ Passed
Advice Offside Rear Outer Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice Nearside Rear Outer Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Minor Battery insecure but not likely to fall from carrier (4.13 (a) (i))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	

MOT #18	2021-10-04 12:54
MOT test number	107997084993
Result	🗙 Failed
Fail Nearside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))	
Minor Battery insecure but not likely to fall from carrier (4.13 (a) (i))	
Fail Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))	
Advice Nearside Rear Outer Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Fail Front Sub-frame corroded and seriously weakened (5.3.3 (b) (i))	
Fail Nearside Front Anti-roll bar ball joint excessively worn (5.3.4 (a) (i))	
Pass with rectification Nearside Stop lamp(s) not working (4.3.1 (a) (ii))	
Advice Offside Rear Outer Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	



С	P	0	5	V	V	Κ	G
	rei	oort	da	te:	20	24-0	3-28

MOT #17		2021-01-22 16:00
MOT test	number	978473773412
Result		✓ Passed
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Offside Rear rubber axle mounting bush deteriorated	
Advice	Nearside Rear Shock absorbers light misting of oil or has limited damping e	ffect (5.3.2 (b))
Advice	Nearside Rear rubber axle mounting bush deteriorated	
Advice	Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	

MOT #16	2021-01-22 14:44
MOT test number	113442907931
Result	🗙 Failed
Advice Offside Rear rubber axle mounting bush deteriorated	
Fail Nearside Front Position lamp light intensity significantly reduced (4.2.3 (a) (ii))	
Advice Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
Advice Nearside Rear rubber axle mounting bush deteriorated	
Fail Offside Front Position lamp light intensity significantly reduced (4.2.3 (a) (ii))	
Fail Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))	
Advice Nearside Rear Shock absorbers light misting of oil or has limited damping effect	ct (5.3.2 (b))





MOT #15	20	19-07-16 13:37
MOT test	number	463107499771
Result		✓ Passed
Minor	Nearside Front Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
Advice	Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Minor	Offside Front Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g)	(i))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge wearing on inner edge (5	.2.3 (e))
Advice	Rear exhaust system deteriorated	
Advice	Central Rear Upper Stop lamp(s) non-obligatory stop lamp not working (4.3.1 (a) (ii))

MOT #14	2019-07-12 14:06
MOT test number	935808390537
Result	🗙 Failed
Advice Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Fail Offside Front Lower Subframe mounting prescribed area excessively corroder structural strength inner adjacent to offside front suspension arm mount and offside fround mounting (5.3.6 (a) (i))	
Advice Nearside Rear Brake pipe corroded, covered in grease or other material (2	1.1.11 (c))
Advice Rear exhaust system deteriorated	
Advice Nearside Front Tyre worn close to legal limit/worn on edge wearing on inn	ner edge (5.2.3 (e))
Minor Offside Front Drive shaft joint constant velocity boot severely deteriorated	(6.1.7 (g) (i))
Fail Nearside Front Lower Subframe mounting prescribed area excessively corroc structural strength inner adjacent to nearside front suspension arm mount and nearsi mounting (5.3.6 (a) (i))	
Advice Central Rear Upper Stop lamp(s) non-obligatory stop lamp not working (4	.3.1 (a) (ii))
Minor Nearside Front Drive shaft joint constant velocity boot severely deteriorate	ed (6.1.7 (g) (i))





MOT #13	2018-07-13 13:33	
MOT test	number 387595732812	
Result	✓ Passed	
Advice	Central Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Minor	Minor Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))	
Minor	Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))	

MOT #12	2017-07-12 15:59
MOT test number	701186270873
Result	✓ Passed
Advice Nearside Front Outer Front constant velocity joint gaiter damaged, dirt (2.5.C.1a)	but preventing the ingress of
Advice Offside Front Outer Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)	
MOT #11	2016-07-26 11:40
MOT test number	613863601675
Result	✓ Passed

Advice Offside Front Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)
Advice Nearside Front Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)

Advice Oil leak

MOT #10	2015-07-10 16:06
MOT test number	469311195119
Result	✓ Passed





МОТ #9	2014-07-16 12:55
MOT test number	976797394131
Result	✓ Passed
Notice Items removed from driver's view prior to test	
Notice Offside rear tyre worn on outer edge,meets minimal pass criteria	

MOT #8	2013-07-05 16:02
MOT test number	245426983470
Result	✓ Passed
Notice Items removed from driver's view prior to test	

MOT #7	2013-07-05 15:19
MOT test number	536816083138
Result	🗙 Failed
NoticeItems removed from driver's view prior to testFailOffside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	

МОТ #6	2012-07-10 12:37
MOT test number	288752392439
Result	✓ Passed

MOT #5	2011-06-29 14:24
MOT test number	139910881183
Result	✓ Passed
Notice Nearside front tyre wearing on inner edge	

MOT #4	2010-07-07 09:22
MOT test number	951638780166
Result	✓ Passed





MOT #3		2009-07-24 13:50
MOT test number		770085909289
Result		✓ Passed
MOT #2		2008-07-09 15:23
MOT test number		224561098469
Result		✓ Passed
MOT #1		2008-07-09 15:23
MOT test number		753811998199
Result		🗙 Failed
Pass with rectification	Offside Front Headlamp aim too high (1.8)	



Tax & MOT check

✓ Taxed	√ МОТ
1 April 2025	Expires: 25 October 2024
Tax status	Valid until 1 April
Days left	338
MOT expiry date	25 October 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	48
Band	E
Single payment (12 months)	£ 180,00,-
Single six month payment	£ 99,00,-
Total payable by 12 monthly instalments	£ 189,00,-





Damage history

Check the damage history for this HYUNDAI. See if, where and when this HYUNDAI had damage and the car repair costs. We also check if this HYUNDAI was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	
Damage 2	AMPLE
Damage 2	E CAT D
Date	*
Category	AMP
Туре	

Extra HYUNDAI salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this HYUNDAI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 =





Owner history

For how long did the current and previous owner(s) have this HYUNDAI? How many owners did this HYUNDAI have? Check it in the premium report and see all owner registrations. Download the full report here.

NUMBER OF TAXABLE PARTY	

	More info >
Plate changes	
See in this check if this HYUNDAI had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	





Finance check

Check if this HYUNDAI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HYUNDAI has been settled.

If not, and you buy this HYUNDAI then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this HYUNDAI is financed.


Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	





Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2005-07-27
Last registration	2023-10-26
Complete history	See info



Registration #1	2005-07-27	26 mi
Registration #2	2008-07-09	9.691 mi
Registration #3	2009-07-24	13.083 mi
Registration #4	2010-07-07	16.668 mi
Registration #5	2011-06-29	19.668 mi
Registration #6	2012-07-10	23.251 mi
Registration #7	2013-07-05	27.908 mi
Registration #8	2013-07-05	27.908 mi
Registration #9	2014-07-16	32.368 mi
Registration #10	2015-07-10	37.235 mi
Registration #11	2016-07-26	45.621 mi
Registration #12	2017-07-12	53.350 mi
Registration #13		11.777 esi
Registration #14		11.777 est
Registration #15		11.777 esi
Registration #16		11.777 est
Registration #17		11.777 esi
Registration #18		11.777 esi
Registration #19		11.777 esi
Registration #20		11.777 est
Registration #21		11.777 esi
Registration #22		11.117 est
Registration #23		11.777 esi
Registration #24		11,777 46

More info >





Car features

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1665 mm
Height	1490 mm
Length	3810 mm
Wheel base	2455 mm
Kerb weight	1095 kg
Max. allowed weight	1500 kg
Additional information	
Fuel tank capacity	45
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats CarCheck.co.uk	5 page 17/17

Number of axles	2
Engine number	G4EA5748673