



General information

Make	MAZDA
Model	5 D TS2 7STR
Colour	Silver
Year of manufacture	2007
Top speed	111 mph
0 - 60 mph	12.9 seconds
Gearbox	6 speed Manual

Engine & fuel consumption

Power	109 BHP
Max. torque	310 Nm at 2.000 rpm
Engine capacity	1.998 cc
Cylinders	4
Fuel type	Diesel
Consumption city	38.7 mpg
Consumption extra urban	49.6 mpg
Consumption combined	44.8 mpg
CO2 emission	173 g/km
CO2 label	H





Internet history

Entry 1

Date	2021-07-02
Pictures	13
Listing price	<a href="#">View report</a>



source: [autotrader.co.uk](https://www.autotrader.co.uk)



MOT history

MOT expiry date	2024-03-07
MOT pass rate	68 %
MOT passed	13
Failed MOT tests	6
Total advice items	47
Total items failed	15

MOT #19	2023-03-08 16:03
MOT test number	912772593889
Result	✓ Passed
Next expiry date	2024-03-07
Advice	Rear Anti-roll bar linkage pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

MOT #18	2021-09-15 18:05
MOT test number	810597855749
Result	✓ Passed

**MOT #17**

2021-07-06 10:14

**MOT test number**

679339464490

**Result****✗ Failed**

**Advice** Offside Rear Anti-roll bar linkage pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

**Fail** Nearside Front Position lamp not working (4.2.1 (a) (ii))

**Fail** Headlamp has a product on the lens so that the light output is severely reduced both sides (4.1.4 (b))

**Minor** Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

**Fail** Rear Exhaust has a major leak of exhaust gases (6.1.2 (a))

**Advice** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**Advice** Nearside Rear Anti-roll bar linkage pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

**Fail** Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))

**Fail** Nearside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))

**Fail** Nearside Rear Valve stem seriously damaged (5.2.3 (j))

**Fail** Emissions not tested (8.2.2.2 (e))



MOT #16

2020-07-14 09:41

MOT test number

504040400443

Result

✓ Passed

Advice

Nearside Front Tyre worn close to legal limit/worn on edge Worn to 3mm & Wearing on Shoulders (5.2.3 (e))

Advice

Offside Rear Tyre worn close to legal limit/worn on edge Wearing on Inner Shoulder (5.2.3 (e))

Advice

Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement Rear Mounting (5.3.4 (a) (i))

Advice

Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement Trailing Arm Bush (5.3.4 (a) (i))

Advice

Offside Rear Lower Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))

Advice

Offside Front Tyre worn close to legal limit/worn on edge Worn to 3mm & Wearing on Shoulders (5.2.3 (e))

Minor

Nearside Front Anti-roll bar linkage ball joint dust cover severely deteriorated Upper & Lower (5.3.4 (b) (i))

Advice

Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement Rear Mounting (5.3.4 (a) (i))

Advice

Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement Trailing Arm Bush (5.3.4 (a) (i))

**MOT #15**

2020-07-14 09:41

**MOT test number**

715089120120

**Result****✗ Failed**

**Advice** Offside Front Tyre worn close to legal limit/worn on edge Worn to 3mm & Wearing on Shoulders (5.2.3 (e))

**Advice** Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement Rear Mounting (5.3.4 (a) (i))

**Advice** Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement Trailing Arm Bush (5.3.4 (a) (i))

**Minor** Nearside Front Anti-roll bar linkage ball joint dust cover severely deteriorated Upper & Lower (5.3.4 (b) (i))

**Advice** Nearside Front Tyre worn close to legal limit/worn on edge Worn to 3mm & Wearing on Shoulders (5.2.3 (e))

**Advice** Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement Rear Mounting (5.3.4 (a) (i))

**Advice** Offside Rear Tyre worn close to legal limit/worn on edge Wearing on Inner Shoulder (5.2.3 (e))

**Advice** Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement Trailing Arm Bush (5.3.4 (a) (i))

**Advice** Offside Rear Lower Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))

**Pass with rectification** Offside Front Position lamp not working (4.2.1 (a) (ii))

**MOT #14**

2019-04-24 16:06

**MOT test number**

629288657917

**Result****✓ Passed**

**Advice** Offside Rear Anti-roll bar ball joint has slight play (5.3.4 (a) (i))

**Advice** Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement Trailing Arm (5.3.4 (a) (i))

**Advice** Offside Front Anti Roll Bar Drop Link Ball Joint Dust Covers Slight Deterioration

**Advice** Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement Trailing Arm (5.3.4 (a) (i))

**MOT #13**

2019-04-24 08:16

**MOT test number**

649421470577

**Result****✗ Failed**

- Advice** Offside Front Anti Roll Bar Drop Link Ball Joint Dust Covers Slight Deterioration
- Advice** Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement Trailing Arm (5.3.4 (a) (i))
- Advice** Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement Trailing Arm (5.3.4 (a) (i))
- Fail** Offside Front Shock absorbers has a serious fluid leak (5.3.2 (b))
- Advice** Offside Rear Anti-roll bar ball joint has slight play (5.3.4 (a) (i))

**MOT #12**

2018-04-25 09:23

**MOT test number**

568825293954

**Result****✓ Passed**

- Advice** Nearside Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Offside Front Tyre wearing on inside and outside edges.
- Advice** Offside Rear Anti-roll bar has slight play in a ball joint (2.4.G.2)
- Advice** Offside Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Nearside Front Tyre wearing on inside and outside edges.

**MOT #11**

2017-04-27 09:08

**MOT test number**

550577245053

**Result****✓ Passed****MOT #10**

2017-04-27 09:08

**MOT test number**

793819446531

**Result****✗ Failed**

- Pass with rectification** Nearside Front Front position lamp(s) not working (1.1.A.3b)

**MOT #9** 2016-04-29 14:47**MOT test number** 990882047490**Result** ✓ Passed

- Advice** Offside Rear Anti-roll bar linkage worn but not seriously weakened (2.4.G.1)
- Advice** Offside Front Tyre worn close to the legal limit inner edge devoid of tread (4.1.E.1)
- Advice** Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Nearside Front Tyre worn close to the legal limit inner edge devoid of tread (4.1.E.1)

**MOT #8** 2016-04-29 08:18**MOT test number** 729549690401**Result** ✗ Failed

- Fail** Offside Rear Tyre has a lump, caused by separation or partial failure of its structure (4.1.D.1b)
- Advice** Offside Front Tyre worn close to the legal limit inner edge devoid of tread (4.1.E.1)
- Advice** Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Fail** Nearside Rear Tyre has a lump, caused by separation or partial failure of its structure (4.1.D.1b)
- Advice** Nearside Front Tyre worn close to the legal limit inner edge devoid of tread (4.1.E.1)
- Advice** Offside Rear Anti-roll bar linkage worn but not seriously weakened (2.4.G.1)

**MOT #7** 2015-04-28 09:00**MOT test number** 218198115154**Result** ✓ Passed**MOT #6** 2014-04-25 10:22**MOT test number** 715155714178**Result** ✓ Passed



**MOT #5** 2013-04-30 14:50**MOT test number** 729780923119**Result** ✓ Passed**Notice** Nail in offside rear tyre**Notice** Offside and nearside front tyres worn on inner and outer edges[raised tread]**MOT #4** 2012-09-26 09:31**MOT test number** 847600472244**Result** ✓ Passed**MOT #3** 2011-09-28 13:13**MOT test number** 717471271209**Result** ✓ Passed**Advice** Nearside Rear Shock absorber has a light misting of oil (2.7.3)**MOT #2** 2010-09-16 11:44**MOT test number** 313409250210**Result** ✓ Passed**MOT #1** 2010-09-07 12:20**MOT test number** 430220150258**Result** ✗ Failed**Pass with rectification** Nearside Headlamp aim too high (1.8)**Fail** Offside Rear Shock absorber has a serious fluid leak (2.7.3)**Pass with rectification** Offside Headlamp aim too high (1.8)



Tax & MOT check

✓  
**Taxed**  
  
Tax due:  
1 March 2025

✗  
**MOT**  
  
Expired:  
7 March 2024

Tax status	Valid until 1 March
Days left	306
MOT expiry date	7 March 2024
Full MOT history	<a href="#">See MOT history</a>

Tax calculation

Vehicle class	49
Band	H
Single payment (12 months)	£ 290,00,-
Single six month payment	£ 159,50,-
Total payable by 12 monthly instalments	£ 304,50,-



Damage history

Check the damage history for this MAZDA. See if, where and when this MAZDA had damage and the car repair costs. We also check if this MAZDA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra MAZDA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this MAZDA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this MAZDA? How many owners did this MAZDA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****

More info >

Plate changes

See in this check if this MAZDA had different number plates.

Number of plates	1
Current registration	*****
Plate since	2019-06-29
Current registration	*****
Plate since	2019-06-29

More info >



Finance check

Check if this MAZDA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MAZDA has been settled.

If not, and you buy this MAZDA then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this MAZDA is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	21
First mileage registration	2007-09-25
Last registration	2023-03-08
Complete history	<a href="#">See info</a>



Registration #1	2007-09-25	19 mi
Registration #2	2010-09-07	27.934 mi
Registration #3	2010-09-16	28.159 mi
Registration #4	2011-09-28	38.576 mi
Registration #5	2012-09-26	47.677 mi
Registration #6	2013-04-30	51.444 mi
Registration #7	2014-04-25	65.612 mi
Registration #8	2015-04-28	84.801 mi
Registration #9	2016-04-29	97.765 mi
Registration #10	2016-04-29	97.767 mi
Registration #11	2017-04-27	107.519 mi
Registration #12	2018-04-27	117.271 mi
Registration #13	2019-04-27	127.023 mi
Registration #14	2020-04-27	136.775 mi
Registration #15	2021-04-27	146.527 mi
Registration #16	2022-04-27	156.279 mi
Registration #17	2023-03-08	166.031 mi
Registration #18		
Registration #19		
Registration #20		
Registration #21		

More info >



Safety ratings

NCAP rating	★★★★★
Video	<a href="#">see crash video</a>



Dimensions & weight

Width	1755 mm
Height	1665 mm
Length	4505 mm
Wheel base	2750 mm
Kerb weight	1645 kg
Max. allowed weight	2225 kg

Additional information

Fuel tank capacity	60 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	7
Number of axles	2
Engine number	RF 261439