





General information

Make	ΤΟΥΟΤΑ
Model	PREVIA VVT-I T SPIRIT 7STR
Colour	Silver
Year of manufacture	-
Top speed	112 mph
0 - 60 mph	11.4 seconds
Gearbox	4 speed automatic

Engine & fuel consumption

Power	154 BHP
Max. torque	223 Nm at 4.000 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	19.5 mpg
Consumption extra urban	32.5 mpg
Consumption combined	26.2 mpg





Internet history

Entry 1

Date

2021-05-25

Pictures

13

Listing price

View report



source: autotrader.co.uk



MOT history

MOT #23		2021-05-19 08:35
MOT test	number	255567028992
Result		✓ Passed
Next expi	ry date	2022-05-18
Advice	Front Tyre worn close to legal limit/worn on edge both sides (5.2.3 (e))	
Advice	Central Rear Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened both sid	les (1.1.14 (a) (ii))
Advice (b))	Front Headlamp has a product on the lens but not seriously reducing light or	utput both sides (4.1.4

MOT #22	2021-05-17 14:48
MOT test	number 925130655695
Result	× Failed
Advice (b))	Front Headlamp has a product on the lens but not seriously reducing light output both sides (4.1.4
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))
DANGER	OUS Front Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))
Advice	Front Tyre worn close to legal limit/worn on edge both sides (5.2.3 (e))
Advice	Oil leak, but not excessive (8.4.1 (a) (i))
Advice	Central Rear Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))

MOT #21	2020-07-17 15:28
MOT test number	669802765702
Result	✓ Passed
Advice Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))	,
Advice Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3	(d) (ii))
Advice Oil leak, but not excessive (8.4.1 (a) (i))	





MOT #20		2020-07-16 09:27
MOT test	number	856888444375
Result		🗙 Failed
Minor (4.7.1 (b)	Offside Rear Registration plate lamp inoperative in the case of multiple lamps or (i))	light sources
MAJOR	Offside Front Position lamp not working (4.2.1 (a) (ii))	
Advice	Nearside Rear Nail in tyre	
Advice	Nearside Rear Direction indicator slightly discoloured (4.4.3 (a))	
MAJOR	Nearside Front Headlamp lens seriously defective (4.1.1 (b) (ii))	
MAJOR	Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))	
Minor	Rear Position lamp with a multiple light source up to $1/2$ not functioning (4.2.1 (a)) (i))
MAJOR	Offside Front Headlamp not working on dipped beam (4.1.1 (a) (ii))	
Advice	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
MAJOR	Offside Front Headlamp lens seriously defective (4.1.1 (b) (ii))	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	

MOT #19	2019-04-12 14:25
MOT test number	422818479898
Result	✓ Passed

MOT #18	2019-04-12 13:2	9
MOT test	number 81109402374	5
Result	× Faile	d
MAJOR	Offside Front Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))	





MOT #17		2018-04-12 16:40
MOT test	number	884592005405
Result		✓ Passed
Advice	Oil leak	
Advice	Rear Seat belt cut but webbing not significantly weakened Centre (5.2.2a)	

MOT #16	2018-04-12 12:54	
MOT test number	199164463335	
Result	🗙 Failed	
Advice Nearside Headlamp deteriorated but light output not reduced (1.7.5a)		
Fail Offside Headlamp excessively deteriorated so that the light output is severely reduced (1.7.5a)		
Advice Oil leak		
Advice Rear Seat belt cut but webbing not significantly weakened Centre (5.2.2a)		

MOT #15		2017-04-21 08:51
MOT test	number	873609216309
Result		✓ Passed
Advice	Offside Front Outer Tyre worn	
Advice	Nearside Rear Nail in tyre	
Advice	Nearside Front Tyre worn on inner & outer edges	
Advice	Central Rear Seat belt stitching slightly frayed (5.2.2b)	

MOT #14	2016-04-02 14:07
MOT test number	162860595620
Result	✓ Passed
Advice Offside Rear Offside rear tyre inner edge deteriorating	





MOT #13		2015-04-22 14:34
MOT test	number	285912315181
Result		✓ Passed
Advice (2.2.C.1c)	Nearside Track rod end ball joint dust cover deteriorated, but preventing the in	gress of dirt
Advice	Front registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Notice	Play in steering rack inner joint(s)	
Advice	Power steering pump has slight seepage from a component (2.3.3b)	
Advice (2.4.G.2)	Nearside Front suspension ball joint dust cover deteriorated, but preventing the	e ingress of dirt
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	





MOT #12		2015-04-22 14:34
MOT test	number	617242915111
Result		× Failed
Advice	Offside Rear Tyre worn close to the leg	al limit (4.1.E.1)
Advice (2.2.C.1c)	Nearside Track rod end ball joint dust	cover deteriorated, but preventing the ingress of dirt
Pass wit	h rectification Offside Stop lamp no	t working (1.2.1b)
Advice	Front registration plate deteriorated b	It not likely to be misread (6.3.1d)
Pass wit	h rectification Nearside Windscreer	wiper does not clear the windscreen effectively (8.2.2)
Advice	Nearside Front Tyre worn close to the	egal limit (4.1.E.1)
Advice	Power steering pump has slight seepa	ge from a component (2.3.3b)
Advice (2.4.G.2)	Nearside Front suspension ball joint du	st cover deteriorated, but preventing the ingress of dirt
Pass wit	h rectification Nearside Registratio	n plate lamp not working (1.1.C.1d)
Advice	Nearside Rear Tyre worn close to the I	egal limit (4.1.E.1)
Notice	Play in steering rack inner joint(s)	

MOT #11	2014-04-07 16:09
MOT test number	965387794095
Result	Passed
Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)	

MOT #10	2013-04-10 15:41
MOT test number	948000703128
Result	✓ Passed





MOT #9	2013-04-08 12:29
MOT test number	288138393085
Result	🗙 Failed
Fail Nearside Front constant velocity joint gaiter deteriorated to the extent that it no ingress of dirt etc (2.5.C.1a)	longer prevents the
Fail Offside Stop lamp not working (1.2.1b)	
Fail Offside Headlamp aim beam image obviously incorrect (1.8.A.1b)	
Fail Offside Front constant velocity joint gaiter deteriorated to the extent that it no lo ingress of dirt etc (2.5.C.1a)	onger prevents the
Fail Nearside Headlamp aim beam image obviously incorrect (1.8.A.1b)	

MOT #8		2012-04-13 09:36
MOT test i	number	966994302143
Result		✓ Passed
Notice	Oil leak	
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)	

MOT #7	2011-04-30 12:39
MOT test number	655790221119
Result	✓ Passed
Notice Oil leak	

MOT #6	2011-04-30 10:30
MOT test number	426300921124
Result	🗙 Failed
Notice Oil leak	
FailRear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail Front Windscreen wiper does not clear the windscreen effectively (8.2.2)	





MOT #5		2010-03-12 12:45
MOT test	number	254301370036
Result		✓ Passed
Notice	Oil leak	
Advice (2.4.G.2)	Nearside Front Suspension arm rubber bush deteriorated but not resulting i	n excessive movement

MOT #4		2009-03-12 12:13
MOT test	number	181351079478
Result		✓ Passed
Advice (2.4.G.2)	Nearside Rear Trailing arm rubber bush deteriorated but not resulting in ex	cessive movement
Advice	Rear Brake pad(s) wearing thin (3.5.1g)	
Advice (2.4.G.2)	Offside Rear Trailing arm rubber bush deteriorated but not resulting in exce	essive movement

MOT #3	2008-03-06 12:28
MOT test number	862726268078
Result	✓ Passed

MOT #2	2	2008-03-05 11:50
MOT te	est number	443505868034
Result		× Failed
Fail	Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail	Nearside Rear brake disc excessively scored (3.5.1h)	
Fail	Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail	Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail	Offside Rear brake disc excessively scored (3.5.1h)	





MOT #1		2007-03-06 11:39
MOT test	number	603505567021
Result		✓ Passed
Advice	Nearside Front Brake pad(s) wearing thin (3.5.1g)	
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.	5.1i)
Advice	Offside Front Brake pad(s) wearing thin (3.5.1g)	
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.)	1i)





Damage history

Check the damage history for this TOYOTA. See if, where and when this TOYOTA had damage and the car repair costs. We also check if this TOYOTA was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	A PANAL
Туре	
Damage 2	AMPL
Date	
Category	AMPLE
Туре	

Extra TOYOTA salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this TOYOTA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this TOYOTA? How many owners did this TOYOTA have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

xxxxxxxx	

	More info >
Plate changes	
See in this check if this TOYOTA had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Carrent registration	
Plate since	
	More info >





Finance check

Check if this TOYOTA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this TOYOTA has been settled.

If not, and you buy this TOYOTA then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this TOYOTA is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2004-03-04
Last registration	2021-05-19
Complete history	See info



Registration #1	2004-03-04	26 mi
Registration #2	2007-03-06	31.338 mi
Registration #3	2008-03-05	43.196 mi
Registration #4	2008-03-06	43.202 mi
Registration #5	2009-03-12	51.222 mi
Registration #6	2010-03-12	60.452 mi
Registration #7	2011-04-30	68.918 mi
Registration #8	2011-04-30	68.918 mi
Registration #9	2012-04-13	77.706 mi
Registration #10	2013-04-08	86.589 mi
Registration #11	2013-04-10	86.621 mi
Registration #12	2014-04-07	95.504 mi
Registration #13		11.117 esi
Registration #14		11.117 esi
Registration #15		10.200 mil
Registration #16		11.117 est
Registration #16 Registration #17		11.777 es
		0.000 est 0.000 est 0.000 est
Registration #17		01.000 ees 01.000 ees 01.000 ees 01.000 ees
Registration #17 Registration #18		0.227 es
Registration #17 Registration #18 Registration #19		0.202 es 0.202 es 0.202 es 0.202 es 0.202 es 0.202 es
Registration #17 Registration #18 Registration #19 Registration #20		0.777 es 0.777 es 0.777 es 0.777 es 0.777 es 0.777 es
Registration #17 Registration #18 Registration #19 Registration #20 Registration #21		0.777 e6 0.777 e6 0.777 e6 0.777 e6 0.777 e6 0.777 e6 0.777 e6
Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22		0.277 46 0.277 46 0.277 46 0.277 46 0.277 46 0.277 46 0.277 46 0.277 46







Car features

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

Safety ratings

NCAP rating

Video

**** see crash video



Dimensions & weight	
Width	1800 mm
Height	1845 mm
Length	4750 mm
Wheel base	2900 mm
Max. allowed weight	2355 kg
Additional information	
Additional information Fuel tank capacity	76 l
	76 l Multi-Point Injection
Fuel tank capacity	
Fuel tank capacity Fuel delivery	Multi-Point Injection

Engine number

2AZB094289