



report date: 2024-03-28

General information

Make	FORD
Model	GALAXY GHIA TDI
Colour	Blue
Year of manufacture	2006
Top speed	112 mph
0 - 60 mph	13.7 seconds
Gearbox	6 speed Manual

Engine & fuel consumption

Power	115 BHP
Max. torque	310 Nm at 1.900 rpm
Engine capacity	1.896 cc
Cylinders	4
Fuel type	Diesel
Consumption city	34.0 mpg
Consumption extra urban	46.3 mpg
Consumption combined	44.8 mpg
CO2 emission	173 g/km
CO2 label	H








Internet history

Entry 1

Date	2021-06-28
Pictures	15
Listing price	View report



source: autotrader.co.uk



MOT history

MOT expiry date	2025-01-08
MOT pass rate	63 %
MOT passed	15
Failed MOT tests	9
Total advice items	89
Total items failed	36

MOT #24	2024-01-09 13:14
MOT test number	873442070670
Result	✓ Passed
Next expiry date	2025-01-08
Advice	Exhaust system deteriorated
Advice	Nearside Front Macpherson strut pin or bush worn but not resulting in excessive movement shocker top mount (5.3.4 (a) (i))



MOT #23	2024-01-06 13:05
MOT test number	418257774236
Result	✗ Failed
Fail	Offside Front Anti-roll bar ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
Fail	Offside Front Service brake excessively fluctuating (1.2.1 (e))
Fail	Front Brake disc significantly and obviously worn both (1.1.14 (a) (i))
Fail	Front Inner Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))
Fail	Nearside Front Anti-roll bar ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
Fail	Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
Advice	Exhaust system deteriorated
Fail	Nearside Front Service brake excessively fluctuating (1.2.1 (e))
Advice	Nearside Front Macpherson strut pin or bush worn but not resulting in excessive movement shocker top mount (5.3.4 (a) (i))
Fail	Nearside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))
Fail	Offside Rear Outer Tyre has a tear, caused by separation or partial failure of its structure sidewall (5.2.3 (d) (ii))

**MOT #22**

2022-10-21 17:22

MOT test number

277870190366

Result

✓ Passed

- Advice** Offside Front Macpherson strut modified but not seriously weakened (5.3.3 (c) (i))
- Advice** Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Nearside Track rod end ball joint has slight play (2.1.3 (b) (i))
- Advice** Offside Front Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Nearside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Advice** Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Nearside Rear Exhaust has a minor leak of exhaust gases pipe (6.1.2 (a))
- Advice** Nearside Front Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Nearside Rear Shock absorbers has light misting of oil (5.3.2 (b))

MOT #21

2021-10-19 15:40

MOT test number

696946243698

Result

✓ Passed

- Advice** Nearside Front Macpherson strut ball joint has slight play (5.3.4 (a) (i))
- Advice** Nearside Rear Shock absorbers has light misting of oil (5.3.2 (b))
- Advice** Nearside Front Inner Integral body structure is corroded but structural rigidity is not significantly reduced Sill (6.1.1 (c) (i))
- Minor** Front Anti-roll bar linkage ball joint dust cover severely deteriorated Both (5.3.4 (b) (i))

**MOT #20** 2020-10-21 10:57**MOT test number** 972014239216**Result** ✓ Passed**Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Minor** Offside Front Inner Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))**Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Minor** Nearside Front Anti-roll bar linkage ball joint dust cover severely deteriorated (5.3.4 (b) (i))**MOT #19** 2020-10-21 10:57**MOT test number** 788642639399**Result** ✗ Failed**Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Minor** Nearside Front Anti-roll bar linkage ball joint dust cover severely deteriorated (5.3.4 (b) (i))**Pass with rectification** Nearside Headlamp aim too high (4.1.2 (a))**Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Minor** Offside Front Inner Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

**MOT #18**

2020-10-07 11:31

MOT test number

207642461859

Result**✗ Failed**

- Advice** Offside Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))
- Fail** Front Windscreen washer not working (3.5 (a))
- Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Fail** Nearside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))
- Fail** Front Bumper likely to become detached (6.1.4 (a) (ii))
- Fail** Offside Front Upper Suspension component attachment bracket/mounting likely to fail (5.3.3 (b) (ii))
- Advice** Nearside Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))
- Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- Fail** Fuel cap/sealing device ineffective (6.1.3 (b) (i))
- Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Fail** Offside Rear Coil spring fractured or broken (5.3.1 (b) (i))
- Fail** Nearside Front Upper Suspension component attachment bracket/mounting likely to become detached (5.3.3 (a) (ii))

MOT #17

2019-04-23 10:48

MOT test number

874244198036

Result**✓ Passed**

- Advice** High level brake light inop
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Minor** Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))



MOT #16	2019-04-23 10:48
MOT test number	826747296968
Result	✗ Failed
Advice	High level brake light inop
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Minor	Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))
Pass with rectification	Offside Front Tyre not fitted in accordance with side wall instructions (5.2.3 (i))

MOT #15	2018-04-17 09:01
MOT test number	328618331252
Result	✓ Passed
Advice	Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)
Advice	Rear high level stop light inop
Advice	Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

MOT #14	2018-04-16 09:33
MOT test number	339263145578
Result	✗ Failed
Fail	Battery insecure (1.9.1)
Advice	Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)
Advice	Rear high level stop light inop
Fail	Parking brake: efficiency below requirements (3.7.B.7)
Fail	Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)
Advice	Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Offside Rear tyre 3mm and age cracked



MOT #13	2017-04-19 15:51
MOT test number	353679958988
Result	✓ Passed
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Nearside Front Brake pipe slightly corroded (3.6.B.2c)
Advice	Nearside Front Brake hose slightly deteriorated (3.6.B.4d)
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Offside Rear Tyre worn close to the legal limit and cracking (4.1.E.1)
Advice	Nearside Rear Brake pad(s) wearing thin (3.5.1g)
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)
Advice	Offside Front Brake hose slightly deteriorated (3.6.B.4d)

MOT #12	2017-04-19 14:02
MOT test number	231216093920
Result	✗ Failed
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Fail	Nearside Rear coil spring broken (2.4.C.1a)
Advice	Nearside Front Brake pipe slightly corroded (3.6.B.2c)
Advice	Nearside Front Brake hose slightly deteriorated (3.6.B.4d)
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Offside Rear Tyre worn close to the legal limit and cracking (4.1.E.1)
Advice	Nearside Rear Brake pad(s) wearing thin (3.5.1g)
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)
Advice	Offside Front Brake hose slightly deteriorated (3.6.B.4d)



MOT #112016-04-29 16:00

MOT test number232876561860

Result

✓ Passed

- Advice

Offside Front Brake pipe slightly corroded (3.6.B.2c)
- Advice

Engine cover fitted.
- Advice

Nearside Rear Tyre cracking.
- Advice

Rear Brake pad(s) wearing thin (3.5.1g)
- Advice

Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice

Under trays fitted.
- Advice

Nearside Rear Nail in tyre.
- Advice

Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**MOT #10**

2016-04-29 09:51

MOT test number

703718537450

Result

✗ Failed

- Advice** Rear Brake pad(s) wearing thin (3.5.1g)
- Advice** Nearside Rear Tyre cracking.
- Advice** Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Fail** Nearside Rear Brake pipe excessively corroded (3.6.B.2c)
- Fail** Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Fail** Offside Headlamp not working on dipped beam (1.7.5a)
- Advice** Under trays fitted.
- Advice** Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Nearside Rear Nail in tyre.
- Advice** Offside Front Brake pipe slightly corroded (3.6.B.2c)
- Fail** Offside Rear Tyre not fitted in accordance with side wall instructions (4.1.D.1f)
- Fail** Nearside Headlamp not working on dipped beam (1.7.5a)
- Advice** Engine cover fitted.

MOT #9

2015-04-25 11:40

MOT test number

929495515137

Result

✓ Passed

- Advice** Rear Brake pad(s) wearing thin (3.5.1g)

MOT #8

2014-04-07 18:06

MOT test number

727407294031

Result

✓ Passed

- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)

**MOT #7** 2014-03-31 14:19**MOT test number** 106910794054**Result** ✗ Failed

- Fail** Windscreen has a sticker or other obstruction encroaching by more than 10mm within zone 'A' (8.3.1b)
- Fail** Offside Rear Direction indicator incorrect colour (1.4.A.2f)
- Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)
- Fail** Offside Front constant velocity joint gaiter damaged to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)
- Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

MOT #6 2013-02-21 09:22**MOT test number** 426662353014**Result** ✓ Passed

- Notice** Rear brake discs corroded and worn
- Notice** Front tyres worn to legal limit

MOT #5 2012-02-18 08:20**MOT test number** 708879442092**Result** ✓ Passed**MOT #4** 2011-02-14 16:54**MOT test number** 268535541023**Result** ✓ Passed

- Notice** N/s/r tyre worn to excess and perished
- Notice** O/s/f tyre worn to excess

**MOT #3** 2011-02-10 12:08**MOT test number** 379821241001**Result** ✗ Failed**Notice** N/s/r tyre worn to excess and perished**Fail** Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Fail** Nearside Front position lamp(s) not working (1.1.A.3b)**Notice** Unable to carry out emissions test due to exhaust fault**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Notice** O/s/f tyre worn to excess**Fail** Exhaust has a major leak of exhaust gases (7.1.2)**Fail** Nearside Front Suspension arm has excessive play in a ball joint (2.4.G.2)**MOT #2** 2010-02-13 11:41**MOT test number** 162464940442**Result** ✓ Passed**Notice** Front brake pads worn to excess**Notice** Front brake discs worn**MOT #1** 2009-01-02 09:00**MOT test number** 401012909022**Result** ✓ Passed



Tax & MOT check

✓
Taxed
Tax due:
1 February 2025

✓
MOT
Expires:
8 January 2025

Tax status	Valid until 1 February
Days left	279
MOT expiry date	8 January 2025
Full MOT history	See MOT history

Tax calculation

Vehicle class	49
Band	H
Single payment (12 months)	£ 290,00,-
Single six month payment	£ 159,50,-
Total payable by 12 monthly instalments	£ 304,50,-



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	*****
Plate since	2023-03-28
Current registration	*****
Plate since	2023-03-28

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	26
First mileage registration	2006-01-18
Last registration	2024-01-09
Complete history	See info



Registration #1	2006-01-18	13 mi
Registration #2	2009-01-02	30.430 mi
Registration #3	2010-02-13	40.817 mi
Registration #4	2011-02-10	48.843 mi
Registration #5	2011-02-14	48.864 mi
Registration #6	2012-02-18	56.142 mi
Registration #7	2013-02-21	61.723 mi
Registration #8	2014-03-31	64.451 mi
Registration #9	2014-04-07	64.459 mi
Registration #10	2015-04-25	68.118 mi
Registration #11	2016-04-29	72.699 mi
Registration #12	2016-04-29	72.699 mi
Registration #13	2017-04-19	77.194 mi
Registration #14	2018-05-20	78.377 mi
Registration #15	2019-05-20	78.377 mi
Registration #16	2020-05-20	78.377 mi
Registration #17	2021-05-20	78.377 mi
Registration #18	2022-05-20	78.377 mi
Registration #19	2023-05-20	78.377 mi
Registration #20	2024-01-09	78.377 mi
Registration #21	2024-01-09	78.377 mi
Registration #22	2024-01-09	78.377 mi
Registration #23	2024-01-09	78.377 mi
Registration #24	2024-01-09	78.377 mi
Registration #25	2024-01-09	78.377 mi
Registration #26	2024-01-09	78.377 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating



Video

[see crash video](#)



Dimensions & weight

Width	2142 mm
Height	1759 mm
Length	4642 mm
Wheel base	2835 mm
Kerb weight	1666 kg
Max. allowed weight	2510 kg

Additional information

Fuel tank capacity	70 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	7

Number of axles	2
Engine number	5A17507