



report date: 2024-03-29

General information

Make	AUDI
Model	TT T 180BHP
Colour	Red
Year of manufacture	2004
Top speed	142 mph
0 - 60 mph	7.8 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	180 BHP
Max. torque	235 Nm at 5.000 rpm
Engine capacity	1.781 cc
Cylinders	4
Fuel type	Petrol
Consumption city	25.5 mpg
Consumption extra urban	44.8 mpg
Consumption combined	34.9 mpg
CO2 emission	194 g/km
CO2 label	J





Internet history

Entry 4

Date 2022-11-29

Pictures 6

Listing price [View report](#)

source: cargurus.co.uk

Entry 3

Date 2022-11-26

Pictures 6

Listing price [View report](#)

source: autotrader.co.uk

Entry 2

Date 2022-07-27

Pictures 12

Listing price [View report](#)

source: cargurus.co.uk

Entry 1

Date
CarCheck.co.uk 2021-01-28

Pictures

1

Listing price

[View report](#)



source: autoonline.co.uk



MOT history

MOT expiry date	2023-08-12
MOT pass rate	55 %
MOT passed	16
Failed MOT tests	13
Total advice items	57
Total items failed	34

MOT #29	2022-08-13 14:04
MOT test number	675308787030
Result	✓ Passed
Next expiry date	2023-08-12
Minor	Offside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
Advice	Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice	Front both front tyres down to 2mm and worn on the inner side

MOT #28	2022-08-06 12:46
MOT test number	228961391265
Result	✗ Failed
MAJOR	Rear Exhaust emissions likely to be affected by an exhaust leak exhaust blowing from the middle and backbox (8.2.1.1 (b))
Advice	Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice	Front both front tyres down to 2mm and worn on the inner side
MAJOR	Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))
Minor	Offside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

**MOT #27**

2022-07-07 16:44

MOT test number

791393057266

Result**✗ Failed**

- MAJOR** Parking brake efficiency below requirements (1.4.2 (a) (i))
- MAJOR** Offside Front Headlamp light intensity severely reduced (4.1.4 (a))
- MAJOR** Nearside Front Service brake excessively binding (1.2.1 (f))
- MAJOR** Nearside Rear Service brake excessively binding (1.2.1 (f))
- MAJOR** Offside Rear Registration plate lamp does not illuminate simultaneously with the position lamps (4.7.2 (a))
- MAJOR** Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))
- MAJOR** Nearside Front Service brake excessively binding (1.2.1 (f))

MOT #26

2020-12-22 15:09

MOT test number

650393949543

Result**✓ Passed**

- Advice** Rear Exhaust has a minor leak of exhaust gases back box (6.1.2 (a))
- Advice** Nearside Front Track rod end ball joint has slight play (2.1.3 (b) (i))

MOT #25

2019-11-12 15:47

MOT test number

495659489768

Result**✓ Passed**

- Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Offside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
- Advice** Covers underneath obscuring many parts
- Advice** Nearside Rear Brake pipe corroded, covered in grease or other material main (1.1.11 (c))

**MOT #24** 2019-11-12 09:47**MOT test number** 421475753408**Result** ✗ Failed**Advice** Offside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))**MAJOR** Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))**Advice** Nearside Rear Brake pipe corroded, covered in grease or other material main (1.1.11 (c))**MAJOR** Exhaust system insecure middle bracket broken (6.1.2 (a))**MAJOR** Offside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))**Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))**MAJOR** Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))**Advice** Covers underneath obscuring many parts**MOT #23** 2018-11-08 13:44**MOT test number** 629922669470**Result** ✓ Passed**Advice** Nearside Rear Brake pipe corroded, covered in grease or other material main (1.1.11 (c))**Advice** Rear Brake pipe corroded, covered in grease or other material both sides from caliper (1.1.11 (c))

**MOT #22**

2018-11-05 10:26

MOT test number

865046827259

Result**✗ Failed**

- MAJOR** Nearside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
- MAJOR** Nearside Front Coil spring fractured or broken (5.3.1 (b) (i))
- MAJOR** Nearside Front Suspension arm ball joint excessively worn (5.3.4 (a) (i))
- MAJOR** Parking brake efficiency below requirements (1.4.2 (a) (i))
- MAJOR** Nearside Rear Brake disc significantly and obviously worn (1.1.14 (a) (i))
- MAJOR** Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))
- Advice** Rear Brake pipe corroded, covered in grease or other material both sides from caliper (1.1.11 (c))
- MAJOR** Exhaust system insecure middle bracket broken (6.1.2 (a))
- MAJOR** Offside Rear Coil spring fractured or broken (5.3.1 (b) (i))
- MAJOR** Rear Service brake excessively fluctuating both sides (1.2.1 (e))
- MAJOR** Exhaust carbon monoxide content after 2nd fast idle exceeds default limits (8.2.1.2 (b))
- Advice** Nearside Rear Brake pipe corroded, covered in grease or other material main (1.1.11 (c))

MOT #21

2017-11-15 16:08

MOT test number

193442444764

Result**✓ Passed**

- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Advice** Nearside Rear brake disc worn, pitted or scored, but not seriously weakened inside (3.5.1i)



MOT #20 2017-11-13 11:51

MOT test number 751590960455

Result ✗ Failed

Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c)

Fail Nearside Front Suspension arm has excessive play in a ball joint (2.4.G.2)

Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)

Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Advice Nearside Rear brake disc worn, pitted or scored, but not seriously weakened inside (3.5.1i)

Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

MOT #19 2016-11-11 14:21

MOT test number 289734020339

Result ✓ Passed

Advice Nearside Rear Tyre worn close to the legal limit worn on edge (4.1.E.1)

Advice Offside Rear Tyre worn close to the legal limit worn on edge (4.1.E.1)

**MOT #18**

2016-11-11 10:09

MOT test number

124233364806

Result**✗ Failed****Advice** Nearside Rear Tyre worn close to the legal limit worn on edge (4.1.E.1)**Fail** Nearside Headlamp not working on dipped beam (1.7.5a)**Fail** Nearside Rear coil spring broken (2.4.C.1a)**Fail** Central Exhaust system not adequately supported (7.1.1)**Advice** Offside Rear Tyre worn close to the legal limit worn on edge (4.1.E.1)**Fail** Offside Front Track rod end ball joint has excessive play (2.2.B.1f)**Fail** Central Exhaust has a major leak of exhaust gases (7.1.2)**MOT #17**

2015-11-09 14:46

MOT test number

781162397835

Result**✓ Passed****MOT #16**

2015-11-09 10:17

MOT test number

551911723275

Result**✗ Failed****Fail** Nearside Front Track rod end ball joint has excessive play (2.2.B.1f)**Fail** Offside Registration plate lamp not working (1.1.C.1d)**Fail** Centre Exhaust has a major leak of exhaust gases (7.1.2)**MOT #15**

2014-10-27 15:29

MOT test number

196470104356

Result**✓ Passed**

**MOT #14** 2014-10-27 10:07**MOT test number** 868530704384**Result** ✗ Failed

- Fail** Offside Front position lamp(s) not working (1.1.A.3b)
- Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Nearside Front brake disc in such a condition that it is seriously weakened (3.5.1i)
- Fail** Nearside front brake application uneven (3.7.B.2)
- Fail** Nearside Front position lamp(s) not working (1.1.A.3b)
- Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Centre Exhaust system not adequately supported (7.1.1)
- Fail** Offside rear brake binding (3.7.B.1)

MOT #13 2013-11-14 09:39**MOT test number** 995548713364**Result** ✓ Passed**MOT #12** 2012-11-12 10:33**MOT test number** 829257612392**Result** ✓ Passed**MOT #11** 2012-11-12 10:33**MOT test number** 226297812364**Result** ✗ Failed

- Pass with rectification** Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Pass with rectification** Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)

**MOT #10** 2011-11-16 14:58**MOT test number** 629360921378**Result** ✓ Passed**MOT #9** 2011-11-14 10:32**MOT test number** 275278711365**Result** ✗ Failed

- Fail** Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Nearside rear brake binding (3.7.B.1)
- Fail** Nearside Front Suspension arm synthetic bush deteriorated resulting in excessive movement (2.4.G.2)
- Fail** Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Fail** Offside rear brake binding (3.7.B.1)
- Fail** Offside Front Suspension arm synthetic bush deteriorated resulting in excessive movement (2.4.G.2)

MOT #8 2010-11-01 09:45**MOT test number** 100075700332**Result** ✓ Passed

- Notice** Rear nearside tyre tread starting to crack
- Notice** Rear offside tyre tread starting to crack

MOT #7 2010-11-01 09:45**MOT test number** 371965000342**Result** ✗ Failed

- Notice** Rear nearside tyre tread starting to crack
- Pass with rectification** Offside Direction indicators flashing more than 120 times a minute (1.4.A.2g)
- Notice** Rear offside tyre tread starting to crack
- Pass with rectification** Windscreen has a sticker or other obstruction encroaching into the swept area by more than 40mm outside zone 'A' (8.3.1e)

**MOT #6** 2009-11-16 15:36**MOT test number** 162120229300**Result** ✓ Passed**MOT #5** 2009-11-16 15:36**MOT test number** 713430529387**Result** ✗ Failed**Pass with rectification** Front registration plate character(s) incorrectly spaced (6.3.4a)**Pass with rectification** Rear registration plate character(s) incorrectly spaced (6.3.4a)**MOT #4** 2009-09-08 14:08**MOT test number** 374031559267**Result** ✓ Passed**MOT #3** 2009-09-05 11:07**MOT test number** 111988049269**Result** ✗ Failed**Fail** Front brake disc excessively pitted (3.5.1h)**Fail** Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Fail** Front Brake pad(s) less than 1.5 mm thick (3.5.1g)**MOT #2** 2008-08-28 16:01**MOT test number** 443911648277**Result** ✓ Passed**MOT #1** 2007-08-21 13:28**MOT test number** 102253037298**Result** ✓ Passed



Damage history

Check the damage history for this AUDI. See if, where and when this AUDI had damage and the car repair costs. We also check if this AUDI was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra AUDI salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this AUDI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this AUDI? How many owners did this AUDI have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this AUDI had different number plates.

Number of plates	1
Current registration	XXXXXX
Plate since	2019-01-01
Current registration	XXXXXX
Plate since	2019-01-01

More info >



Finance check

Check if this AUDI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this AUDI has been settled.

If not, and you buy this AUDI then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this AUDI is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	31
First mileage registration	2004-09-01
Last registration	2022-08-13
Complete history	See info



Registration #1	2004-09-01	20 mi
Registration #2	2007-08-21	11.917 mi
Registration #3	2008-08-28	16.548 mi
Registration #4	2009-09-05	18.298 mi
Registration #5	2009-09-08	18.298 mi
Registration #6	2009-11-16	18.820 mi
Registration #7	2010-11-01	26.890 mi
Registration #8	2011-11-14	34.341 mi
Registration #9	2011-11-16	34.382 mi
Registration #10	2012-11-12	41.954 mi
Registration #11	2013-11-14	48.268 mi
Registration #12	2014-10-27	54.812 mi
Registration #13	2014-10-27	54.812 mi
Registration #14	2015-11-09	62.451 mi
Registration #15	2015-11-09	62.451 mi
Registration #16	2016-11-11	69.400 mi
Registration #17	2016-11-11	69.400 mi
Registration #18	2016-11-11	69.400 mi
Registration #19	2016-11-11	69.400 mi
Registration #20	2016-11-11	69.400 mi
Registration #21	2016-11-11	69.400 mi
Registration #22	2016-11-11	69.400 mi
Registration #23	2016-11-11	69.400 mi
Registration #24	2016-11-11	69.400 mi
Registration #25	2016-11-11	69.400 mi
Registration #26	2016-11-11	69.400 mi

Registration #27	2025-25-25	25,252 442
Registration #28	2025-25-25	25,252 442
Registration #29	2025-25-25	25,252 442
Registration #30	2025-25-25	25,252 442
Registration #31	2025-25-25	25,252 442

More info >



Car features

The AUDI factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete AUDI factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating ★★★★☆

Video [see crash video](#)



Dimensions & weight

Width	1764 mm
Height	1345 mm
Length	4041 mm
Wheel base	2429 mm
Kerb weight	1410 kg
Max. allowed weight	1665 kg

Additional information

Fuel tank capacity	55 l
Fuel delivery	Multi-Point Injection
Number of doors	3
Number of seats	4

Number of axles	2
Engine number	AUQ 094032