





# General informationMakeLAND ROVERModelDEFENDER HARD-TOP TD5ColourBlackYear of manufacture2000Gearbox5 speed Manual

# Engine & fuel consumption

Power	120 BHP
Max. torque	at 1.950 rpm
Engine capacity	2.495 cc
Cylinders	5
Fuel type	Diesel







## Internet history

Entry 2	
Date	2021-10-31
Pictures	12
Listing price	<u>View report</u>



source: autotrader.co.uk

Entry 1	
Date 20	21-08-02
Pictures 12	
Listing price Vie	ew report



source: autotrader.co.uk









# MOT history

MOT expiry date	2022-07-23
MOT pass rate	67 %
MOT passed	16
Failed MOT tests	8
Total advice items	84
Total items failed	35

МОТ #24	2021-07-23 08:48
MOT test number	428866488695
Result	Passed
Next expiry date	2022-07-23
Advice Steering box has slight free play detected at steering wheel (2.3 (a) (i))	
Advice Nearside Rear Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))	
Minor Central Rear Suspension arm ball joint dust cover severely deteriorated (5.3.4	(b) (i))
Advice Rear Anti-roll bar pin or bush worn but not resulting in excessive movement b	ooth (5.3.4 (a) (i))
Advice Offside Front Brake pipe slightly damaged (1.1.11 (c))	

MOT #23		2020-07-24 09:09
MOT test	number	317947549757
Result		✓ Passed
Advice	Offside Front Brake pipe slightly damaged pipe to caliper twisted (1.1.11 (c))	



<b>X54V</b>	VGR
report date:	2024-03-29

MOT #22	2020-07-15 14:32	
MOT test number	123120445817	
Result	🗙 Failed	
Fail Horn not working (7.7 (a) (ii))		
FailNearside Headlamp aim too high (4.1.2 (a))		
<b>Fail</b> Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength chassis/cross member at A frame mount (5.3.6 (a) (i))		
<b>Fail</b> Offside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))		
Fail Exhaust emissions exceed level of metered smoke for a turbo charged engine (8)	.2.2.2 (b))	
Advice Offside Front Brake pipe slightly damaged pipe to caliper twisted (1.1.11 (c))		

MOT #21	2019-05-28 14:58
MOT test number	452112050297
Result	✓ Passed

MOT #2	20	2019-05-21 13:55
MOT te	st number	513325508026
Result		🗙 Failed
Fail	Central Seat belt buckle not functioning as intended (7.1.2 (d))	
Fail	Rear Registration plate lamp inoperative in the case of a single lamp or all lam	ps (4.7.1 (b) (ii))
Fail	Nearside Rear Shock absorbers has an excessively worn bush (5.3.2 (c))	
Fail	Rear Exhaust system insecure (6.1.2 (a))	
<b>Fail</b> within 3	Nearside Integral body structure or chassis has excessive corrosion, seriously a Ocm of a body mounting battery box (6.2.2 (d) (i))	affecting its strength
Fail	Fuel cap/sealing device missing (6.1.3 (b) (i))	
Fail	Nearside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))	
Advic	e Offside Rear Upper Shock absorbers has a slightly worn bush (5.3.2 (c))	
Fail	Nearside Front Track rod end ball joint has excessive play front tre (2.1.3 (b) (i	))



MOT #19	2018-06-11 11:03
MOT test number	263332232792
Result	✓ Passed
Advice Oil leak, but not excessive (8.4.1 (a) (i))	
MOT #18	2017-06-05 13:05
MOT test number	692755026679
Result	✓ Passed
MOT #17	2017-05-31 11:05
MOT test number	310889695056
Result	🗙 Failed
Fail Registration plate lamp not working (1.1.C.1d)	
<b>Fail</b> Nearside Rear Suspension component mounting prescribed area is excessively corroded chassis near exhaust silencer (2.4.A.3)	
Fail Hazard warning switch faulty (1.4.B.1d)	
Fail Central Exhaust system not adequately supported (7.1.1)	
<b>Fail</b> Nearside Front Suspension component mounting prescribed area is excessively to chassis behind front wheel (2.4.A.3)	corroded body mount

MOT #16	2016-06-07 14:11
MOT test number	421012715331
Result	✓ Passed

MOT #15	2016-06-06 15:11
MOT test number	324296362935
Result	🗙 Failed
Fail Offside Front Brake pipe excessively corroded to flexi (3.6.B.2c)	
Fail Registration plate lamp not working (1.1.C.1d)	
Fail Hazard warning switch faulty not working (1.4.B.1d)	

**X54WGR** 

report date: 2024-03-29





MOT #14		2015-06-04 12:09
MOT test	number	856785655120
Result		✓ Passed
MOT #13		2014-06-10 09:59
MOT test	number	938171464122
Result		✓ Passed
Advice	Nearside Rear coil spring corroded (2.4.C.1b)	
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (	3.5.1i)
Advice	Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3	3.5.1i)
Advice	Offside Front Seat belt stitching slightly frayed (5.2.2b)	
<b>Advice</b> (2.4.G.2)	Nearside Front Radius arm rubber bush deteriorated but not resulting in excess	sive movement
Advice	Offside Front coil spring corroded (2.4.C.1b)	
Advice	Offside Front wheel bearing has slight play (2.5.A.3c)	
Advice	Offside Rear coil spring corroded (2.4.C.1b)	
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.	5.1i)
Advice	Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5	5.1i)
Advice	Nearside Front coil spring corroded (2.4.C.1b)	
<b>Advice</b> (2.4.G.2)	Offside Front Radius arm rubber bush deteriorated but not resulting in excessive	ve movement





<b>MOT #12</b> 2014-06-10 09:1
<b>MOT test number</b> 18650126417
Result × Faile
Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Fail Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
Advice Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice Offside Front Seat belt stitching slightly frayed (5.2.2b)
Advice Nearside Front Radius arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
Advice Offside Front coil spring corroded (2.4.C.1b)
Advice Offside Front wheel bearing has slight play (2.5.A.3c)
Advice Offside Rear coil spring corroded (2.4.C.1b)
Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Fail Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)
Advice Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice Nearside Front coil spring corroded (2.4.C.1b)
Advice Offside Front Radius arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
Advice Nearside Rear coil spring corroded (2.4.C.1b)





MOT #11		2013-01-24 16:28
MOT test	number	189554323059
Result		✓ Passed
Advice excessive	Nearside Front Suspension spring mounting prescribed area is corroded but not co (2.4.A.3)	onsidered
Advice	Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.	1i)
Advice	Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)	
Advice	Nearside Front coil spring corroded (2.4.C.1b)	
Advice	Nearside Rear coil spring corroded (2.4.C.1b)	
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1	i)
Advice excessive	Offside Front Suspension spring mounting prescribed area is corroded but not con (2.4.A.3)	isidered
Advice	Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i	)
Advice	Offside Front Seat belt stitching slightly frayed (5.2.2b)	
Advice	Offside Front coil spring corroded (2.4.C.1b)	
Advice	Offside Rear coil spring corroded (2.4.C.1b)	
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5	.1i)





MOT #10 2013	-01-18 12:14
MOT test number48	5708113065
Result	🗙 Failed
Advice Offside Rear coil spring corroded (2.4.C.1b)	
Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
<b>Advice</b> Nearside Front Suspension spring mounting prescribed area is corroded but not consider excessive (2.4.A.3)	ered
Advice Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Fail Nearside Headlamp aim too low (1.8)	
Advice Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)	
Advice Nearside Front coil spring corroded (2.4.C.1b)	
FailBrake pipe excessively corroded (3.6.B.2c)	
Advice Nearside Rear coil spring corroded (2.4.C.1b)	
Advice Offside Front Seat belt stitching slightly frayed (5.2.2b)	
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
<b>Advice</b> Offside Front Suspension spring mounting prescribed area is corroded but not consider excessive (2.4.A.3)	ed
Advice Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Fail Offside Headlamp aim too low (1.8)	
Advice Offside Front coil spring corroded (2.4.C.1b)	
Fail Nearside Front Brake pipe excessively corroded (3.6.B.2c)	



MOT #9		2012-02-02 16:16
MOT test	number	406083932050
Result		✓ Passed
Advice	Nearside Rear coil spring corroded (2.4.C.1b)	
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3	.5.1i)
Advice	Offside Front coil spring corroded (2.4.C.1b)	
Advice	Nearside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Offside Rear coil spring corroded (2.4.C.1b)	
Advice	Offside Front Seat belt stitching slightly frayed (5.2.2b)	
Advice	Nearside Front coil spring corroded (2.4.C.1b)	
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5	.1i)

**X54WGR** 

report date: 2024-03-29





MOT #8	2012-02-01 13:04
MOT test number	965452632091
Result	🗙 Failed
Advice Offside Rear coil spring corroded (2.4.C.1b)	
Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.3	1i)
Fail Fuel cap/sealing device missing (7.2.4a)	
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Fail Registration plate lamp not working (1.1.C.1d)	
Advice Nearside Front coil spring corroded (2.4.C.1b)	
Fail Windscreen washer provides insufficient washer liquid (8.2.3)	
Advice Nearside Rear coil spring corroded (2.4.C.1b)	
Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5	5.1i)
Advice Nearside Front Brake pipe slightly corroded (3.6.B.2c)	
Fail Nearside Headlamp aim too low (1.8)	
Advice Brake pipe slightly corroded (3.6.B.2c)	
<b>Fail</b> Windscreen wiper control is inaccessible to the driver (8.2.1a)	
Advice Offside Front coil spring corroded (2.4.C.1b)	
Advice Offside Front Seat belt stitching slightly frayed (5.2.2b)	

MOT #7	2010-12-14 15:40
MOT test number	954108940361
Result	✓ Passed





MOT #6	2009-08-15 11:03
MOT test number	143757829253
Result	✓ Passed
Advice Front Brake pad(s) wearing thin (3.5.1g)	
<b>Advice</b> Service brake: service brake efficiency only just met. It would appear the requires adjustment or repair. (3.7.B.7)	hat the braking system
<b>Advice</b> Front brake disc worn, pitted or scored, but not seriously weakened (3.	5.1i)
MOT #5	2008-06-19 16:15
MOT test number	722371878157
Result	Passed
MOT #4	2007-06-11 13:41
MOT test number	713712567122
Result	✓ Passed
MOT #3	2006-06-07 13:28
MOT test number	264998856111
Result	✓ Passed
Notice BOTH FRONT TRACTOR BALL JOINTS LEAKING	
Notice HEADLAMP PATTERNS DETERIATING	
MOT #2	2005-06-24 13:04
MOT test number	973525575130
Result	✓ Passed

CarCheck.co.uk





MOT #1	2005-06-21 11:31
MOT test number	273332575412
Result	🗙 Failed
<b>Fail</b> Offside Front Front position lamp(s) not working (1.1.A.3b)	
<b>Fail</b> Offside Front Axle swivel joint has excessive movement between a swivel joint (2.5.A.1b)	nt and its housing
<b>Fail</b> Nearside Front Axle swivel joint has excessive movement between a swivel jo (2.5.A.1b)	pint and its housing





#### Damage history

Check the damage history for this LAND ROVER. See if, where and when this LAND ROVER had damage and the car repair costs. We also check if this LAND ROVER was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	Lamp
Туре	
Damage 2	AMPLE
Date	
Date	OLE
Category	AM
Туре	

#### Extra LAND ROVER salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info >





### Owner history

For how long did the current and previous owner(s) have this LAND ROVER? How many owners did this LAND ROVER have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

******		
**********		
********		
**********		
********		
	More info	>
Plate changes		
See in this check if this LAND ROVER had different number plates.		





#### Finance check

Check if this LAND ROVER is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this LAND ROVER has been settled.

If not, and you buy this LAND ROVER then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this LAND ROVER is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info  $\rightarrow$ 





# Mileage check

Odometer	In miles
Mileage registrations	27
First mileage registration	2000-09-25
Last registration	2021-07-23
Complete history	See info



Registration #1	2000-09-25	16 mi
Registration #2	2005-06-21	83.950 mi
Registration #3	2005-06-24	83.968 mi
Registration #4	2006-06-07	92.503 mi
Registration #5	2007-06-11	97.371 mi
Registration #6	2008-06-19	100.490 mi
Registration #7	2009-08-15	107.478 mi
Registration #8	2010-12-14	113.935 mi
Registration #9	2012-02-01	117.778 mi
Registration #10	2012-02-02	117.779 mi
Registration #11	2013-01-18	120.133 mi
Registration #12	2013-01-24	120.186 mi
Registration #13	2014-06-10	123.175 mi
Registration #14	2014-06-10	123.175 mi
Registration #15		11.777 mi
Registration #16		11.777 est
Registration #17		11.777 mi
Registration #18		11.777 est
Registration #19		11.777 mi
Registration #20		11.777 est
Registration #21		11.777 mi
Registration #22		11.777 esi
Registration #23		11.777 mi
Registration #24		11.177 est
Registration #25		11.777 mi
Registration #26		11.117 est
CarCheck.co.uk		page 17/18

More info  $\rightarrow$ 





## Dimensions & weight

Width	1790 mm
Height	2076 mm
Length	4599 mm
Kerb weight	1920 kg
Max. allowed weight	3050 kg
Additional information	

Fuel tank capacity	75 I
Fuel delivery	Direct Injection
Number of axles	2
Engine number	10PA52036