





### General information

Make	FIAT
Model	STILO 16V ACTIVE
Colour	Silver
Year of manufacture	-
Top speed	107 mph
0 - 60 mph	13.4 seconds
Gearbox	6 speed Manual

# Engine & fuel consumption

Power	79 BHP
Max. torque	114 Nm at 4.000 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	35.8 mpg
Consumption extra urban	53.3 mpg
Consumption combined	44.8 mpg





# Internet history

Date Pictures 2021-07-09

Listing price

View report

9



source: autotrader.co.uk



### MOT history

MOT #29	2023-07-03 09:30
MOT test	<b>number</b> 639143577753
Result	× Failed
MAJOR	Nearside Front Side repeater incorrect colour (4.4.3 (a))
MAJOR	Front Lower Suspension arm pin or bush excessively worn rear bushes both sides (5.3.4 (a) (i))
MAJOR	Offside Front Coil spring fractured or broken (5.3.1 (b) (i))
MAJOR	Nearside Rear Service brake excessively binding (1.2.1 (f))
DANGE	<b>ROUS</b> Nearside Rear Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))
MAJOR	Exhaust has a major leak of exhaust gases (6.1.2 (a))
<b>MAJOR</b> both sides	Front Track rod end ball joint dust cover insecure so that it no longer prevents the ingress of dirt ; (2.1.3 (g) (ii))
MAJOR	Rear Service brake effort inadequate at a wheel not tested no pads (1.2.1 (a) (i))
MAJOR	Nearside Front Direction indicator incorrect colour (4.4.3 (a))
<b>MAJOR</b> (5.3.4 (b)	Front Lower Suspension arm ball joint dust cover no longer prevents the ingress of dirt both sides (ii))
MAJOR	Nearside Rear Brake disc significantly and obviously worn (1.1.14 (a) (i))
MAJOR	Nearside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
<b>MAJOR</b> (8.2.1.1 (k	Exhaust emissions likely to be affected by an exhaust leak back box broken, front pipe falling off
MAJOR	Offside Front Anti-roll bar ball joint excessively worn (5.3.4 (a) (i))
MAJOR	Emissions unable to be completed (8.2.1.2 (d))
MAJOR	Supplementary restraint system warning lamp indicates a fault (7.1.6 (a))
Advice	Brake hose has slight corrosion to ferrule ALL brake ferrules rusty (1.1.12 (f) (i))
Minor	Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))





MOT #28	2022-07-05 15:55
MOT test number	836295309807
Result	✓ Passed
AdviceFront Suspension component mounting prescribed area is corroded but not Under body suspension area (5.3.6 (a) (i))AdviceOffside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	considered excessive

MOT #27		2021-07-06 16:04
MOT test	number	652019140965
Result		✓ Passed
Advice	Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Minor	Offside Rear Obligatory mirror slightly damaged (3.3 (b) (i))	
Advice	Under body has surface corrosion	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b)	(i))
Advice	Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i)	)
Minor	Offside Front Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b	)(i))

MOT #26	2021-07-06 15:57
MOT test number	853549870849
Result	✓ Passed



MOT #25		2020-06-17 11:49
MOT test	number	931293423516
Result		✓ Passed
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Offside Front Brake disc worn, but not excessively (1.1.14 (a) (i))	
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Offside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))	
Advice	Nearside Rear Suspension component pin or bush slightly worn (5.3.4 (a) (i))	
Advice	Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Under-body has surface corrosion	
Advice	Nearside Front Brake disc worn, but not excessively (1.1.14 (a) (i))	
Advice	Nearside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))	
Minor	Offside Front Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b	o) (i))
Advice	Offside Rear Suspension component pin or bush slightly worn (5.3.4 (a) (i))	



MOT #24		2020-06-16 11:46
MOT test	number	915833428908
Result		🗙 Failed
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Under-body has surface corrosion	
Advice	Offside Front Brake disc worn, but not excessively (1.1.14 (a) (i))	
Minor	Offside Front Suspension arm ball joint dust cover severely deteriorated (5.3.4 (	b) (i))
Advice	Offside Rear Brake hose has slight corrosion to ferrule $(1.1.12 (f) (i))$	
Advice	Nearside Rear Suspension component pin or bush slightly worn (5.3.4 (a) (i))	
Advice	Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Nearside Front Brake disc worn, but not excessively (1.1.14 (a) (i))	
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Nearside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))	
MAJOR	Windscreen wiper not working (3.4 (a))	
Advice	Offside Rear Suspension component pin or bush slightly worn (5.3.4 (a) (i))	

MOT #23	2019-06-14 09:19
MOT test number	447741317321
Result	✓ Passed





MOT #22		2018-06-14 10:06
MOT test	number	279294431218
Result		✓ Passed
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
<b>Advice</b> (a) (i))	Nearside Rear Suspension arm pin or bush worn but not resulting in excess	vive movement (5.3.4
Advice	Exhaust has a minor leak of exhaust gases (6.1.2 (a))	
Advice (i))	Offside Rear Suspension arm pin or bush worn but not resulting in excessiv	re movement (5.3.4 (a)

MOT #21	2018-06-14 10:06
MOT test number	535152323780
Result	× Failed
Advice Offside Rear Sus	spension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a)
Pass with rectification	Supplementary restraint system warning lamp indicates a fault (7.1.6 (a))
Advice Nearside Rear S (a) (i))	suspension arm pin or bush worn but not resulting in excessive movement (5.3.4
Advice Offside Front Ty	re worn close to legal limit/worn on edge (5.2.3 (e))
Advice Exhaust has a m	ninor leak of exhaust gases (6.1.2 (a))

MOT #20		2017-06-09 09:54
MOT test	number	224812596793
Result		✓ Passed
Advice	Exhaust has a minor leak of exhaust gases (7.1.2)	
Advice	Offside Rear Suspension arm has slight play in a pin/bush (2.4.G.2)	
Advice	Nearside Rear Suspension arm has slight play in a pin/bush (2.4.G.2)	



MOT #19		2017-06	5-09 09:54
MOT test n	umber	7672	44644323
Result			🗙 Failed
Advice	Nearside Rear S	uspension arm has slight play in a pin/bush (2.4.G.2)	
Advice Exhaust has a minor leak of exhaust gases (7.1.2)			
Pass with	rectification	Supplementary Restraint System warning lamp indicates a fault (5.4.2)	
Advice	Offside Rear Sus	spension arm has slight play in a pin/bush (2.4.G.2)	

MOT #18		2016-06-14 08:44
MOT test	number	318589305686
Result		✓ Passed
Advice	Offside Rear Suspension arm has slight play in a pin/bush rear beam (2.4.G.2)	
Advice	Nearside Rear Suspension arm has slight play in a pin/bush rear beam (2.4.G.2)	
Advice	Centre Front Exhaust has a minor leak of exhaust gases joint before exhaust flex	ki (7.1.2)

MOT #17	2016-06-14 08:44	
MOT test number	415332330992	
Result	× Failed	
Advice Centre Front Exhaust has a minor leak of exhaust gases joint before exhaust flexi (7.1.2)		
Advice Offside Rear Suspension arm has slight play in a pin/bush rear beam (2.4.G.2)		
Pass with rectification	Nearside Rear Exhaust system not adequately supported before backbox (7.1.1)	
Advice Nearside Rear Suspension arm has slight play in a pin/bush rear beam (2.4.G.2)		





MOT #16	2015-06-08 12:14	
MOT test number	876829955104	
Result	✓ Passed	
<b>Advice</b> Offside Front Lower Suspension arm rubber bush deteriorated but not resulting movement (2.4.G.2)	g in excessive	
<b>Advice</b> Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting movement (2.4.G.2)	ng in excessive	
MOT #15	2015-06-03 10:58	
MOT test number	656824855199	
Result	🗙 Failed	
Advice Centre Exhaust has a minor leak of exhaust gases (7.1.2)		
FailNearside Front coil spring broken (2.4.C.1a)		
Fail         Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3)	.D.3)	
Advice Offside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)		

Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Advice Nearside Front Lower Suspension arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

MOT #14	2014-06-12 16:39
MOT test number	827863264167
Result	✓ Passed
MOT #13	2013-06-10 16:37
MOT test number	917491463147
Result	✓ Passed
MOT #12	2013-06-10 16:37
MOT test number	818831163111
Result	🗙 Failed

Result

Pass with rectification Nearside Track rod end loose (2.2.B.1d)



WN03	<b>SVTC</b>
report date	e: 2024-03-29

MOT #11	2012-05-31 13:39
MOT test number	309332552101
Result	✓ Passed
MOT #10	2011-06-10 15:32
MOT test number	297251461128
Result	✓ Passed
Advice Rear Brake pad(s) wearing thin (3.5.1g)	
MOT #9	2011-06-10 11:29
MOT test number	259741961125
Result	× Failed
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Fail Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	

MOT #8	2010-06-01 09:35
MOT test number	212512550494

Rear Brake pad(s) wearing thin (3.5.1g)

Result

Advice

MOT #7	2010-05-20 10:57
MOT test number	660400540128
Result	🗙 Failed
<b>Fail</b> Offside Front coil spring incomplete (2.4.C.1a)	

MOT #6	2009-05-19 11:53
MOT test number	871799839175
Result	✓ Passed

🗸 Passed



MOT #5	2009-05-18 13:54
MOT test number	553478439158
Result	× Failed
Fail         Nearside Front coil spring cracked (2.4.C.1a)	
MOT #4	2008-05-28 17:00
MOT test number	302409348182
Result	Passed
MOT #3	2007-05-31 14:53
MOT test number	721111057106
Result	✓ Passed
MOT #2	2007-05-30 15:18
MOT test number	743390557180
Result	× Failed
Fail         Offside Front brake disc excessively pitted (3.5.1h)	
Fail         Nearside Front brake disc excessively pitted (3.5.1h)	

MOT #1	2006-05-12 10:27
MOT test numb	ar 334562036156
Result	✓ Passed
Advice Fron	Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)





#### Damage history

Check the damage history for this FIAT. See if, where and when this FIAT had damage and the car repair costs. We also check if this FIAT was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	
Damage 2	AMPLE
Damaye 2	E CUT D
Date	1.4
Category	ame
Туре	

#### Extra FIAT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





#### Vehicle valuation

What is this car worth? See the vehicle value of this FIAT in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200

More info  $\rightarrow$ 





### Owner history

For how long did the current and previous owner(s) have this FIAT? How many owners did this FIAT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second s	
************	
********	
******	
***********	
********	
	More info >
Plate changes	
See in this check if this FIAT had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





#### Finance check

Check if this FIAT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FIAT has been settled.

If not, and you buy this FIAT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FIAT is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info  $\rightarrow$ 





# Mileage check

Odometer	In miles
Mileage registrations	30
First mileage registration	2003-05-23
Last registration	2023-07-03
Complete history	<u>See info</u>



Registration #1	2003-05-23	13 mi
Registration #2	2006-05-12	15.568 mi
Registration #3	2007-05-30	22.069 mi
Registration #4	2007-05-31	22.070 mi
Registration #5	2008-05-28	29.408 mi
Registration #6	2009-05-18	33.993 mi
Registration #7	2009-05-19	33.999 mi
Registration #8	2010-05-20	38.087 mi
Registration #9	2010-06-01	38.095 mi
Registration #10	2011-06-10	41.739 mi
Registration #11	2011-06-10	41.739 mi
Registration #12	2012-05-31	44.685 mi
Registration #13	2013-06-10	47.620 mi
Registration #14	2014-06-12	49.711 mi
Registration #15	2015-06-03	52.365 mi
Registration #16		11.777 est
Registration #17		11.777 esi
Registration #18		11.777 est
Registration #19		11.777 esi
Registration #20		11.777 esi
Registration #21		11.777 esi
Registration #22		11.777 esi
Registration #23		11.777 esi
Registration #24		11.777 est
Registration #25		11.777 esi
Registration #26		11.777 esi
CarCheck.co.uk		page 16/17

Registration #27	11.117 est
Registration #28	11.117 esi
Registration #29	11.117 esi
Registration #30	11.117 esi

More info >





### Car features

S0225	Air conditioning
\$0295	
50482	
50501	
50566	
50567	
50569	

# Dimensions & weight

Width	1784 mm
Height	1475 mm
Length	4182 mm
Wheel base	2600 mm
Kerb weight	1090 kg

# Additional information

Fuel tank capacity	58 I
Fuel delivery	Multi-Point Injection
Number of doors	3
Number of axles	2
Engine number	0767530