



report date: 2024-03-28

General information

Make	FORD
Model	TRANSIT 260 SPORT LR P/V
Colour	White
Year of manufacture	2008
Gearbox	6 speed Manual

Engine & fuel consumption

Power	140 BHP
Max. torque	350 Nm at 1.800 rpm
Engine capacity	2.198 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



MOT history

MOT expiry date	2025-04-11
MOT pass rate	62 %
MOT passed	13
Failed MOT tests	8
Total advice items	20
Total items failed	44

MOT #21	2024-04-12 12:28
MOT test number	704847359324
Result	✓ Passed
Next expiry date	2025-04-11
Advice	Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))

MOT #20	2024-04-12 12:28
MOT test number	532816400090
Result	✗ Failed
Advice	Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Pass with rectification	Nearside Rear Stop lamp(s) adversely affected by the operation of another lamp (4.3.3 (b))

MOT #19	2023-03-17 14:43
MOT test number	506074151003
Result	✓ Passed
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice	Offside Front Integral body structure is corroded but structural rigidity is not significantly reduced step (6.1.1 (c) (i))
Advice	Rear Brake pipe corroded, covered in grease or other material both rear (1.1.11 (c))

**MOT #18**

2022-01-19 16:26

MOT test number

704504670232

Result

✓ Passed

Minor

Rear Registration plate lamp missing in the case of multiple lamps or light sources (4.7.1 (b) (i))

Advice

Front Oil leak, but not excessive (8.4.1 (a) (i))

Advice

Front Registration plate deteriorated but not likely to be misread (0.1 (b))

MOT #17

2021-03-18 18:50

MOT test number

416753006101

Result

✓ Passed

Advice

Offside floor slightly corroded

MOT #16

2021-03-15 12:14

MOT test number

512719832251

Result

✗ Failed

Fail

Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))

Advice

Nearside Front Suspension component ball joint has slight play (5.3.4 (a) (i))

Fail

Offside Rear Tyre tread depth below requirements of 1.6mm (5.2.3 (e))

Advice

Offside floor slightly corroded

Fail

Offside Front Suspension component ball joint excessively worn (5.3.4 (a) (i))

Fail

Nearside Rear Tyre tread depth below requirements of 1.6mm (5.2.3 (e))

MOT #15

2020-02-21 15:26

MOT test number

474828639683

Result

✓ Passed

Advice

Offside Front step and sill cover in underseal

**MOT #14**

2020-02-11 15:33

MOT test number

777120601735

Result**✗ Failed**

- Fail** Offside Front Anti-roll bar pin or bush excessively worn (5.3.4 (a) (i))
- Fail** Front Service brake excessively fluctuating warped disc (1.2.1 (e))
- Fail** Nearside Rear Tyre has a bulge, caused by separation or partial failure of its structure tyre inner shoulder lumpy (5.2.3 (d) (ii))
- Fail** Nearside Front Position lamp not working (4.2.1 (a) (ii))
- Fail** Engine MIL inoperative or indicates a malfunction (8.2.2.2 (g))
- Fail** Nearside Rear Integral body structure corroded to the extent that the rigidity of the assembly is significantly reduced inner wheel well (6.1.1 (c) (i))
- Fail** Offside Front Wheel bearing has excessive play (5.1.3 (a) (i))
- Fail** Nearside Front Inner Steering linkage ball joint has excessive play (2.1.3 (b) (i))
- Fail** Rear Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))
- Fail** Offside Front Outer Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))
- Fail** Offside Rear Tyre has a lump, caused by separation or partial failure of its structure inner shoulder lumpy (5.2.3 (d) (ii))
- Fail** Offside Front Integral body structure corroded to the extent that the rigidity of the assembly is significantly reduced sides step and outer sill (6.1.1 (c) (i))
- Fail** Offside Rear Integral body structure corroded to the extent that the rigidity of the assembly is significantly reduced inner wheel well (6.1.1 (c) (i))

MOT #13

2019-02-13 13:24

MOT test number

914648637693

Result**✓ Passed**

- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

**MOT #12**

2019-02-12 12:27

MOT test number

519605187365

Result**✗ Failed**

Fail Offside Front Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))

Fail Nearside Front Position lamp not working (4.2.1 (a))

Fail Offside Front Headlamp aim so that beam "kick up" is not visible on the screen check bulb fitment (4.1.2 (a))

Fail Nearside Front Lower Suspension arm pin or bush excessively worn (5.3.4 (a) (i))

Advice Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

Fail Offside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))

Fail Anti-lock braking system warning lamp indicates an ABS fault (1.6 (b))

Fail Offside Front Position lamp not working (4.2.1 (a))

Fail Nearside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))

Minor Offside Rear Registration plate lamp throwing direct white light to the rear (4.7.1 (a))

Fail Nearside Front Wheel bearing rough when rotated (5.1.3 (b) (i))

Advice Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

MOT #11

2018-01-15 16:20

MOT test number

853941592736

Result**✓ Passed**

**MOT #10**

2018-01-12 11:49

MOT test number

744829707239

Result**✗ Failed**

- Fail** Headlamp aim beam image obviously incorrect (1.8.A.1b)
- Fail** Nearside Front Suspension arm rubber bush deteriorated resulting in excessive movement wishbone bush (2.4.G.2)
- Fail** Steering system excessively tight tops struts (2.2.D.1)
- Fail** Body or chassis has excessive corrosion, seriously affecting its strength within 30cm of the body mountings o/s n/s step (6.1.B.2)
- Fail** Registration plate lamp not working (1.1.C.1d)
- Fail** Offside Front constant velocity joint gaiter damaged to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)
- Fail** Offside Front Suspension arm ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)
- Fail** Nearside Rear Suspension spring mounting prescribed area is excessively corroded sill (2.4.A.3)
- Fail** Nearside Front position lamp(s) not working (1.1.A.3b)

MOT #9

2017-01-05 14:22

MOT test number

183666439657

Result**✓ Passed****MOT #8**

2017-01-04 11:04

MOT test number

478952918940

Result**✗ Failed**

- Fail** Offside Front constant velocity joint gaiter deteriorated to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)
- Fail** Rear Brake pipe excessively corroded (3.6.B.2c)
- Fail** Registration plate lamp not working (1.1.C.1d)
- Fail** Nearside Front Suspension arm ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)

**MOT #7** 2016-01-15 13:19**MOT test number** 103038266067**Result** ✓ Passed**MOT #6** 2016-01-15 13:18**MOT test number** 125497848372**Result** ✗ Failed

Pass with rectification Offside Outer Front constant velocity joint gaiter insecure to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

Pass with rectification Nearside Headlamp aim too low (1.8)

Pass with rectification Offside Headlamp aim too high (1.8)

MOT #5 2014-10-31 12:00**MOT test number** 435284104364**Result** ✓ Passed**MOT #4** 2014-10-30 15:33**MOT test number** 457243804339**Result** ✗ Failed

Fail Brake pedal spongy (3.3.B.1b)

MOT #3 2013-05-22 16:10**MOT test number** 828302543142**Result** ✓ Passed**MOT #2** 2012-07-16 10:49**MOT test number** 208168692103**Result** ✓ Passed

Notice Nearside mirror cracked



MOT #1	2011-07-28 09:21
MOT test number	348489401438
Result	✓ Passed
Advice	Rear Brake pad(s) wearing thin (3.5.1g)
Notice	Non obligatory mirror damaged



Tax & MOT check

✓

Taxed

Tax due:
1 April 2025

✓

MOT

Expires:
11 April 2025

Tax status	Valid until 1 April
------------	---------------------

Days left	337
-----------	-----

MOT expiry date	11 April 2025
-----------------	---------------

Full MOT history	See MOT history
------------------	---------------------------------



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date
Owner	Start date

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	BN58MLJ
Plate since	2019-09-29
Current registration	BN58MLJ
Plate since	2019-09-29

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.


Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	22
First mileage registration	2008-09-11
Last registration	2024-04-12
Complete history	See info



Registration #1	2008-09-11	10 mi
Registration #2	2011-07-28	25.356 mi
Registration #3	2012-07-16	32.274 mi
Registration #4	2013-05-22	35.716 mi
Registration #5	2014-10-30	68.070 mi
Registration #6	2014-10-31	68.070 mi
Registration #7	2016-01-15	95.214 mi
Registration #8	2016-01-15	95.214 mi
Registration #9	2017-01-04	107.174 mi
Registration #10	2017-01-05	107.175 mi
Registration #11	2018-01-12	98.353 mi
Registration #12	2019-01-01	95.214 mi
Registration #13	2019-01-01	95.214 mi
Registration #14	2019-01-01	95.214 mi
Registration #15	2019-01-01	95.214 mi
Registration #16	2019-01-01	95.214 mi
Registration #17	2019-01-01	95.214 mi
Registration #18	2019-01-01	95.214 mi
Registration #19	2019-01-01	95.214 mi
Registration #20	2019-01-01	95.214 mi
Registration #21	2019-01-01	95.214 mi
Registration #22	2019-01-01	95.214 mi

More info >



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	1974 mm
Height	2067 mm
Length	4863 mm
Wheel base	2933 mm
Kerb weight	1710 kg
Max. allowed weight	2600 kg

Additional information

Fuel tank capacity	80 l
Fuel delivery	Direct Injection
Number of seats	3
Number of axles	2
Engine number	8Y32525