



TOYOTA



report date: 2024-03-29

General information

Make	TOYOTA
Model	LANDCRUISER ESTATE FX TD 8STR
Colour	Silver
Year of manufacture	2002
Top speed	99 mph
0 - 60 mph	14.9 seconds
Gearbox	4 speed automatic

Engine & fuel consumption


Power	123 BHP
Max. torque	295 Nm at 2.400 rpm
Engine capacity	2.982 cc
Cylinders	4
Fuel type	Diesel
Consumption city	19.8 mpg
Consumption extra urban	27.2 mpg
Consumption combined	23.7 mpg
CO2 emission	279 g/km
CO2 label	M





Internet history

Entry 1	
Date	2021-10-16
Pictures	12
Listing price	<a href="#">View report</a>



source: cargurus.co.uk



## MOT history

MOT expiry date	2021-12-16
MOT pass rate	59 %
MOT passed	16
Failed MOT tests	11
Total advice items	65
Total items failed	62

MOT #27 2020-12-17 17:42

MOT test number 152154881571

Result ✓ Passed

Next expiry date 2021-12-16

**Advice** Front under body tray has corrosion

**Advice** Nearside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))

**Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))

**Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))

**Advice** Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))

**Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))

**Minor** Offside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

**Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))

**MOT #26**

2020-12-07 12:56

**MOT test number**

542062176010

**Result****✗ Failed**

- Fail** Parking brake efficiency below requirements (1.4.2 (a) (i))
- Fail** Exhaust has a major leak of exhaust gases middle (6.1.2 (a))
- Fail** Nearside Headlamp aim too low (4.1.2 (a))
- Fail** Offside Integral body structure or chassis has excessive corrosion to the extent that overall security or stability of the body is impaired middle chassis (6.2.2 (d) (ii))
- Fail** Nearside Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting front to rear inner sill (6.2.2 (d) (i))
- Minor** Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Fail** Nearside Front Lower Suspension arm pin or bush excessively worn rear bush (5.3.4 (a) (i))
- Fail** Offside Rear Upper Suspension rod insecure and impairing directional stability (5.3.3 (a) (ii))
- Fail** Nearside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting (6.2.2 (d) (i))
- Fail** Service brake efficiency below requirements (1.2.2 (a) (i))
- Advice** Integral body structure is corroded but structural rigidity is not significantly reduced underneath included suspension system & rear axle (6.1.1 (c) (i))
- Fail** Front Service brake excessively fluctuating (1.2.1 (e))
- Fail** Offside Rear Parking brake inoperative on one side (1.4.1 (a))
- Fail** Nearside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))
- Fail** Nearside Rear Upper Suspension rod insecure and impairing directional stability (5.3.3 (a) (ii))
- Fail** Offside Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting front to rear inner sill (6.2.2 (d) (i))
- Fail** Offside Front Lower Suspension arm pin or bush excessively worn rear bush (5.3.4 (a) (i))
- Fail** Nearside Rear Integral body structure is fractured and structural rigidity is significantly reduced (6.1.1 (a) (i))

**MOT #25**

2020-12-03 16:08

**MOT test number**

514943671215

**Result****✗ Failed**

**Fail** Nearside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting body mounting point (6.2.2 (d) (i))

**Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))

**Fail** Brake lever pivot has excessive wear or free play (1.1.1 (b))

**Minor** Offside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))

**Advice** Nearside Inner Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))

**Fail** Nearside Rear Vehicle structure is fractured and structural rigidity is significantly reduced body mounting point (6.1.1 (a) (i))

**Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))

**Advice** Central Front Under tray corroded

**Advice** Nearside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))

**Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))

**Advice** Integral body structure is corroded but structural rigidity is not significantly reduced overall underbody (6.1.1 (c) (i))

**Advice** Nearside Rear Brake pipe corroded, covered in grease or other material 2 (1.1.11 (c))

**Advice** Rear Vehicle structure is corroded but structural rigidity is not significantly reduced bumper support (6.1.1 (c) (i))

**Minor** Nearside Front Windscreen wiper blade defective (3.4 (b) (i))

**Advice** Offside Inner Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))

**Fail** Parking brake efficiency below requirements (1.4.2 (a) (i))

**Fail** Offside Front Suspension arm ball joint excessively worn (5.3.4 (a) (i))

**Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))

**MOT #24**

2019-12-06 14:37

**MOT test number**

217890923692

**Result**

✓ Passed

**Advice** Nearside Front Brake pipe corroded, covered in grease or other material 2 pipes (1.1.11 (c))**Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))**Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))**MOT #23**

2019-12-05 13:18

**MOT test number**

348135581255

**Result**

✗ Failed

**Fail** Nearside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting Rear behind bumper (6.2.2 (d) (i))**Fail** Nearside Front Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting Inner sill 2 places (6.2.2 (d) (i))**Fail** Nearside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting Inner sill 2 places (6.2.2 (d) (i))**Fail** Offside Front Drive shaft joint constant velocity boot split or insecure, no longer prevents the ingress of dirt (6.1.7 (g) (ii))**Fail** Parking brake efficiency below requirements (1.4.2 (a) (i))**Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))**Fail** Nearside Front Lower Steering locking device missing Ball joint (2.1.3 (d))**Fail** Offside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting Behind bumper (6.2.2 (d) (i))**Fail** Offside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting Box section (6.2.2 (d) (i))**Advice** Nearside Front Brake pipe corroded, covered in grease or other material 2 pipes (1.1.11 (c))**Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))**Minor** Offside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))**Fail** Nearside Front Steering locking device missing (2.1.3 (d))

**MOT #22** 2018-12-13 09:29**MOT test number** 542861922135**Result** ✓ Passed**MOT #21** 2018-12-11 15:44**MOT test number** 250171322276**Result** ✗ Failed**Advice** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))**Fail** Offside Front Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting inner wing holed (6.2.2 (d) (i))**MOT #20** 2017-12-15 11:48**MOT test number** 495348106765**Result** ✓ Passed**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**MOT #19** 2017-12-14 13:06**MOT test number** 366670878007**Result** ✗ Failed**Fail** Offside Rear brake disc in such a condition that it is seriously weakened (3.5.1i)**Fail** Parking brake: efficiency below requirements (3.7.B.7)**Fail** Nearside Rear brake disc in such a condition that it is seriously weakened (3.5.1i)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)

**MOT #18**

2016-12-06 16:29

**MOT test number**

344628824647

**Result**

✓ Passed

- Advice** Nearside Brake pipe slightly corroded front to rear at front (3.6.B.2c)
- Advice** Fuel tank filler pipes slightly corroded
- Advice** Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Nearside Front Outer Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)
- Advice** Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Offside Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)

**MOT #17**

2016-12-06 09:43

**MOT test number**

739990970021

**Result**

✗ Failed

- Fail** Offside Front Brake pipe excessively corroded at caliper (3.6.B.2c)
- Advice** Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Offside Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)
- Advice** Nearside Front Outer Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)
- Fail** Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)
- Advice** Fuel tank filler pipes slightly corroded
- Advice** Nearside Brake pipe slightly corroded front to rear at front (3.6.B.2c)
- Advice** Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Fail** Offside Rear Upper Radius arm attachment bracket/mounting fractured (2.4.G.1)





MOT #16

2015-12-14 10:19

MOT test number

689583580628

Result

✓ Passed

- Advice

Fuel filler pipes corroded
- Advice

Offside Front Brake pipe slightly corroded (3.6.B.2c)
- Advice

N/s/r seat belt twisted
- Advice

O/s/f seat belt twisted
- Advice

Offside Front Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)

**MOT #15**

2015-12-11 12:15

**MOT test number**

599590137851

**Result****✗ Failed****Fail** Nearside Brake pipe excessively corroded front to rear (3.6.B.2c)**Fail** Nearside Rear Brake pipe excessively corroded to caliper (3.6.B.2c)**Fail** Offside Front position lamp(s) not working (1.1.A.3b)**Advice** N/s/r seat belt twisted**Fail** Offside Rear Brake pipe leaking to l/s valve (3.6.A.1)**Fail** Exhaust has a major leak of exhaust gases at silencer (7.1.2)**Advice** Exhaust tailpipe corroded/loose at flange**Advice** Offside Front Brake pipe slightly corroded (3.6.B.2c)**Fail** Offside Rear Brake pipe excessively corroded to caliper (3.6.B.2c)**Fail** Service brake: efficiency below requirements (3.7.B.7)**Advice** O/s/f seat belt twisted**Fail** Brake pipe excessively corroded front to rear at l/s valve (3.6.B.2c)**Fail** Nearside Front position lamp(s) incorrect colour (1.1.A.3e)**Advice** Fuel filler pipes corroded**Advice** Offside Front Track rod end ball joint dust cover deteriorated, but preventing the ingress of dirt (2.2.C.1c)**Fail** Nearside Battery insecure (1.9.1)**MOT #14**

2014-08-22 08:29

**MOT test number**

205834534226

**Result****✓ Passed****Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)**Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)

**MOT #13** 2014-08-21 09:15**MOT test number** 397523434408**Result** ✗ Failed**Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)**Fail** Offside Front Brake pipe excessively corroded (3.6.B.2c)**Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)**Fail** Offside Front constant velocity joint gaiter deteriorated to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)**MOT #12** 2013-09-04 12:34**MOT test number** 948947243224**Result** ✓ Passed**MOT #11** 2013-09-04 09:10**MOT test number** 958137743210**Result** ✗ Failed**Fail** Registration plate lamp not working (1.1.C.1d)**Fail** Nearside Front Brake pipe excessively corroded (3.6.B.2c)**Fail** Offside Track rod end ball joint has excessive play (2.2.B.1f)**MOT #10** 2012-08-17 11:48**MOT test number** 947700732218**Result** ✓ Passed

**MOT #9** 2012-08-16 10:27**MOT test number** 327979522217**Result** ✗ Failed**Fail** Nearside Front Track rod end ball joint has excessive play (2.2.B.1f)**Fail** Offside Rear Brake pipe excessively corroded (3.6.B.2c)**Fail** Brake pipe excessively corroded (3.6.B.2c)**MOT #8** 2011-08-05 17:00**MOT test number** 548627211228**Result** ✓ Passed**Advice** Nearside Front Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Notice** Child seat fitted not allowing full inspection of adult belt**MOT #7** 2010-08-12 17:18**MOT test number** 930504420225**Result** ✓ Passed**Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)**MOT #6** 2009-08-04 18:42**MOT test number** 984566219213**Result** ✓ Passed**MOT #5** 2008-09-12 13:45**MOT test number** 254556558272**Result** ✓ Passed

**MOT #4** 2007-12-13 17:11**MOT test number** 300917047333**Result** ✓ Passed**MOT #3** 2007-12-11 13:19**MOT test number** 862145447337**Result** ✗ Failed**Fail** Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)**Fail** Offside Rear brake disc excessively pitted (3.5.1h)**Pass with rectification** Nearside Headlamp aim too high (1.8)**Fail** Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)**Fail** Nearside Rear brake disc excessively pitted (3.5.1h)**Pass with rectification** Offside Headlamp aim too high (1.8)**MOT #2** 2007-09-07 16:24**MOT test number** 993350557226**Result** ✓ Passed**Notice** Nail in offside front tyre**MOT #1** 2006-10-25 12:17**MOT test number** 280418396221**Result** ✓ Passed



Tax & MOT check

✕  
Untaxed

Tax expired:  
14 April 2021

✕  
MOT

Expired:  
16 December 2021

Tax status

Expired at 14 April 2021

Days left

1110 days too late

MOT expiry date

16 December 2021

Full MOT history

[See MOT history](#)

Tax calculation

Vehicle class	49
Band	K
Single payment (12 months)	£ 395,00,-
Single six month payment	£ 217,25,-
Total payable by 12 monthly instalments	£ 414,75,-



Damage history

Check the damage history for this TOYOTA. See if, where and when this TOYOTA had damage and the car repair costs. We also check if this TOYOTA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	

Extra TOYOTA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this TOYOTA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >





Owner history

For how long did the current and previous owner(s) have this TOYOTA? How many owners did this TOYOTA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****

More info >

Plate changes

See in this check if this TOYOTA had different number plates.

Number of plates	1
Current registration	*****
Plate since	2019-06-29
Current registration	*****
Plate since	2019-06-29

More info >



Finance check

Check if this TOYOTA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this TOYOTA has been settled. If not, and you buy this TOYOTA then you could lose the money and the car you paid for. Download the premium report [here](#) and check if this TOYOTA is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	29
First mileage registration	2002-10-21
Last registration	2020-12-17
Complete history	<a href="#">See info</a>



Registration #1	2002-10-21	13 mi
Registration #2	2006-10-25	58.553 mi
Registration #3	2007-09-07	65.154 mi
Registration #4	2007-12-11	65.154 mi
Registration #5	2007-12-13	65.156 mi
Registration #6	2008-09-12	70.398 mi
Registration #7	2009-08-04	77.750 mi
Registration #8	2010-08-12	86.600 mi
Registration #9	2011-08-05	95.310 mi
Registration #10	2012-08-16	99.355 mi
Registration #11	2012-08-17	99.355 mi
Registration #12	2013-09-04	104.557 mi
Registration #13	2013-09-04	104.559 mi
Registration #14	2014-08-21	108.116 mi
Registration #15	2014-08-22	108.116 mi
Registration #16	2015-05-20	111.217 mi
Registration #17	2015-05-20	111.217 mi
Registration #18	2015-05-20	111.217 mi
Registration #19	2015-05-20	111.217 mi
Registration #20	2015-05-20	111.217 mi
Registration #21	2015-05-20	111.217 mi
Registration #22	2015-05-20	111.217 mi
Registration #23	2015-05-20	111.217 mi
Registration #24	2015-05-20	111.217 mi
Registration #25	2015-05-20	111.217 mi
Registration #26	2015-05-20	111.217 mi

Registration #27	2025-25-25	25,252,442
Registration #28	2025-25-25	25,252,442
Registration #29	2025-25-25	25,252,442

More info >



Car features

The TOYOTA factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete TOYOTA factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	1820 mm
Height	1875 mm
Length	4750 mm
Wheel base	2675 mm
Kerb weight	1855 kg

Additional information

Fuel tank capacity	90 l
Fuel delivery	Indirect Injection
Number of doors	5
Number of axles	2
Engine number	1KD0875585