




report date: 2024-03-28

General information

Make	VAUXHALL
Model	VECTRA SRI NAV 16V
Colour	Blue
Year of manufacture	2006
Top speed	127 mph
0 - 60 mph	10.5 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	138 BHP
Max. torque	167 Nm at 3.800 rpm
Engine capacity	1.796 cc
Cylinders	4
Fuel type	Petrol
Consumption city	27.7 mpg
Consumption extra urban	50.4 mpg
Consumption combined	38.7 mpg
CO2 emission	173 g/km
CO2 label	H





Internet history

Entry 1

Date	2021-07-25
Pictures	12
Listing price	View report



source: cargurus.co.uk



MOT history

MOT expiry date	2022-04-05
MOT pass rate	67 %
MOT passed	12
Failed MOT tests	6
Total advice items	59
Total items failed	13

MOT #18 2021-04-03 10:49

MOT test number 651792737348

Result ✓ Passed

Next expiry date 2022-04-05

Advice Exhaust mounting corroded away from pipe/middle section

Advice Oil leak, but not excessive (8.4.1 (a) (i))

Advice Offside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))

MOT #17 2021-04-03 08:35

MOT test number 256952792492

Result ✗ Failed

Advice Oil leak, but not excessive (8.4.1 (a) (i))

Fail Offside Front Headlamp not working on dipped beam (4.1.1 (a) (ii))

Advice Offside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))

Advice Exhaust mounting corroded away from pipe/middle section

Fail Offside Front Headlamp aim not tested (4.1.2 (b))

**MOT #16**

2020-03-26 12:22

MOT test number

755378570290

Result

✓ Passed

Advice Exhaust mounting defective Exhaust bracket corroded away from pipe(rear section) (6.1.2 (a))**Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Advice** Offside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))**MOT #15**

2020-03-26 09:42

MOT test number

324116950135

Result

✗ Failed

Advice Offside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))**Fail** Offside Stop lamp(s) with a multiple light source more than 1/2 not functioning (4.3.1 (a) (ii))**Minor** Nearside Rear Position lamp with a multiple light source up to 1/2 not functioning (4.2.1 (a) (i))**Advice** Oil leak, but not excessive (8.4.1 (a) (i))**Advice** Exhaust mounting defective Exhaust bracket corroded away from pipe(rear section) (6.1.2 (a))**Fail** Offside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))**Minor** Offside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))**Fail** Offside Front Upper Anti-roll bar ball joint excessively worn Excessive play, dust cover split (5.3.4 (a) (i))**MOT #14**

2019-03-26 13:21

MOT test number

662417474528

Result

✓ Passed

Advice Exhaust mounting defective bracket broken away from exhaust pipe at rear suspension crossmember. (6.1.2 (a))**Advice** Offside Front Shock absorbers light misting of oil or has limited damping effect oily mist. (5.3.2 (b))**Advice** Oil leak, but not excessive engine oil leaks. (8.4.1 (a) (i))**Minor** Offside Front Upper Anti-roll bar linkage ball joint dust cover severely deteriorated (5.3.4 (b) (i))

**MOT #13**

2018-03-14 18:00

MOT test number

855090966237

Result

✓ Passed

Advice Offside Rear Road wheel with a slightly distorted bead rim inner edge. (4.2.A.1a)**Advice** Offside Front Anti-roll bar linkage ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)**Advice** Oil leak front end of engine.**Advice** Offside Front Shock absorber has a light misting of oil (2.7.3)**MOT #12**

2018-03-14 15:42

MOT test number

267678311614

Result

✗ Failed

Advice Offside Front Anti-roll bar linkage ball joint dust cover deteriorated, but preventing the ingress of dirt (2.4.G.2)**Advice** Oil leak front end of engine.**Fail** Offside Front coil spring broken (2.4.C.1a)**Advice** Offside Front Shock absorber has a light misting of oil (2.7.3)**Advice** Offside Rear Road wheel with a slightly distorted bead rim inner edge. (4.2.A.1a)**Fail** Offside Front position lamp(s) not working (1.1.A.3b)**MOT #11**

2017-04-03 13:53

MOT test number

499976084394

Result

✓ Passed

Advice Tyre worn close to the legal limit bald on inner edge. (4.1.E.1)**Advice** Offside Front Anti-roll bar linkage ball joint dust cover deteriorated, but preventing the ingress of dirt both dust covers. (2.4.G.2)**Advice** Nearside Rear Tyre worn close to the legal limit bald on inner edge. (4.1.E.1)**Advice** Advise engine oil leak.

**MOT #10**

2017-04-03 11:57

MOT test number

289537764838

Result

✗ Failed

Fail Nearside Front Tyre has a tear, caused by separation or partial failure of its structure inner wall. (4.1.D.1b)

Advice Nearside Rear Tyre worn close to the legal limit bald on inner edge. (4.1.E.1)

Advice Advise engine oil leak.

Fail Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)

Advice Tyre worn close to the legal limit bald on inner edge. (4.1.E.1)

Advice Offside Front Anti-roll bar linkage ball joint dust cover deteriorated, but preventing the ingress of dirt both dust covers. (2.4.G.2)

Fail Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)

MOT #9

2016-04-06 12:24

MOT test number

387129741327

Result

✓ Passed

Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)

Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

MOT #8

2015-05-01 13:51

MOT test number

505811925143

Result

✓ Passed

Advice Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3)

Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)

Advice Nearside Rear Anti-roll bar has slight play in a pin/bush (2.4.G.2)

Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)



MOT #7	2014-04-24 10:53
MOT test number	118574514136
Result	✓ Passed
Notice	Advise both rear tyres slightly deteriorated

MOT #6	2013-04-30 09:15
MOT test number	528750423136
Result	✓ Passed
Notice	Nail in nearside front tyre
Notice	Items removed from driver's view prior to test
Advice	Offside Rear Anti-roll bar has slight play in a pin/bush (2.4.G.2)
Notice	Nail in nearside rear tyre
Advice	Offside Front Shock absorber has slight corrosion to the casing (2.7.2a)

MOT #5	2013-04-30 09:15
MOT test number	889840223136
Result	✗ Failed
Pass with rectification	Nearside Headlamp aim too high (1.8)
Advice	Offside Rear Anti-roll bar has slight play in a pin/bush (2.4.G.2)
Notice	Nail in nearside front tyre
Notice	Items removed from driver's view prior to test
Pass with rectification	Offside Headlamp aim too high (1.8)
Advice	Offside Front Shock absorber has slight corrosion to the casing (2.7.2a)
Notice	Nail in nearside rear tyre

**MOT #4** 2012-05-10 15:20**MOT test number** 766741932148**Result** ✓ Passed**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**MOT #3** 2011-05-09 10:57**MOT test number** 365069621136**Result** ✓ Passed**Advice** Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**Advice** Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**Advice** Offside Rear Anti-roll bar has slight play in a pin/bush (2.4.G.2)**MOT #2** 2011-05-09 10:57**MOT test number** 237449721490**Result** ✗ Failed**Advice** Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**Advice** Offside Rear Anti-roll bar has slight play in a pin/bush (2.4.G.2)**Pass with rectification** Nearside Front Windscreen wiper does not clear the windscreen effectively (8.2.2)**Advice** Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**MOT #1** 2009-11-26 14:02**MOT test number** 201550339347**Result** ✓ Passed



Tax & MOT check

X

Untaxed

Tax expired:
31 January 2022

X

MOT

Expired:
5 April 2022

Tax status	Expired at 31 January 2022
Days left	819 days too late
MOT expiry date	5 April 2022
Full MOT history	See MOT history

Tax calculation

Vehicle class	48
Band	H
Single payment (12 months)	£ 290,00,-
Single six month payment	£ 159,50,-
Total payable by 12 monthly instalments	£ 304,50,-




Damage history

Check the damage history for this VAUXHALL. See if, where and when this VAUXHALL had damage and the car repair costs. We also check if this VAUXHALL was scrapped. Download the premium report [here](#) for the results.


Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	



Extra VAUXHALL salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this VAUXHALL in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this VAUXHALL? How many owners did this VAUXHALL have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner 1	2015-01-01
Owner 2	2015-01-01
Owner 3	2015-01-01
Owner 4	2015-01-01
Owner 5	2015-01-01
Owner 6	2015-01-01

More info >

Plate changes

See in this check if this VAUXHALL had different number plates.

Number of plates	1
Current registration	NV56WLE
Plate since	2015-01-01
Current registration	NV56WLE
Plate since	2015-01-01

More info >



Finance check

Check if this VAUXHALL is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this VAUXHALL has been settled.

If not, and you buy this VAUXHALL then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this VAUXHALL is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	18
First mileage registration	2006-12-18
Last registration	2021-04-03
Complete history	See info



Registration #1	2006-12-18	20 mi
Registration #2	2009-11-26	43.163 mi
Registration #3	2011-05-09	61.391 mi
Registration #4	2012-05-10	65.571 mi
Registration #5	2013-04-30	70.566 mi
Registration #6	2014-04-24	74.341 mi
Registration #7	2015-05-01	78.960 mi
Registration #8	2016-04-06	82.156 mi
Registration #9	2017-04-03	86.400 mi
Registration #10	2018-04-03	90.577 mi
Registration #11	2019-04-03	94.754 mi
Registration #12	2020-04-03	98.931 mi
Registration #13	2021-04-03	103.108 mi
Registration #14	2022-04-03	107.285 mi
Registration #15	2023-04-03	111.462 mi
Registration #16	2024-04-03	115.639 mi
Registration #17	2025-04-03	119.816 mi
Registration #18	2026-04-03	123.993 mi

More info >



Safety ratings

NCAP rating	★★★★☆
Video	see crash video



Dimensions & weight

Width	2036 mm
Height	1460 mm
Length	4611 mm
Wheel base	2700 mm
Kerb weight	1346 kg
Max. allowed weight	1885 kg

Additional information

Fuel tank capacity	61 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats	5
Engine number	20GT0161