

Ford



General information

Make	FORD
Model	FOCUS C-MAX ZETEC
Colour	Blue
Year of manufacture	2005
Top speed	116 mph
0 - 60 mph	11.9 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	113 BHP
Max. torque	155 Nm at 4.150 rpm
Engine capacity	1.596 cc
Cylinders	4
Fuel type	Petrol
Consumption city	31.7 mpg
Consumption extra urban	53.3 mpg
Consumption combined	42.8 mpg
CO2 emission	160 g/km
CO2 label	G







Internet history

Entry 1

Date

2022-01-13

Pictures

Listing price

View report

9



source: autotrader.co.uk



MOT history

MOT expiry date	2024-12-03
MOT pass rate	77 %
MOT passed	17
Failed MOT tests	5
Total advice items	51
Total items failed	10

MOT #22		2023-12-04 12:09
MOT test	number	161037160690
Result		✓ Passed
Next exp	ry date	2024-12-03
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Rear Shock absorbers has light misting of oil both sides (5.3.2 (b))	
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened bot	h sides (1.1.14 (a) (ii))
Advice	Rear Brake pad(s) wearing thin both sides (1.1.13 (a) (ii))	
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened bot	th sides (1.1.14 (a) (ii))
Advice	Front Brake pad(s) wearing thin both sides (1.1.13 (a) (ii))	

MOT #21	2022-11-23 15:04
MOT test number	123675927635
Result	✓ Passed

MOT #20		2022-11-23 15:04
MOT test number		720874468460
Result		🗙 Failed
Pass with rectification	Offside Headlamp aim too low (4.1.2 (a))	





MOT #19		2021-11-04 17:03
MOT test	number	547007566570
Result		✓ Passed
Advice (b))	Nearside Front Headlamp has a product on the lens but not seriously reducing	light output (4.1.4
Advice rear bush	Nearside Front Suspension arm pin or bush worn but not resulting in excessive (5.3.4 (a) (i))	movement T C A
Advice	Nearside Rear Shock absorbers has slight external damage to the casing (5.3.2	2 (b))
Advice	Power steering ram has slight seepage from a joint rack (2.1.5 (a))	
Advice (b))	Offside Front Headlamp has a product on the lens but not seriously reducing lig	ght output (4.1.4
Advice Rear bush	Offside Front Suspension arm pin or bush worn but not resulting in excessive n (5.3.4 (a) (i))	novement T CA
Advice	Nearside Front Anti-roll bar ball joint has slight play (5.3.4 (a) (i))	
Advice	Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Oil leak, but not excessive n/s drive shaft seal (8.4.1 (a) (i))	

MOT #18	2020-11-19 17:06
MOT test number	430153417541
Result	✓ Passed
Advice Nearside Front Headlamp has a product on the lens but not seriously reducing (b))	g light output (4.1.4
Advice Nearside Front Suspension arm pin or bush worn but not resulting in excessive Rear Bush (5.3.4 (a) (i))	e movement T.C.A
Advice Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))	
Advice Offside Front Headlamp has a product on the lens but not seriously reducing I (b))	ight output (4.1.4
Advice Nearside Rear Shock absorbers has slight external damage to the casing Oute	er Cover (5.3.2 (b))





MOT #17	2020-10-26 15:03
MOT test number	459543990323
Result	🗙 Failed
Fail Front Brake disc significantly and obviously worn (1.1.14 (a) (i))	
Advice Nearside Rear Shock absorbers has slight external damage to the casing top cover loose (5.3.2 (b))	r/bump stop
Advice Front Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Advice Nearside Headlamp has a product on the lens but not seriously reducing light outp	out (4.1.4 (b))
FailOffside Front Coil spring fractured or broken (5.3.1 (b) (i))	
Advice Offside Headlamp has a product on the light source but not seriously reducing light (b))	nt output (4.1.4
FailOffside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))	
Fail Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))	
Advice Offside Rear Shock absorbers has slight external damage to the casing top cover/k (5.3.2 (b))	oump stop loose
AdviceNearside Front Suspension arm pin or bush worn but not resulting in excessive model(a) (i))	ovement (5.3.4

MOT #16		2019-10-21 15:56
MOT test n	umber	721757268991
Result		✓ Passed
Advice	Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
	Rear Shock absorbers has slight external damage to the casing both rear sh pstop loose (5.3.2 (b))	ock absorbers outer
Advice	Offside Front Brake disc worn, pitted or scored, but not seriously weakened	(1.1.14 (a) (ii))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice (a) (i))	Nearside Front Suspension arm pin or bush worn but not resulting in excess	ive movement (5.3.4
Advice	Nearside Front Brake disc worn, pitted or scored, but not seriously weakene	d (1.1.14 (a) (ii))
Advice	Front wiper blades hard	





MOT #15	2018-10-25 15:45
MOT test number	809544809885
Result	✓ Passed
Advice Offside Rear Shock absorbers has slight external damage to the casing be (5.3.2 (b))	ump stop/cover loose
Minor Offside Headlamp lens slightly defective (4.1.1 (b) (i))	
Advice Offside Rear Shock absorbers light misting of oil or has limited damping e	effect (5.3.2 (b))
Minor Nearside Headlamp lens slightly defective (4.1.1 (b) (i))	
Advice Nearside Front Suspension arm pin or bush worn but not resulting in exce (a) (i))	essive movement (5.3.4

MOT #14		2017-10-23 15:55
MOT test	number	846135275601
Result		✓ Passed
Advice (2.4.G.2)	Offside Front Suspension arm rubber bush deteriorated but not resulting i	in excessive movement
Advice (2.4.G.2)	Nearside Front Suspension arm rubber bush deteriorated but not resulting	g in excessive movement

MOT #13	2017-10-23 15:23
MOT test number	509469857522
Result	🗙 Failed
Advice Nearside Front Suspension arm rubber bush deteriorated but not resu (2.4.G.2)	lting in excessive movement
Fail Nearside Headlamp excessively deteriorated so that the light output is se	everely reduced (1.7.5a)
Advice Offside Front Suspension arm rubber bush deteriorated but not resulti (2.4.G.2)	ng in excessive movement
Fail Offside Headlamp excessively deteriorated so that the light output is seven	erely reduced (1.7.5a)





MOT #12	2016-10	0-26 15:10
MOT test i	number 2579	29084491
Result		✓ Passed
Advice	Nearside Headlamp has a product on the lens but not seriously reducing light output (1.7	.5a)
Advice	Rear Brake pad(s) wearing thin (3.5.1g)	
Advice	Offside Headlamp has a product on the lens but not seriously reducing light output (1.7.5	a)

MOT #11	2016-10-26 15:10
MOT test number	205524998705
Result	× Failed
Pass with rectification the ply or cords (4.1.D.1a)	Offside Rear Tyre has a cut in excess of the requirements deep enough to reach
Advice Nearside Head	amp has a product on the lens but not seriously reducing light output (1.7.5a)
Advice Rear Brake pad	(s) wearing thin (3.5.1g)
Advice Offside Headlar	np has a product on the lens but not seriously reducing light output (1.7.5a)

MOT #10	2015-10-22 15:00
MOT test number	532210728424
Result	✓ Passed

MOT #9		2014-10-23 16:53
MOT test	number	825686894255
Result		✓ Passed
Advice	Headlamp deteriorated but light output not reduced (1.7.5a)	
Notice	Perishing in sidewall o/s rear tyre	

MOT #8	2013-10-24 12:07
MOT test number	547387293291
Result	✓ Passed





MOT #7		2012-10-25 11:15
MOT test number		896109392212
Result		✓ Passed
MOT #6		2011-10-27 11:08
MOT test number		745050701357
Result		✓ Passed
MOT #5		2010-10-27 09:19
MOT test number		732920600399
Result		✓ Passed
MOT #4		2009-11-02 10:58
MOT test number		542276309314
Result		✓ Passed
Kesuk		V Tusseu
MOT #3		2008-11-19 12:00
MOT test number		351854328311
Result		✓ Passed
MOT #2		2008-06-16 09:39
MOT test number		834408468177
Result		✓ Passed
MOT #1		2008-06-16 09:39
MOT test number		334428468165
Result		🗙 Failed
Pass with rectification	Offside Front Headlamp not working on main beam (1.7.5a)	
Pass with rectification	Offside Front Headlamp aim too high (1.8)	



Tax & MOT check

✓ Taxed Tax due: 1 February 2025	✓ MOT Expires: 3 December 2024
Tax status	Valid until 1 February
Days left	277
MOT expiry date	3 December 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	48
Band	G
Single payment (12 months)	£ 240,00,-
Single six month payment	£ 132,00,-
Total payable by 12 monthly instalments	£ 252,00,-





Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FE D
Category	 L CENPE
Туре	K K
Damage 2	AMPL
Date	
Category	 AMPL
Туре	

Extra FORD salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

	More info >
Plate changes	
See in this check if this FORD had different number plates.	
Research of states	
wanter of parts	1
Current registration	
Carrent registration Plate since	
Carrent registration Fate since Carrent registration	
Carrent registration Fals since Fals since Fals since	1000-01-02





Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FORD is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	23
First mileage registration	2005-07-18
Last registration	2023-12-04
Complete history	See info



Registration #1	2005-07-18	24 mi
Registration #2	2008-06-16	27.476 mi
Registration #3	2008-11-19	28.928 mi
Registration #4	2009-11-02	29.456 mi
Registration #5	2010-10-27	29.894 mi
Registration #6	2011-10-27	30.471 mi
Registration #7	2012-10-25	31.489 mi
Registration #8	2013-10-24	32.036 mi
Registration #9	2014-10-23	32.530 mi
Registration #10	2015-10-22	33.088 mi
Registration #11	2016-10-26	33.459 mi
Registration #12	2016-10-26	33.459 mi
Registration #13		11.777 esi
Registration #14		11.777 est
Registration #15		11.707 esi
Registration #16		11.777 esi
Registration #17		11.707 esi
Registration #18		11.777 est
Registration #19		11.777 esi
Registration #20		11.777 est
Registration #21		11.777 esi
Registration #22		11.317 est
Registration #23		

More info >





Car features

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

Safety ratings

NCAP rating

Video

**** see crash video



Dimensions & weight	
Width	1825 mm
Height	1595 mm
Length	4333 mm
Wheel base	2640 mm
Kerb weight	1371 kg
Max. allowed weight	1870 kg
Additional information	
Fuel tank capacity	55 l
Fuel delivery	Multi-Point Injection
Number of doors	5
Number of seats CarCheck.co.uk	5 page 15/15

Number of axles	2
Engine number	5R43462