





General information

Make	HYUNDAI
Model	SANTA FE CRDI STYLE
Colour	Grey
Year of manufacture	2010
Top speed	118 mph
0 - 60 mph	10.2 seconds
Gearbox	6 speed automatic

Engine & fuel consumption

Power	194 BHP
Max. torque	436 Nm at 2.500 rpm
Engine capacity	2.199 сс
Cylinders	4
Fuel type	Diesel
Consumption city	30.4 mpg
Consumption extra urban	44.8 mpg
Consumption combined	38.2 mpg
CO2 emission	197 g/km
CO2 label	J







Internet history

Entry 1

Date Pictures 2021-06-04

19

Listing price

View report



source: autotrader.co.uk



MOT history

MOT expiry date	2024-06-08
MOT pass rate	65 %
MOT passed	11
Failed MOT tests	6
Total advice items	43
Total items failed	24

MOT #17	2023-06-09 11:31
MOT test number	524592728815
Result	✓ Passed
Next expiry date	2024-06-08
Advice Offside Rear Anti-roll bar pin or bush worn but not resulting in excessive r (a) (i))	novement d bush (5.3.4
Advice Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive (5.3.4 (a) (i))	e movement d bush
Advice Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))	
Advice Engine oil low	



EA10YGU report date: 2024-03-29

MOT #16 202	3-06-02 13:27
MOT test number 9	61844251244
Result	🗙 Failed
Fail Offside Front Headlamp aim unable to be tested (4.1.2 (b))	
FailNearside Front Lower Anti-roll bar ball joint dust cover no longer prevents the ingress of (ii))	dirt (5.3.4 (b)
Advice Offside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement d (a) (i))	bush (5.3.4
Advice Engine oil low	
Fail Nearside Rear Upper Brake pipe excessively corroded (1.1.11 (c))	
Fail Offside Front Headlamp not working on dipped beam (4.1.1 (a) (ii))	
Advice Offside Front Anti-roll bar ball joint has slight play (5.3.4 (a) (i))	
Advice Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))	d bush
Advice Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))	
Fail Nearside Front Position lamp not working (4.2.1 (a) (ii))	
Fail Offside Rear Upper Brake pipe excessively corroded (1.1.11 (c))	

MOT #15	2022-05-25 11:17
MOT test number	436540949846
Result	✓ Passed
Minor Nearside Front Headlamp reflector slight (i))	ly defective low intensity light output. (bulb ?.) (4.1.1 (b)
Minor Registration plate lamp inoperative in the (i))	e case of multiple lamps or light sources 1 of 2. (4.7.1 (b)
Advice Parking brake effort on offside relatively	/ low.



EA10YGU
report date: 2024-03-29

MOT #14	2022-05-16 09:34
MOT test number	767293310912
Result	🗙 Failed
Advice Items removed from driver's view prior to test	
Advice Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Fail Offside Front Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
Fail Parking brake lever has excessive movement indicating incorrect adjustment no reparking brake effort at minimum 16%!. o/s parking brake effort relatively low (1.1.6 (c))	eserve travel,
Minor Nearside Rear Tyre obviously under inflated (5.2.3 (l))	
Advice Nearside Rear Nail in tyre is punctured.	
Fail Front Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))	
FailNearside Front Side repeater not working (4.4.1 (a) (ii))	
Minor Registration plate lamp inoperative in the case of multiple lamps or light sources (i))	5 1 of 2. (4.7.1 (b)

MOT #13	2021-06-03 10:44
MOT test number	960567661158
Result	✓ Passed





MOT #12	2021-05-20 11:07
MOT test number	735702215819
Result	🗙 Failed
Advice Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Fail Offside Inner Drive shaft joint constant velocity boot split or insecure, no longer pre of dirt (6.1.7 (g) (ii))	events the ingress
Advice Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Fail Nearside Side repeater not working (4.4.1 (a) (ii))	
Advice Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b)))
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Fail Parking brake efficiency below requirements (1.4.2 (a) (i))	
Fail All direction indicators incorrect colour (4.4.3 (a))	
Fail Nearside Front Lower Suspension arm ball joint likely to become detached (5.3.4 (a) (ii))
Fail Offside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))	

MOT #11	2020-06-20 11:16
MOT test number	261817176010
Result	✓ Passed
Advice Nearside Front Track rod end ball joint has slight play (2.1.3 (b) (i))	



MOT #10	2019-07-03 15:07
MOT test number	854009185826
Result	✓ Passed
Advice Corrosion to some underbody components / panels	
Advice Rear shock absorber dust boots deteriorated / split: both ns and os	
Advice Undercarriage trays / splash guards / heat shields / engine covers / compone some prescribed areas and or items	ent covers obscuring
Advice Rear Coil spring corroded both ns and os (5.3.1 (b) (i))	
Minor Offside Front Drive shaft joint constant velocity boot severely deteriorated in on smaller end. Preventing the ingress of dirt etc at time of inspection (6.1.7 (g) (i))	ner: gaiter partly split
Advice Rear Tyre worn close to legal limit/worn on edge BOTH tyres 2mm + unever	n wear (5.2.3 (e))

МОТ #9	2019-06-27 08:49
MOT test number	490045190877
Result	🗙 Failed
Fail Front Headlamp aim too high both ns and os (4.1.2 (a))	
Advice Rear Coil spring corroded both ns and os (5.3.1 (b) (i))	
Minor Offside Front Drive shaft joint constant velocity boot severely deteriorated inner: on smaller end. Preventing the ingress of dirt etc at time of inspection (6.1.7 (g) (i))	gaiter partly split
Advice Rear Tyre worn close to legal limit/worn on edge BOTH tyres 2mm + uneven wea	ar (5.2.3 (e))
Advice Corrosion to some underbody components / panels	
Fail Brake pedal has insufficient reserve travel Readings Park Brake: 70 / 60 eff 6% (1.1.	.2 (a))
Fail Offside Front Suspension arm ball joint excessively worn excessive play (5.3.4 (a) (i)))
Fail Parking brake efficiency less than 50% of the required value (1.4.2 (a) (ii))	
Advice Rear shock absorber dust boots deteriorated / split: both ns and os	
Advice Undercarriage trays / splash guards / heat shields / engine covers / component c some prescribed areas and or items	overs obscuring

EA10YGU

report date: 2024-03-29





MOT #8	2018-07-10 12:38
MOT test number	553222143962
Result	✓ Passed
MOT #7	2018-07-04 15:08
MOT test number	427627712541
Result	× Failed
Fail Parking brake efficiency less than 50% of the required value (1.4.2 (a) (ii))	
Fail Nearside Front Shock absorbers has a serious fluid leak (5.3.2 (b))	
Fail Nearside Front Inner Drive shaft joint constant velocity boot split or insecure, ingress of dirt (6.1.7 (g) (ii))	no longer prevents the

MOT #6	2017-10-09 09:13
MOT test number	643909873126
Result	✓ Passed

MOT #5		2016-10-19 13:41
MOT test	number	178382945366
Result		✓ Passed
Advice	O/s/f tyre low on inner edge	
Advice	N/s/f tyre starting to wear on inner edge	

МОТ #4	2016-10-19 08:03
MOT test number	226082653310
Result	🗙 Failed
Advice O/s/f tyre low on inner edge	
Fail Offside Side repeater not working (1.4.A.2c)	
Advice N/s/f tyre starting to wear on inner edge	



MOT #3		2015-04-27 16:46
MOT test	number	475777415162
Result		✓ Passed
Advice	Front Brake pad(s) wearing thin (3.5.1g)	
Notice	Both rear tyres cracking on sidewalls	
Advice	Rear Brake pad(s) wearing thin (3.5.1g)	
MOT #2		2014-04-29 11:24
MOT test	number	275429914155

Result

MOT #1	2013-04-23 09:40
MOT test number	527563513160
Result	✓ Passed
Notice Front and rear pads over%50 worn	

EA10YGU

report date: 2024-03-29

🗸 Passed



Tax & MOT check

√ Taxed	√ МОТ
Tax due: 1 June 2024	Expires: 8 June 2024
Tax status	Valid until 1 June
Days left	33
MOT expiry date	8 June 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	49
Band	J
Single payment (12 months)	£ 365,00,-
Single six month payment	£ 200,75,-
Total payable by 12 monthly instalments	£ 383,25,-





Damage history

Check the damage history for this HYUNDAI. See if, where and when this HYUNDAI had damage and the car repair costs. We also check if this HYUNDAI was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FEI
Category	Lamp
Туре	
Damage 2	AMPL
Damage 2	E Stand
Date	*
Category	A PHP.
Туре	

Extra HYUNDAI salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this HYUNDAI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 10.200





Owner history

For how long did the current and previous owner(s) have this HYUNDAI? How many owners did this HYUNDAI have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second s	

ACCOUNTS OF A DESCRIPTION OF A DESCRIPTI	

	More info >
Plate changes	
Cooling this should if this UNUNDAL had different number plates	
See in this check if this HYUNDAI had different number plates.	
See in this check if this HYUNDAI had different number plates.	,







Finance check

Check if this HYUNDAI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HYUNDAI has been settled.

If not, and you buy this HYUNDAI then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this HYUNDAI is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	





Mileage check

Odometer	In miles
Mileage registrations	19
First mileage registration	2010-04-21
Last registration	2023-06-09
Complete history	<u>See info</u>



Registration #1	2010-04-21	7 mi
Registration #2	2013-04-23	31.622 mi
Registration #3	2014-04-29	39.520 mi
Registration #4	2015-04-27	48.017 mi
Registration #5	2016-10-19	59.307 mi
Registration #6	2016-10-19	59.307 mi
Registration #7	2017-10-09	67.914 mi
Registration #8	2018-07-04	73.209 mi
Registration #9	2018-07-10	73.209 mi
Registration #10	2019-06-27	87.698 mi
Registration #11		11.777 est
Registration #12		11.777 esi
Registration #13		11.777 est
Registration #14		11.777 esi
Registration #15		11.777 esi
Registration #16		11.777 esi
Registration #17		11.777 esi
Registration #18		11.777 est





Car features

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

Safety ratings

NCAP rating

Video

**** see crash video



Dimensions & weight	
Width	1890 mm
Height	1760 mm
Length	4660 mm
Wheel base	2700 mm
Kerb weight	1946 kg
Max. allowed weight	2570 kg
Additional information	
Fuel tank capacity	70
Fuel delivery	Direct Injection
Number of doors	5
Number of seats CarCheck.co.uk	7 page 16/16

Number of axles	2
Engine number	D4HBAU

D4HBAU141640