





General information

Make	AUDI
Model	TT S3 QUATTRO
Colour	Black
Year of manufacture	2002
Top speed	151 mph
Gearbox	6 speed Manual

Engine & fuel consumption

Power	221 BHP
Max. torque	280 Nm at 2.200 rpm
Engine capacity	1.781 cc
Cylinders	4
Fuel type	Petrol
Consumption city	30.4 mpg
Consumption extra urban	21.6 mpg
Consumption combined	39.8 mpg
CO2 emission	226 g/km
CO2 label	L





Internet history


Entry 2

Date Pictures 2021-01-28

10

Listing price

View report



source: autoonline.co.uk

Entry 1

Date

Pictures

2021-01-22

56

Listing price

View report



source: yesauto.com









MOT history

MOT expiry date	2024-04-21
MOT pass rate	64 %
MOT passed	18
Failed MOT tests	10
Total advice items	44
Total items failed	31

MOT #28	2024-04-22 13:06
MOT test number	841824437139
Result	🗙 Failed
Fail Offside Rear fog lamp does not emit a steady red light (4.5.4 (a))	
Advice Front Brake disc worn, but not excessively (1.1.14 (a) (i))	
Fail Exhaust carbon monoxide content at idle exceeds default limits (8.2.1.2 (b))	
Fail Offside Track rod end ball joint dust cover insecure so that it no longer prevents the (2.1.3 (g) (ii))	e ingress of dirt
Advice Nearside Front Wheel bearing has slight play (5.1.3 (a) (i))	
Advice Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Fail Offside Rear Body component damaged and likely to cause injury lamp unit (6.2.1 ((a) (i))
Fail Exhaust carbon monoxide content after 2nd fast idle exceeds default limits (8.2.1.2	2 (b))
Fail Nearside Track rod end ball joint has excessive play (2.1.3 (b) (i))	
Advice Play in steering rack inner joint(s)	
Fail Exhaust hydrocarbon content after 2nd fast idle exceeds default limits (8.2.1.2 (b))	
Fail Nearside Front Outer Drive shaft joint constant velocity boot split or insecure, no lo ingress of dirt (6.1.7 (g) (ii))	nger prevents the



RA02NGG
report date: 2024-03-28

MOT #27	2	023-04-12 16:22
MOT test n	umber	408158965051
Result		✓ Passed
Minor	Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	
	Dffside Front Track rod end ball joint dust cover damaged or deteriorated, but preve lirt (2.1.3 (g) (i))	nting the
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
MOT #26	2	023-04-11 08:30
MOT test n	umber	897702423565
Result		🗙 Failed
Fail Nea	arside Front Tyre has ply or cords exposed (5.2.3 (d) (ii))	
Minor	Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
Fail Nea (5.2.3 (e))	arside Rear Tyre tread depth below requirements of 1.6mm Also has a screw in oute	er shoulder
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Fail Offs	side Front Macpherson strut top bush or bearing has excessive wear or free play (5.	3.4 (a) (i))
	Dffside Front Track rod end ball joint dust cover damaged or deteriorated, but preve lirt (2.1.3 (g) (i))	nting the
Fail Offs	side Front Tyre has ply or cords exposed (5.2.3 (d) (ii))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	

MOT #25	2022-04-11 15:58
MOT test number	736382190575
Result	✓ Passed
MinorWindscreen damaged but not adversely affecting driver's view (3.2 (a) (i))AdviceSlight play in top mounts	



MOT #24	2021-04-10 10:53
MOT test number	885468846243
Result	✓ Passed
MOT #23	2020-04-07 10:42
MOT test number	219210347890
Result	✓ Passed

MOT #22	2019-04-11 13:53
MOT test number	802771475285
Result	✓ Passed
Advice Driver's view Items removed from driver's view prior to test per	mit moved (3.1 (a) (ii))

MOT #21	2019-04-11 10:22
MOT test number	912115147980
Result	🗙 Failed
Advice Driver's view Items removed from driver's view prior to test permit moved (3.1	(a) (ii))
Fail Offside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))	
Advice Offside Rear Tyre has a cut but not deep enough to reach the ply or cords (5.2.3	3 (d) (i))
Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (5.2.3 (e))	
Advice Offside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Fail Nearside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))	
FailOffside Obligatory mirror insecure glass (3.3 (b) (ii))	
Advice Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	



MOT #20		2018-04-18 10:55
MOT test number		129158421412
Result		✓ Passed
Advice Nearsic	le Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice Front S	hock absorber has a light misting of oil both side (2.7.3)	
Advice Front S side (2.4.G.2)	uspension arm rubber bush deteriorated but not resulting in e	excessive movement both
MOT #19		2017-04-05 16:54
MOT test number		712618642887
Result		✓ Passed

MOT #3	18	2017-04-05 10:36
MOT te	st number	133906329134
Result		× Failed
Fail	Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	
Fail	Exhaust emissions carbon monoxide content at idle excessive (7.3.D.4)	
Fail	Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3.D	0.3)

MOT #17	2016-04-15 17:03
MOT test number	980790269105
Result	✓ Passed

MOT #16	2015-04-22 13:22
MOT test number	818082615126
Result	✓ Passed





MOT #15		2014-04-16 15:30
MOT test	number	109636804142
Result		✓ Passed
Notice	Engine covers fitted obscuring some components in the engine bay	
Notice	Under-trays fitted obscuring some underside components	

MOT #14		2013-04-05 13:29
MOT test	number	216815193075
Result		✓ Passed
Notice	Under-trays fitted obscuring some underside components	
Notice	Engine covers fitted obscuring some components in the engine bay	

MOT #13		2012-04-05 16:42
MOT test num	ber	197836292461
Result		✓ Passed
Advice Off	side Rear Shock absorber has a slightly worn bush (2.7.4)	
Notice Nai	l in offside front tyre	

MOT #12	2012-04-04 17:23
MOT test number	505345992042
Result	× Failed
Fail Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Fail Offside Inner Front Anti-roll bar has excessive play in a pin/bush (2.4.G.2)	
Advice Nearside Inner Front Anti-roll bar has slight play in a pin/bush (2.4.G.2)	
Advice Offside Rear Shock absorber has a slightly worn bush (2.7.4)	





MOT #11	2011-04-05 16:07
MOT test number	568255391062
Result	✓ Passed
Notice Offside rear and nearside damage	
MOT #10	2011-04-04 11:26
MOT test number	767404391089
Result	🗙 Failed
Fail Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Notice Offside rear and nearside damage	
Fail Offside Obligatory mirror seriously damaged, affecting the rear view (8.1.2a)	
Notice Engine oil level very low	

МОТ #9	2010-03-31 14:27
MOT test number	331280990067
Result	✓ Passed
Advice Windscreen has damage to an area less than a 10mm circle within zone 'A' (8	.3.1a)

МОТ #8	2010-03-31 14:27	
MOT test number	320280890037	
Result	🗙 Failed	
Advice Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)		
Pass with rectificationOffside Stop lamp not working (1.2.1b)		

MOT #7		2009-04-14 14:16
MOT test	number	244844409180
Result		✓ Passed
Notice Nearside front and offside front lower suspension arm bushes slightly deteriorated but not		
resulting in excessive movement		



RA02NGG
report date: 2024-03-28

MOT #6	2009-04-14 12:46
MOT test number	250424509195
Result	🗙 Failed
Notice Nail in nearside front tyre	
Fail Offside Front Front position lamp(s) not working (1.1.A.3b)	
Notice Nearside front and offside front lower suspension arm bushes slightly deteriorated but not resulting in excessive movement	
Fail Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
MOT #5	2008-04-09 12:14
MOT test number	482230808195
Result	✓ Passed

AdviceOffside Front Tyre worn close to the legal limit (4.1.E.1)AdviceNearside Front Tyre worn close to the legal limit (4.1.E.1)

МОТ #4	2	2008-04-09 12:14
MOT test number		503460408152
Result		× Failed
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)		
Pass with rectification Nearside Front Windscreen wiper does not clear the windscreen effectively		effectively
(8.2.2)		
Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)		
Pass with rectification	Offside Front Windscreen wiper does not clear the windscreen eff	fectively (8.2.2)

МОТ #3	2007-04-13 17:14
MOT test number	352793607161
Result	✓ Passed



MOT #2	2007-04-12 10:53
MOT test number	994292207150
Result	🗙 Failed
Fail Nearside Front Ball joint has excessive play (2.2.B.1f)	
FailNearside Front position lamp(s) not working (1.1.A.3b)	
Fail Nearside Rear Tyre has a cut in excess of the requirements deep enough to (4.1.D.1a)	reach the ply or cords

MOT #1	2006-04-05 16:55
MOT test number	702745696031
Result	✓ Passed



Tax & MOT check

√ Taxed	Х МОТ	
Tax due: 1 April 2025	Expired: 21 April 2024	
Tax status	Valid until 1 April	
Days left	337	
MOT expiry date	21 April 2024	
Full MOT history	See MOT history	

Tax calculation

Vehicle class	48
Band	К
Single payment (12 months)	£ 395,00,-
Single six month payment	£ 217,25,-
Total payable by 12 monthly instalments	£ 414,75,-





Damage history

Check the damage history for this AUDI. See if, where and when this AUDI had damage and the car repair costs. We also check if this AUDI was scrapped. Download the premium report <u>here</u> for the results.

Damage 1		
Date	le l	
Category		Appropriate
Туре		
Damage 2		AMPLE
	K	
Date		1.E
Category		AMP.
Туре		

Extra AUDI salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this AUDI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200





Owner history

For how long did the current and previous owner(s) have this AUDI? How many owners did this AUDI have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second sec	

	More info >
Plate changes	
See in this check if this AUDI had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Current registration	
Plate since	





Finance check

Check if this AUDI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this AUDI has been settled.

If not, and you buy this AUDI then you could lose the money and the car you paid for.


Download the premium report <u>here</u> and check if this AUDI is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	



Mileage check

Odometer	In miles
Mileage registrations	29
First mileage registration	2002-05-14
Last registration	2024-04-22
Complete history	<u>See info</u>



Registration #1	2002-05-14	21 mi
Registration #2	2006-04-05	31.829 mi
Registration #3	2007-04-12	35.560 mi
Registration #4	2007-04-13	35.560 mi
Registration #5	2008-04-09	38.273 mi
Registration #6	2009-04-14	41.740 mi
Registration #7	2009-04-14	41.740 mi
Registration #8	2010-03-31	44.745 mi
Registration #9	2011-04-04	48.559 mi
Registration #10	2011-04-05	48.559 mi
Registration #11	2012-04-04	51.540 mi
Registration #12	2012-04-05	51.540 mi
Registration #13	2013-04-05	52.891 mi
Registration #14	2014-04-16	54.507 mi
Registration #15	2015-04-22	56.025 mi
Registration #16		11.277 es
Registration #17		11.777 esi
Registration #18		11.227 est
Registration #19		11.227 mi
Registration #20		11.217 es
Registration #21		11.227 est
Registration #22		11.777 est
Registration #23		11.227 mi
Registration #24		11.227 est
Registration #25		11.227 mi
Registration #26		11.227 est
CarCheck.co.uk		page 16/17

Registration #27	10.317 esi
Registration #28	11.777 est
Registration #29	11.777 esi





Car features

S0225	Air conditioning
\$0295	
S0482	
S0501	
S0566	
S0567	
S0569	

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1904 mm
Height	1415 mm
Length	4159 mm
Wheel base	2519 mm
Kerb weight	1420 kg
Additional information	
Fuel tank capacity	62 I
Fuel delivery	Multi-Point Injection
Number of doors	3
	5
Number of axles	2