





General information

Make	AUDI
Model	TT QUATTRO (180BHP)
Colour	Blue
Year of manufacture	-
Top speed	140 mph
0 - 60 mph	7.9 seconds
Gearbox	6 speed Manual

Engine & fuel consumption

Power	180 BHP
Max. torque	235 Nm at 1.950 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	21.7 mpg
Consumption extra urban	37.7 mpg
Consumption combined	30.1 mpg



Internet history	
Entry 1	
Date	2021-06-04
Pictures	1
Listing price	View report



source: autotrader.co.uk



MOT history

МОТ #22	2021-10-12 11:19
MOT test number	364106185954
Result	✓ Passed
Next expiry date	2022-10-11
Advice Brake disc worn, pitted or scored, but not seriously weakened all (1.1.14 (a)	(ii))
Advice Offside Front Macpherson strut pin or bush worn but not resulting in excessive movement top mount (5.3.4 (a) (i))	
Advice Offside Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Advice Nearside Front Macpherson strut pin or bush worn but not resulting in excess mount (5.3.4 (a) (i))	sive movement top

MOT #21	2020-0	9-28 16:20
MOT test	number 8610	091782413
Result		✓ Passed
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
Advice	Offside Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	

МОТ #20	2020-09-24 07:47
MOT test number	933375045249
Result	🗙 Failed
Fail Offside Outer Drive shaft joint constant velocity boot split or insecure, no longer of dirt (6.1.7 (g) (ii))	prevents the ingress
Fail Emissions not tested engine misfire (8.2.1.2 (d))	
Advice Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a	ı) (ii))
Advice Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a	a) (ii))
Advice Offside Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))	





MOT #19 2020-08-12 13:16
MOT test number 244889159541
Result × Failed
Fail Nearside Front Lower Suspension arm pin or bush excessively worn (5.3.4 (a) (i))
Advice Brake disc worn, pitted or scored, but not seriously weakened all (1.1.14 (a) (ii))
FailOffside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b)(ii))
Advice Offside Front Macpherson strut pin or bush worn but not resulting in excessive movement top mount (5.3.4 (a) (i))
Fail Offside Rear Brake pipe excessively corroded (1.1.11 (c))
Fail Offside Rear Outer Suspension component mounting prescribed area excessively corroded significantly reducing structural strength sill (5.3.6 (a) (i))
Advice Brake pipe corroded, covered in grease or other material front to rear (1.1.11 (c))
Fail Offside Front Lower Suspension arm pin or bush excessively worn (5.3.4 (a) (i))
Advice Nearside Front Macpherson strut pin or bush worn but not resulting in excessive movement top mount (5.3.4 (a) (i))
Fail Nearside Rear Brake pipe excessively corroded (1.1.11 (c))
Fail Offside Rear Inner Suspension component mounting prescribed area excessively corroded significantly reducing structural strength sill (5.3.6 (a) (i))
Fail Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))





MOT #18	2019-10-11 11:46
MOT test number	439483268775
Result	✓ Passed
Minor Nearside Front Outer Drive shaft joint	constant velocity boot severely deteriorated (6.1.7 (g) (i))
Advice Offside Rear Brake pipe corroded, cor	vered in grease or other material (1.1.11 (c))
Advice Offside Front Lower Suspension arm (5.3.4 (a) (i))	pin or bush worn but not resulting in excessive movement
Advice Rear Brake disc worn, pitted or score	d, but not seriously weakened (1.1.14 (a) (ii))
Minor Offside Front Outer Drive shaft joint co	onstant velocity boot severely deteriorated (6.1.7 (g) (i))
Advice Nearside Rear Brake pipe corroded, c	overed in grease or other material (1.1.11 (c))
Advice Nearside Front Lower Suspension arn (5.3.4 (a) (i))	n pin or bush worn but not resulting in excessive movement

MOT #17 2019-10-11 11:15
MOT test number 929612877524
Result × Failed
Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
Fail Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h))
Advice Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Minor Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
Advice Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
Fail Headlamp levelling device inoperative (4.1.5 (a))
Minor Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))
Advice Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))





MOT #16		2019-03-12 10:10
MOT test nu	mber	816253179367
Result		✓ Passed
Advice N Rear (5.3.4 (a	learside Front Lower Suspension arm pin or bush worn but not resulting ir a) (i))	n excessive movement
Minor Of	fside Front Outer Drive shaft joint constant velocity boot severely deterio	rated (6.1.7 (g) (i))
Advice 0	offside Rear Coil spring corroded (5.3.1 (b) (i))	
Advice O Rear (5.3.4 (a	offside Front Lower Suspension arm pin or bush worn but not resulting in e a) (i))	excessive movement
Minor Ne	earside Front Outer Prop shaft joint constant velocity boot severely deterio	orated (6.1.7 (g) (i))
Advice R	ear exhaust box leaking slightly	

MOT #15	2019-03-11 17:24
MOT test number	796251641454
Result	🗙 Failed
Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in exce Rear (5.3.4 (a) (i))	essive movement
Minor Offside Front Outer Drive shaft joint constant velocity boot severely deteriorate	ed (6.1.7 (g) (i))
Advice Rear exhaust box leaking slightly	
Fail Nearside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))	
Advice Nearside Front Lower Suspension arm pin or bush worn but not resulting in ex Rear (5.3.4 (a) (i))	cessive movement
Minor Nearside Front Outer Prop shaft joint constant velocity boot severely deteriorat	ed (6.1.7 (g) (i))
Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))	





MOT #14	2018-02-22 11:5
MOT test	number 55456449735
Result	V Passe
Advice	Offside Front wheel vibration on rotation , bearing starting to get rough
Advice	Rear Brake pad(s) wearing thin (3.5.1g)
Advice (2.5.C.1a)	Offside Outer Front constant velocity joint gaiter damaged, but preventing the ingress of dirt
Advice	Rear brake lines corroded slightly
Advice (2.5.C.1a)	Nearside Outer Front constant velocity joint gaiter damaged, but preventing the ingress of dirt

MOT #13		2016-11-11 09:19
MOT test	number	881019276901
Result		✓ Passed
Advice	Nearside Front Tyre worn on outer edges	
Advice	Offside Front Macpherson strut has slight movement at the upper attachment (2.5.A.1c)
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Under trays fitted	
Advice	Nearside Front Macpherson strut has slight movement at the upper attachment	(2.5.A.1c)
Advice dirt (2.5.C	Offside Front Outer Front constant velocity joint gaiter deteriorated, but preven .1a)	ting the ingress of
Advice	Offside Front Tyre worn on outer edges	
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Engine covers fitted	
Advice	Offside Rear coil spring corroded (2.4.C.1b)	





MOT #12		2015-11-03 13:29
MOT test		839736941668
Result		✓ Passed
Advice (2.5.C.1a	Offside Front constant velocity joint gaiter deteriorated, but preventing the	ingress of dirt
MOT #11		2014-11-05 15:29
MOT test	number	848419004398
Result		✓ Passed
MOT #10		2014-11-04 17:07
MOT test	number	329148004311
Result		🗙 Failed
Fail	Exhaust system not adequately supported (7.1.1)	
Fail	Offside Rear Anti-roll bar has excessive play in a ball joint (2.4.G.2)	
MOT #9		2013-10-23 13:19
MOT test	number	475286393245
Result		Passed
MOT #8		2012-10-27 11:11

	2012-10-27 11:11
MOT test number	715001402309
Result	✓ Passed
Advice Offside front brake juddering slightly (3.7.A.2b)	
Advice Nearside front brake juddering slightly (3.7.A.2b)	





MOT #7	2011-10-18 08:55
MOT test number	875441491203
Result	✓ Passed
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Notice Nail in nearside front tyre	

MOT #6	2010-10-19 08:51
MOT test number	594762990283
Result	✓ Passed

MOT #5	2009-10-16 09:43
MOT test	number 302109389294
Result	✓ Passed
Notice Both front tyres on 2mm of tread and cut to nearside rear tyre outer sidewall,no cords showing.	
Notice	Both rear shockabsorbers metal dust covers corroded.
Notice	Wipers smearing slightly

MOT #4		2008-10-17 10:48
MOT test	number	892541098244
Result		✓ Passed
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)	

MOT #3	2007-10-02 15:49
MOT test number	713675077234
Result	✓ Passed





MOT #2	2007-05-28 14:24
MOT test number	722848547133
Result	✓ Passed
MOT #1	2007-05-28 12:55
MOT test number	930858047136
Result	🗙 Failed
Fail Exhaust system not adequately supported (7.1.1)	





Damage history

Check the damage history for this AUDI. See if, where and when this AUDI had damage and the car repair costs. We also check if this AUDI was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	
Damage 2	AMPLE
Damage 2	E CAT D
Date	*
Category	AMP
Туре	

Extra AUDI salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this AUDI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.11.111
Auction value	4 10.000
Average private trade value	4 11 711

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this AUDI? How many owners did this AUDI have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second sec	

	More info >
Plate changes	
See in this check if this AUDI had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Current registration	
Plate since	





Finance check

Check if this AUDI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this AUDI has been settled.

If not, and you buy this AUDI then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this AUDI is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2004-06-14
Last registration	2021-10-12
Complete history	See info



Registration #1	2004-06-14	18 mi
Registration #2	2007-05-28	42.159 mi
Registration #3	2007-05-28	42.161 mi
Registration #4	2007-10-02	45.557 mi
Registration #5	2008-10-17	74.195 mi
Registration #6	2009-10-16	95.574 mi
Registration #7	2010-10-19	108.214 mi
Registration #8	2011-10-18	114.230 mi
Registration #9	2012-10-27	122.095 mi
Registration #10	2013-10-23	127.638 mi
Registration #11	2014-11-04	133.863 mi
Registration #12	2014-11-05	133.867 mi
Registration #13		11.777 mi
Registration #14		11.777 esi
Registration #15		11.777 mi
Registration #16		11.777 esi
Registration #17		11.777 mi
Registration #18		11.777 mi
Registration #19		11.777 mi
Registration #20		11.777 esi
Registration #20 Registration #21		11.217 est 21.277 est
-		11.207 est 21.207 est 21.207 est
Registration #21		01,000 ees 01,000 ees 01,000 ees 01,000 ees
Registration #21 Registration #22		0.000 ee 0.000 ee 0.000 ee 0.000 ee 0.000 ee 0.000 ee







Car features

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1856 mm
Height	1345 mm
Length	4041 mm
Wheel base	2429 mm
Kerb weight	1465 kg
Max. allowed weight	1795 kg
Additional information	
Fuel tank capacity	62 l
Fuel delivery	Multi-Point Injection
Number of doors	3
Number of seats CarCheck.co.uk	4 page 16/16

Number of axles	2
Engine number	ARY 020020