





General information

Make	KIA
Model	SORENTO CRDI XE
Colour	Black
Year of manufacture	2004
Top speed	106 mph
0 - 60 mph	11.9 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	138 BHP
Max. torque	313 Nm at 2.000 rpm
Engine capacity	2.500 cc
Cylinders	4
Fuel type	Diesel
Consumption city	25.2 mpg
Consumption extra urban	40.9 mpg
Consumption combined	33.2 mpg
CO2 emission	226 g/km
CO2 label	L





Internet history

Entry 1
Date
Pictures

2021-06-21

26

Listing price

View report









source: autotrader.co.uk



MOT history

MOT expiry date	2022-07-23
MOT pass rate	57 %
MOT passed	16
Failed MOT tests	12
Total advice items	106
Total items failed	40

MOT #28		2021-07-24 15:34
MOT test	number	369183076692
Result		🗸 Passed
Next expi	ry date	2022-07-23
Advice	Rear Registration plate deteriorated but not likely to be misread (0.1 (b))	
Advice	UNDER SEAL HEAVILY	
Advice	Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))





MOT #27	2021-06-25 09:54
MOT test number	872616709455
Result	🗙 Failed
Fail Nearside Front Integral body structure corroded to the extent that the rigidity of significantly reduced inner sill (6.1.1 (c) (i))	f the assembly is
Fail Nearside Rear Integral body structure corroded to the extent that the rigidity of significantly reduced inner sill (6.1.1 (c) (i))	the assembly is
Fail Nearside Integral body structure corroded to the extent that the rigidity of the a significantly reduced outer sill behind side skirt (6.1.1 (c) (i))	assembly is
Advice Nearside Front Brake pipe corroded, covered in grease or other material after	er flexi (1.1.11 (c))
Fail Offside Front Wheel bearing rough when rotated (5.1.3 (b) (i))	
Fail Offside Front Integral body structure corroded to the extent that the rigidity of t significantly reduced inner sill (6.1.1 (c) (i))	he assembly is
Fail Offside Rear Integral body structure corroded to the extent that the rigidity of the significantly reduced inner sill (6.1.1 (c) (i))	ne assembly is
Fail Offside Integral body structure corroded to the extent that the rigidity of the ast reduced outer sill behind side skirt (6.1.1 (c) (i))	sembly is significantly
Advice Offside side step insecure	
Advice Offside Front Brake pipe corroded, covered in grease or other material after	flexi (1.1.11 (c))

MOT #26	2020-07-03 13:52	
MOT test number	507795837575	
Result	✓ Passed	
Advice Offside Front Integral body structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))		
Advice Nearside Rear Integral body structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))		





MOT #25 20)20-06-29 11:23
MOT test number	137207956578
Result	🗙 Failed
Advice Offside Front Integral body structure is corroded but structural rigidity is not signific (6.1.1 (c) (i))	antly reduced
Advice Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice Nearside Rear Integral body structure is corroded but structural rigidity is not signific reduced (6.1.1 (c) (i))	cantly
Fail Offside Front Upper Suspension arm ball joint excessively worn (5.3.4 (a) (i))	
Advice Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))	
Advice Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	1
Fail Nearside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))	
Fail Nearside Rear Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))	

MOT #24		2019-07-04 16:33
MOT test	number	843725235142
Result		✓ Passed
Advice	Anti-roll bar corroded but not seriously weakened front & rear (5.3.3 (b) (i))	
Advice (5.3.6 (a)	Rear Suspension component mounting prescribed area is corroded but not cons (i))	sidered excessive
Advice	Rear tyres are cracked & worn on edges	
Minor dirt (2.1.3	Offside Track rod end ball joint dust cover damaged or deteriorated, but prevent (g) (i))	ing the ingress of
Advice	Rear Valve stem slightly damaged nearside & offside (5.2.3 (j))	
Advice	Front Anti-roll bar pin or bush worn but not resulting in excessive movement (5	.3.4 (a) (i))
Advice	Coil spring corroded all 4 (5.3.1 (b) (i))	
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice rear, offsic	Brake pipe corroded, covered in grease or other material nearside front, offside de rear & longitudinal (1.1.11 (c))	e front, nearside



GR53JDJ
report date: 2024-03-29

MOT #23	2019-07-04 10:47
MOT test number	996089745193
Result	🗙 Failed
Fail Nearside Front Anti-roll bar linkage fractured (5.3.3 (b) (ii))	
Advice Rear Valve stem slightly damaged nearside & offside (5.2.3 (j))	
Advice Anti-roll bar corroded but not seriously weakened front & rear (5.3.3 (b) (i))	
Advice Rear Suspension component mounting prescribed area is corroded but not conside (5.3.6 (a) (i))	ered excessive
Fail Nearside Rear Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii))	
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice Rear tyres are cracked & worn on edges	
Advice Front Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4	4 (a) (i))
Minor Offside Track rod end ball joint dust cover damaged or deteriorated, but preventing dirt (2.1.3 (g) (i))	g the ingress of
Advice Coil spring corroded all 4 (5.3.1 (b) (i))	
Advice Brake pipe corroded, covered in grease or other material nearside front, offside from rear, offside rear & longitudinal (1.1.11 (c))	ont, nearside



GR5	3J	DJ
report date:	2024	4-03-29

МОТ #22	2018-07-18 12:59
MOT test number	620355034019
Result	✓ Passed
Advice Anti-roll bar corroded but not seriously weakened front & rear (5.3.3 (b) (i))	
Advice Front, rear and front to rear brake pipes are corroded	
Advice Rear tyres are cracked	
Advice Coil spring corroded all 4 (5.3.1 (b) (i))	
Minor Offside Track rod end ball joint dust cover damaged or deteriorated, but prevendirt (2.1.3 (g) (i))	enting the ingress of
Advice Suspension component mounting prescribed area is corroded but not conside (a) (i))	ered excessive (5.3.6
Advice Nearside Front tyre is cracked & worn on edges	
Advice Nearside Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))	

MOT #21	2017-07-25 15:45
MOT test number	859449828197
Result	✓ Passed
Advice Anti-roll bar corroded but not seriously weakened front & rear (2.4.G.1)	
Advice Coil spring corroded all 4 (2.4.C.1b)	
Advice Offside Track rod end ball joint dust cover deteriorated, but preventing the in (2.2.C.1c)	ngress of dirt
Advice Nearside Front tyre cracked & worn on edges	
Advice Suspension component mounting prescribed area is corroded but not consid & rear (2.4.A.3)	ered excessive front
Advice Brake pipe slightly corroded front, rear & front to rear (3.6.B.2c)	





MOT #20	2017-07-25 09:25
MOT test number	746807533593
Result	🗙 Failed
Advice Offside Track rod end ball joint dust cover deteriorated, but preventing the ingres (2.2.C.1c)	ss of dirt
Fail Nearside Registration plate lamp not working (1.1.C.1d)	
Advice Anti-roll bar corroded but not seriously weakened front & rear (2.4.G.1)	
Advice Suspension component mounting prescribed area is corroded but not considered & rear (2.4.A.3)	excessive front
Advice Brake pipe slightly corroded front, rear & front to rear (3.6.B.2c)	
Fail Nearside Headlamp aim too high (1.8)	
Advice Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Fail Offside Front Anti-roll bar linkage fractured (2.4.G.1)	
Fail Nearside Rear Suspension component mounting prescribed area is excessively corrected area.	oded (2.4.A.3)
Advice Coil spring corroded all 4 (2.4.C.1b)	
Advice Nearside Front tyre cracked & worn on edges	





10T #19 2017-07-10 15	5:34
10T test number 566090827	669
Result X Fa	iled
Fail Nearside Rear Upper Suspension component mounting prescribed area is excessively corroded axle mount rusted x broken (2.4.A.3)	Э
Fail Rear Registration plate lamp not working (1.1.C.1d)	
Fail Nearside Rear Brake pipe excessively corroded (3.6.B.2c)	
Advice Front Brake pipe slightly corroded x2 (3.6.B.2c)	
FailRear Exhaust system not adequately supported rubber (7.1.1)	
FailPower steering ram(s) leaking from a failed component (2.3.3b)	
Fail Nearside Headlamp aim too high (1.8)	
Fail Offside Rear Brake pipe excessively corroded (3.6.B.2c)	
Advice Front Brake pipe slightly corroded to rear (3.6.B.2c)	
Fail Nearside Rear rear brake binding (3.7.B.1)	





MOT #18		2016-08-09 17:18
MOT test	number	813408379388
Result		✓ Passed
Advice	Engine cover fitted obscuring items	
Advice	Nearside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Nearside Rear Brake pipe slightly corroded + front to rear pipe (3.6.B.2c)	
Advice	Offside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Front wipers starting smear screen	
Advice (2.2.C.1c)	Offside Front Track rod end ball joint dust cover damaged, but preventing the	e ingress of dirt
Advice	Various underneath surface corrosion	
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Offside Rear Brake pipe slightly corroded + front to rear pipe (3.6.B.2c)	
Advice	Nearside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Power steering component(s) has slight seepage from a component both rack	gaiters (2.3.3b)





MOT #17		2016-08-09 10:23
MOT test	number	853892252994
Result		🗙 Failed
Advice	Nearside Rear Brake pipe slightly corroded + front to rear pipe (3.6.B.2c)	
Fail N	earside Rear Outer Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Advice	Offside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Engine cover fitted obscuring items	
Advice (2.2.C.1c)	Offside Front Track rod end ball joint dust cover damaged, but preventing the i	ngress of dirt
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Offside Rear Brake pipe slightly corroded + front to rear pipe (3.6.B.2c)	
Advice	Nearside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Advice	Front wipers starting smear screen	
Advice	Power steering component(s) has slight seepage from a component both rack	gaiters (2.3.3b)
Advice	Various underneath surface corrosion	
Advice	Nearside Front Brake pipe slightly corroded (3.6.B.2c)	

MOT #16	2015-07-15 10:28
MOT test number	105106595170
Result	✓ Passed





MOT #2	15	2015-07-14 09:32
MOT te	st number	725475595111
Result		🗙 Failed
Fail	Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail	Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail	Offside Front position lamp(s) not working (1.1.A.3b)	
Fail	Offside Headlamp not working on main beam (1.7.5a)	
Fail	Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
Fail	Offside Headlamp not working on dipped beam (1.7.5a)	

MOT #14		2014-08-04 11:46
MOT test	number	887446014262
Result		✓ Passed
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)	
Notice	Engine covers fitted obscuring some components in the engine bay	
Notice	Ns/os headlamp lenses deteriorating/turning opaque	
Notice	Osr tyre deteriorating/going out of shape[on 3mm approx]	
Notice	Nsf wiper blade split/osf wiper blade streaking	
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)	
Notice	Vehicle's internal headlight adjuster altered to recheck lights	
Notice	Advise GEOALIGN check/adjust	





MOT #13		2013-08-12 16:50
MOT test	number	385544423299
Result		✓ Passed
Notice	Rear brake pipes covered in grease - corrosion assessment difficult	
Notice	Windscreen damage outside of swept area	
Advice	Nearside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Notice	Slight misting of oil on steering rack gaiters	
Notice	Front tyres worn on inner edge	
Notice	Items removed from driver's view prior to test	
Advice	Offside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Notice	Wiperblades smear windscreen	





MOT #12	2013-08-12 11:17
MOT test number	826614823248
Result	🗙 Failed
Advice Nearside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Notice Front tyres worn on inner edge	
Notice Items removed from driver's view prior to test	
Notice Wiperblades smear windscreen	
Fail Nearside Rear Registration plate lamp not working (1.1.C.1d)	
FailNearside Front Headlamp aim too low (1.8)	
Notice Rear brake pipes covered in grease - corrosion assessment difficult	
Advice Offside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Notice Windscreen damage outside of swept area	
Notice Slight misting of oil on steering rack gaiters	
Fail Offside Rear Registration plate lamp not working (1.1.C.1d)	

MOT #11	2012-08-08 10:41
MOT test number	856651022207
Result	✓ Passed
Advice Rear registration plate delaminated but not likely to be misread (6.3.1d)	

MOT #10	2011-09-12 10:42
MOT test number	427425351256
Result	✓ Passed



GR53JDJ
report date: 2024-03-29

МОТ #9		2011-09-12 10:42
MOT test number		386555051264
Result		🗙 Failed
Pass with rectification	Nearside Headlamp aim too low (1.8)	
Pass with rectification	Offside Headlamp aim too low (1.8)	

MOT #8	2010-09-16 15:31
MOT test number	943919450268
Result	✓ Passed

MOT #7	2010-09-15 15:00
MOT test number	934648250243
Result	🗙 Failed
Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)	

MOT #6		2009-09-08 12:35
MOT test number		472841759249
Result		🗙 Failed
Advice Nearside Rear B	rake pipe slightly corroded (3.6.B.2c)	
Pass with rectification	Nearside Front position lamp(s) not working (1.1.A.3b)	
Advice Offside Rear Bra	ke pipe slightly corroded (3.6.B.2c)	

MOT #5		2009-09-08 12:35
MOT test	number	100651059258
Result		✓ Passed
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	





MOT #4	2008-09-11 11:53
MOT test number	363675458289
Result	✓ Passed
MOT #3	2007-09-11 12:39
MOT test number	904084957259
Result	✓ Passed
MOT #2	2007-02-27 14:15
MOT test number	111878457433
Result	✓ Passed
MOT #1	2007-02-27 09:33
MOT test number	330898257078
Result	× Failed
Fail Nearside Rear reflector missing (1.5.1a)	
Notice Child seat fitted not allowing full inspection of adult belt	
Fail Nearside Rear Body has a sharp edge caused by damage (6.1.C.1)	



Tax & MOT check

Tax calculation

X Untaxed	Х MOT
Tax expired: 14 July 2022	Expired: 23 July 2022
Tax status	Expired at 14 July 2022
Days left	656 days too late
MOT expiry date	23 July 2022
Full MOT history	See MOT history

Vehicle class49BandKSingle payment (12 months)£ 395,00,-Single six month payment£ 217,25,-Total payable by 12 monthly instalments£ 414,75,-





Damage history

Check the damage history for this KIA. See if, where and when this KIA had damage and the car repair costs. We also check if this KIA was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	K K K
Damage 2	AMPL
	F Store
Date	 1. F
Category	 ant
Туре	

Extra KIA salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this KIA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.11.111
Auction value	4 10.000
Average private trade value	4 11 711

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this KIA? How many owners did this KIA have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second sec	

	More info >
Plate changes	
See in this check if this KIA had different number plates.	
Number of plates	
Carrent registration	
Plate since	
Carrent registration	
Plate since	





Finance check

Check if this KIA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this KIA has been settled.

If not, and you buy this KIA then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this KIA is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info \rightarrow





Mileage check

Odometer	In miles
Mileage registrations	28
First mileage registration	2004-02-11
Last registration	2021-07-24
Complete history	<u>See info</u>



Registration #1	2004-02-11	27 mi
Registration #2	2007-02-27	19.873 mi
Registration #3	2007-02-27	19.876 mi
Registration #4	2007-09-11	22.624 mi
Registration #5	2008-09-11	33.127 mi
Registration #6	2009-09-08	45.816 mi
Registration #7	2010-09-15	57.106 mi
Registration #8	2010-09-16	57.110 mi
Registration #9	2011-09-12	64.090 mi
Registration #10	2012-08-08	72.095 mi
Registration #11	2013-08-12	81.169 mi
Registration #12	2013-08-12	81.169 mi
Registration #13	2014-08-04	88.380 mi
Registration #14	2015-07-14	94.893 mi
Registration #15		11.777 esi
Registration #16		11.777 esi
Registration #17		11.777 mi
Registration #18		11.777 esi
Registration #19		11.777 mi
Registration #20		11.117 mi
Registration #21		11.227 mi
Registration #22		11.117 mi
Registration #23		11.227 mi
Registration #24		10.207 est
Registration #25		11.777 mi
Registration #26		11.117 mi
CarCheck.co.uk		page 22/23

Registration #28

7000.00.00

-

11.777 mi

More info >





Car features

S0225	Air conditioning
S0295	
50482	
\$0501	
\$0566	
\$0567	
S0569	

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1885 mm
Height	1805 mm
Length	4590 mm
Wheel base	2710 mm
Kerb weight	2079 kg
Additional information	
Fuel tank capacity	80
Fuel delivery	Direct Injection
Number of doors	5
Number of axles	2
Engine number CarCheck.co.uk	D4CB3 631512