



HYUNDAI



report date: 2024-03-28

General information

Make	HYUNDAI
Model	SANTA FE CRTD LIMITED 7STR
Colour	Blue
Year of manufacture	2008
Top speed	111 mph
0 - 60 mph	11.6 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	155 BHP
Max. torque	335 Nm at 2.500 rpm
Engine capacity	2.188 cc
Cylinders	4
Fuel type	Diesel
Consumption city	29.4 mpg
Consumption extra urban	47.1 mpg
Consumption combined	38.7 mpg
CO2 emission	191 g/km
CO2 label	J





Internet history

Entry 1

Date	2021-05-26
Pictures	20
Listing price	View report



source: autoonline.co.uk



MOT history

MOT expiry date	2024-10-28
MOT pass rate	56 %
MOT passed	14
Failed MOT tests	11
Total advice items	98
Total items failed	37

MOT #25	2023-10-20 15:18
MOT test number	929158702061
Result	✓ Passed
Next expiry date	2024-10-28
Advice	Rear propshaft missing
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

MOT #24	2022-10-27 15:59
MOT test number	782531884707
Result	✓ Passed
Advice	Exhaust emits excessive smoke or vapour but not likely to obscure the vision of other road users (8.2.2.2 (c))
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
Advice	Under body corrosion

**MOT #23**

2022-10-27 13:38

MOT test number

412483616391

Result**✗ Failed****Fail** Front Service brake excessively fluctuating (1.2.1 (e))**Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))**Fail** Front Brake disc significantly and obviously worn (1.1.14 (a) (i))**Advice** Exhaust emits excessive smoke or vapour but not likely to obscure the vision of other road users (8.2.2.2 (c))**Advice** Under body corrosion**MOT #22**

2021-10-29 15:08

MOT test number

909753406311

Result**✓ Passed****Advice** Offside Front Shock absorbers has light misting of oil (5.3.2 (b))**Advice** Front Inner Brake disc worn, pitted or scored, but not seriously weakened ADVISE: both front inner faces of the brake discs are worn/corroded lip/ pitted (1.1.14 (a) (ii))**Advice** ADVISE: underbody/suspension components, exhaust etc. slight corrosion (age relation)**Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened ADVISE: both rear brake discs are worn and corroded on faces (1.1.14 (a) (ii))

**MOT #21**

2021-10-25 14:54

MOT test number

960019344198

Result**✗ Failed**

Fail Nearside Front Lower Suspension arm ball joint excessively worn ns/f bottom ball joint excessive play (5.3.4 (a) (i))

Advice Front Inner Brake disc worn, pitted or scored, but not seriously weakened ADVISE: both front inner faces of the brake discs are worn/corroded lip/ pitted (1.1.14 (a) (ii))

Advice ADVISE: underbody/suspension components, exhaust etc. slight corrosion (age relation)

Fail Offside Rear Parking brake inoperative on one side os/r handbrake not working/ poor effort (1.4.1 (a))

Advice Offside Front Shock absorbers has light misting of oil (5.3.2 (b))

Fail Parking brake efficiency below requirements (1.4.2 (a) (i))

Fail Offside Rear Brake pipe excessively corroded os/r metal brake pipe is excessively corroded marked in chalk (1.1.11 (c))

Advice Rear Brake disc worn, pitted or scored, but not seriously weakened ADVISE: both rear brake discs are worn and corroded on faces (1.1.14 (a) (ii))

Advice ADVISE: fuel flap not closing

Fail Offside Front Position lamp not working os/f side light not working (4.2.1 (a) (ii))

Fail Nearside Rear Brake pipe excessively corroded ns/r metal brake pipe is excessively corroded marked in chalk (1.1.11 (c))

**MOT #20**

2021-06-08 08:52

MOT test number

620183084172

Result**✗ Failed****Fail** Nearside Rear Brake pipe excessively corroded marked with yellow chalk (1.1.11 (c))**Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))**Fail** Offside Rear Parking brake inoperative on one side (1.4.1 (a))**Fail** Nearside Front Suspension arm ball joint excessively worn (5.3.4 (a) (i))**Fail** Offside Rear Brake pipe excessively corroded marked with yellow chalk (1.1.11 (c))**Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))**Fail** Power steering component leaking steering rack (2.1.5 (a))**Advice** Offside Front Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))**MOT #19**

2021-01-28 13:52

MOT test number

944291301191

Result**✓ Passed****Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))**Advice** Play in steering rack inner joint(s)**Advice** Nearside Power steering component has slight seepage from a component steering rack (2.1.5 (a))**Advice** Front Registration plate deteriorated but not likely to be misread (0.1 (b))**Advice** Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement front bush (5.3.4 (a) (i))

**MOT #18**

2021-01-28 11:35

MOT test number

809327591048

Result

✗ Failed

- Advice** Nearside Power steering component has slight seepage from a component steering rack (2.1.5 (a))
- Advice** Front Registration plate deteriorated but not likely to be misread (0.1 (b))
- Advice** Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement front bush (5.3.4 (a) (i))
- Fail** Nearside Rear Wheel bearing has excessive play (5.1.3 (a) (i))
- Advice** Play in steering rack inner joint(s)
- Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Fail** Nearside Rear Wheel bearing rough when rotated (5.1.3 (b) (i))

MOT #17

2020-01-17 14:34

MOT test number

352029052826

Result

✓ Passed

- Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Nearside Rear Wheel bearing has slight play (5.1.3 (a) (i))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Minor** Battery insecure but not likely to fall from carrier (4.13 (a) (i))

**MOT #16**

2020-01-17 10:49

MOT test number

945856444872

Result**✗ Failed**

- Fail** Offside Track rod end ball joint has excessive play (2.1.3 (b) (i))
- Minor** Battery insecure but not likely to fall from carrier (4.13 (a) (i))
- Fail** Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii))
- Fail** Offside Track rod end ball joint dust cover excessively damaged or deteriorated so that it no longer prevents the ingress of dirt (2.1.3 (g) (ii))
- Fail** Offside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))
- Advice** Nearside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Minor** Nearside Windscreen wiper blade defective (3.4 (b) (i))
- Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Fail** Offside Front Coil spring fractured or broken (5.3.1 (b) (i))
- Minor** Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Fail** Nearside Headlamp aim not tested (4.1.2 (b))
- Advice** Nearside Rear Wheel bearing has slight play (5.1.3 (a) (i))
- Fail** Nearside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))
- Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Minor** Offside Windscreen wiper blade defective (3.4 (b) (i))

**MOT #15**

2019-02-01 15:14

MOT test number

211643653177

Result

✓ Passed

- Advice** Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement front bush (5.3.4 (a) (i))
- Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Play in steering rack inner joint(s)
- Advice** Offside Rear Tyre worn close to legal limit/worn on edge worn on inner and outer edges (5.2.3 (e))
- Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Offside Track rod end ball joint has slight play (2.1.3 (b) (i))
- Advice** Nearside Rear Tyre worn close to legal limit/worn on edge worn on inner and outer edges (5.2.3 (e))

MOT #14

2019-02-01 12:12

MOT test number

854587775741

Result

✗ Failed

- Advice** Offside Rear Tyre worn close to legal limit/worn on edge worn on inner and outer edges (5.2.3 (e))
- Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Advice** Nearside Rear Service brake fluctuating, but not excessively disc corroded (1.2.1 (e))
- Advice** Nearside Rear Tyre worn close to legal limit/worn on edge worn on inner and outer edges (5.2.3 (e))
- Advice** Offside Track rod end ball joint has slight play (2.1.3 (b) (i))
- Advice** Play in steering rack inner joint(s)
- Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))
- Fail** Offside Rear Service brake excessively fluctuating disc corroded (1.2.1 (e))
- Fail** Front Brake pad(s) less than 1.5 mm thick on metal (1.1.13 (a) (ii))
- Advice** Nearside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement front bush (5.3.4 (a) (i))

**MOT #13**

2018-02-05 15:02

MOT test number

984838387343

Result

✓ Passed

- Advice** Parking brake lever has little reserve travel (3.1.6b)
- Advice** Nearside Front Tyre worn close to the legal limit worn on inside (4.1.E.1)
- Advice** Front Brake pad(s) wearing thin (3.5.1g)
- Advice** Offside Rear brake disc worn, pitted or scored, but not seriously weakened corroded (3.5.1i)
- Advice** Offside Front Tyre worn close to the legal limit worn on inside (4.1.E.1)
- Advice** Nearside Rear brake disc worn, pitted or scored, but not seriously weakened corroded (3.5.1i)

MOT #12

2018-02-05 11:46

MOT test number

710490376588

Result

✗ Failed

- Fail** Offside Front Lower Suspension arm has excessive play in a ball joint (2.4.G.2)
- Advice** Offside Rear brake disc worn, pitted or scored, but not seriously weakened corroded (3.5.1i)
- Fail** Offside Front Anti-roll bar linkage has excessive play in a ball joint (2.4.G.2)
- Advice** Offside Front Tyre worn close to the legal limit worn on inside (4.1.E.1)
- Fail** Nearside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)
- Advice** Nearside Rear brake disc worn, pitted or scored, but not seriously weakened corroded (3.5.1i)
- Advice** Parking brake lever has little reserve travel (3.1.6b)
- Advice** Nearside Front Tyre worn close to the legal limit worn on inside (4.1.E.1)
- Advice** Front Brake pad(s) wearing thin (3.5.1g)



MOT #11 2017-02-03 12:54

MOT test number 879425878376

Result ✓ Passed

Advice Play in steering rack inner joint(s)

Advice Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

MOT #10 2017-02-03 11:18

MOT test number 334899672461

Result ✗ Failed

Fail Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Fail Offside Rear Tyre has a lump, caused by separation or partial failure of its structure (4.1.D.1b)

Advice Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Fail Nearside Rear Tyre has a lump, caused by separation or partial failure of its structure (4.1.D.1b)

Advice Play in steering rack inner joint(s)

**MOT #9** 2016-01-27 11:42**MOT test number** 175150802502**Result** ✓ Passed

- Advice** Offside Rear Tyre worn close to the legal limit just on legal limit (4.1.E.1)
- Advice** Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)
- Advice** Offside Rear brake disc corroded
- Advice** Nearside Front Tyre worn close to the legal limit just on legal limit (4.1.E.1)
- Advice** Nearside Rear Tyre worn close to the legal limit just on legal limit (4.1.E.1)
- Advice** Offside Rear wheel bearing has slight play (2.6.2)
- Advice** Nearside Rear brake disc corroded
- Advice** Offside Front Tyre worn close to the legal limit just on legal limit (4.1.E.1)

MOT #8 2015-02-04 08:58**MOT test number** 197665335412**Result** ✓ Passed

- Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

MOT #7 2014-02-04 16:12**MOT test number** 186255834084**Result** ✓ Passed

- Advice** Offside Rear Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice** Nearside Rear Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)

**MOT #6** 2014-02-04 14:22**MOT test number** 879235534057**Result** ✗ Failed**Advice** Nearside Front Anti-roll bar has slight play in a ball joint (2.4.G.2)**Advice** Offside Rear Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Fail** Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Fail** Front Brake pad(s) less than 1.5 mm thick (3.5.1g)**Advice** Nearside Rear Anti-roll bar rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)**Fail** Offside Front Anti-roll bar has excessive play in a ball joint (2.4.G.2)**Fail** Nearside Front Tyre not fitted in accordance with side wall instructions (4.1.D.1f)**MOT #5** 2013-02-04 08:37**MOT test number** 796365033040**Result** ✓ Passed**Advice** Rear Brake pad(s) wearing thin (3.5.1g)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**MOT #4** 2012-02-02 10:49**MOT test number** 137213532025**Result** ✓ Passed**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)



MOT #3

2012-02-02 10:49

MOT test number

467393732004

Result

✗ Failed

Advice

Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

Pass with rectification

Offside Front position lamp(s) not working (1.1.A.3b)

Advice

Offside Rear Tyre worn close to the legal limit (4.1.E.1)

MOT #2

2011-01-20 09:20

MOT test number

488060321077

Result

✓ Passed

Advice

Offside Rear Tyre worn close to the legal limit (4.1.E.1)

MOT #1

2011-01-20 09:20

MOT test number

417090221048

Result

✗ Failed

Advice

Offside Rear Tyre worn close to the legal limit (4.1.E.1)

Pass with rectification

Offside Front position lamp(s) not working (1.1.A.3b)



Tax & MOT check

✓
Taxed
Tax due:
1 November 2024

✓
MOT
Expires:
28 October 2024

Tax status	Valid until 1 November
Days left	187
MOT expiry date	28 October 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	49
Band	J
Single payment (12 months)	£ 365,00,-
Single six month payment	£ 200,75,-
Total payable by 12 monthly instalments	£ 383,25,-



Damage history

Check the damage history for this HYUNDAI. See if, where and when this HYUNDAI had damage and the car repair costs. We also check if this HYUNDAI was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra HYUNDAI salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this HYUNDAI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this HYUNDAI? How many owners did this HYUNDAI have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this HYUNDAI had different number plates.

Number of plates	1
Current registration	EN57XVG
Plate since	2019-03-28
Current registration	EN57XVG
Plate since	2019-03-28

More info >



Finance check

Check if this HYUNDAI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HYUNDAI has been settled.

If not, and you buy this HYUNDAI then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this HYUNDAI is financed.

Finance company	XXXXXXXX	XXXX
Date of agreement	XXXXXXXX	XXXX
Agreement type	XXXXXXXX	XXXX
Agreement term	XXXXXXXX	XXXX
Agreement number	XXXXXXXX	XXXX
Contact info	XXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	25
First mileage registration	2008-01-21
Last registration	2023-10-20
Complete history	See info



Registration #1	2008-01-21	14 mi
Registration #2	2011-01-20	28.237 mi
Registration #3	2012-02-02	35.612 mi
Registration #4	2013-02-04	41.251 mi
Registration #5	2014-02-04	48.287 mi
Registration #6	2014-02-04	48.287 mi
Registration #7	2015-02-04	55.620 mi
Registration #8	2016-01-27	62.697 mi
Registration #9	2017-02-03	70.455 mi
Registration #10	2017-02-03	70.460 mi
Registration #11	2018-02-05	77.003 mi
Registration #12	2018-02-05	77.008 mi
Registration #13	2019-02-01	82.955 mi
Registration #14	2019-02-01	82.955 mi
Registration #15	2019-02-01	82.955 mi
Registration #16	2019-02-01	82.955 mi
Registration #17	2019-02-01	82.955 mi
Registration #18	2019-02-01	82.955 mi
Registration #19	2019-02-01	82.955 mi
Registration #20	2019-02-01	82.955 mi
Registration #21	2019-02-01	82.955 mi
Registration #22	2019-02-01	82.955 mi
Registration #23	2019-02-01	82.955 mi
Registration #24	2019-02-01	82.955 mi
Registration #25	2019-02-01	82.955 mi



Car features

The HYUNDAI factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete HYUNDAI factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating ★★★★★

Video [see crash video](#)



Dimensions & weight

Width	1890 mm
Height	1725 mm
Length	4650 mm
Wheel base	2700 mm
Kerb weight	1916 kg
Max. allowed weight	2570 kg

Additional information

Fuel tank capacity	75 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	5

Engine number

D4EB7317581