



C606FNY

report date: 2024-03-28

General information

Make	LAND ROVER
Model	DEFENDER 4C REG
Colour	Black
Year of manufacture	1985
Gearbox	-MANUAL

Engine & fuel consumption

Engine capacity	2.495 cc
Fuel type	Diesel



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-09-30
Pictures	20
Listing price	View report



source: autotrader.co.uk



MOT history

MOT expiry date	2024-03-05
MOT pass rate	71 %
MOT passed	15
Failed MOT tests	6
Total advice items	28
Total items failed	60

MOT #21	2023-03-06 08:46
MOT test number	595283556419
Result	✓ Passed
Next expiry date	2024-03-05



MOT #20	2021-11-17 09:04
MOT test number	901490715673
Result	✗ Failed

Advice Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

Fail Nearside Headlamp aim too high (4.1.2 (a))

Fail Rear Suspension arm ball joint dust cover no longer prevents the ingress of dirt trailing arm (5.3.4 (b) (ii))

Fail Offside Drag link end ball joint dust cover excessively damaged or deteriorated so that it no longer prevents the ingress of dirt (2.1.3 (g) (ii))

Advice Front Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

Fail Nearside Rear Upper Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))

Advice Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))

Advice Nearside Front Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))

Fail Brake performance not tested Brake pipe leak (1.2.1 (g))

Advice Nearside Rear Step mounting corroded

Fail Offside Headlamp aim too far to the right (4.1.2 (a))

Fail Offside Front Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting (6.2.2 (d) (i))

Fail Offside Rear Brake pipe leaking on a hydraulic braking system (1.1.11 (b) (ii))

Fail Rear reflector missing both (4.8.2 (a) (ii))

Fail Offside Vehicle structure excessively corroded within 30cm of towbar mounting (6.1.6 (i) (i))

Advice Oil leak, but not excessive (8.4.1 (a) (i))

Advice Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

Advice Wheel/tyre protruding beyond wheel arch

Fail Offside Rear Upper Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))

Advice Lower Seat belt anchorage prescribed area is corroded but not considered excessive (7.1.1 (a) (i))

Advice Offside Front Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))

Fail Nearside Front Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting (6.2.2 (d) (i))

**MOT #19** 2020-12-23 09:21**MOT test number** 373699995332**Result** ✓ Passed**MOT #18** 2019-05-04 07:42**MOT test number** 208623337994**Result** ✓ Passed**MOT #17** 2018-04-07 08:11**MOT test number** 715089868103**Result** ✓ Passed**MOT #16** 2017-04-01 08:12**MOT test number** 756379687804**Result** ✓ Passed**Advice** Offside Headlamp deteriorated but light output not reduced (1.7.5a)**MOT #15** 2016-03-05 09:04**MOT test number** 380224958520**Result** ✓ Passed**Advice** Nearside Rear wheel bearing has slight play (2.6.2)**MOT #14** 2015-04-02 16:58**MOT test number** 725822795063**Result** ✓ Passed**Notice** Exhaust tail pipe missing**Notice** Exhaust solid mounted**Notice** Nearside rear bumpstop missing**Notice** Oil leaks engine / gearbox

**MOT #13** 2015-04-02 09:57**MOT test number** 398052595042**Result** ✗ Failed**Notice** Nearside rear bumpstop missing**Fail** Windscreen washer provides insufficient washer liquid (8.2.3)**Notice** Oil leaks engine / gearbox**Fail** Hazard warning lamps not flashing in phase, with ignition on (1.4.B.1f)**Notice** Exhaust solid mounted**Notice** Exhaust tail pipe missing**MOT #12** 2015-01-30 17:24**MOT test number** 479360435009**Result** ✓ Passed**MOT #11** 2013-09-25 10:11**MOT test number** 966188963259**Result** ✓ Passed

**MOT #10**

2013-02-22 12:08

MOT test number

185763153496

Result**✗ Failed**

Fail Offside Vehicle structure inadequately repaired seriously affecting its strength within 30cm of towbar mounting (6.6.6)

Pass with rectification Offside Headlamp aim too high (1.8)

Fail Parking brake: efficiency below requirements (3.7.C.1b)

Fail Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)

Fail Emissions not tested (7.0)

Notice Unable to check engine oil as dip stick will not come fully out, now will not go back in!!!

Fail Windscreen washer provides insufficient washer liquid (8.2.3)

Fail Nearside Side repeater not working (1.4.A.2c)

Fail Offside Rear Lower Suspension component mounting prescribed area is excessively corroded (2.4.A.3)

Pass with rectification Nearside Headlamp aim too high (1.8)

Fail Offside Vehicle structure excessively corroded within 30cm of towbar mounting (6.6.6)

Fail Offside Stop lamp not working (1.2.1b)

Fail Exhaust emits excessive smoke or vapour of any colour (7.4.B.4)

Advice Nearside Front Seat belt damaged but webbing not significantly weakened (5.2.2a)

Fail Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)

Fail Rear fog lamp switch faulty (1.3.1a)

Fail Offside Rear Upper Suspension component mounting prescribed area is excessively corroded (2.4.A.3)

Fail Fuel cap/sealing device sealing washer missing (7.2.4c)

MOT #9

2011-10-07 11:46

MOT test number

107620581280

Result**✓ Passed**



MOT #8	2010-10-16 12:05
MOT test number	774029880287
Result	✓ Passed

MOT #7	2009-10-19 16:50
MOT test number	353282399239
Result	✓ Passed
Advice	Power steering component(s) has slight seepage from a component (2.3.3b)

MOT #6	2008-10-23 17:25
MOT test number	582277598207
Result	✓ Passed
Notice	Car heavily undersealed
Notice	Front brake balance borderline pass
Notice	Fuel filler cap sealing ring poor



MOT #5	2008-10-15 13:04
MOT test number	781519188220
Result	✗ Failed
Fail	Rear Stop lamp not working (1.2.1b)
Fail	Nearside Rear Upper Coil spring mounting corroded and seriously weakened (2.4.C.3c)
Fail	Nearside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
Fail	Fuel cap/sealing device does not fasten securely maintaining the sealing arrangement (7.2.4b)
Fail	Offside Rear fog lamp not working (1.3.2b)
Fail	Nearside Windscreen washer provides insufficient washer liquid (8.2.3)
Fail	Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
Fail	Front registration plate insecure (6.3.1b)
Fail	Brakes imbalanced across an axle (3.7.B.5b)
Fail	Rear Exhaust has a part missing (7.1.1a)

MOT #4	2007-10-30 13:59
MOT test number	482933707490
Result	✓ Passed
Notice	SLIGHT CORROSION TO BULKHEAD



MOT #3	2007-10-25 11:01
MOT test number	720248197220
Result	✗ Failed
Fail	Offside Headlamp aim too low (1.8)
Fail	Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)
Notice	SLIGHT CORROSION TO BULKHEAD
Fail	Offside Rear Suspension component mounting prescribed area is excessively corroded (2.4.A.3)
Fail	Steering pivot point has excessive play (2.2.B.1g)
Fail	Offside Obligatory mirror seriously damaged, affecting the rear view (8.1.2a)
Fail	Offside Rear fog lamp emits a light other than red (1.3.2e)
Fail	Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)
Fail	Offside Rear Upper Coil spring mounting corroded and seriously weakened (2.4.C.3c)

MOT #2	2006-09-01 12:14
MOT test number	412684846272
Result	✓ Passed



MOT #1

2006-08-19 10:36

MOT test number

610401536237

Result

✗ Failed

- Fail

Offside Front Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail

Offside Rear Direction indicator incomplete (1.5.A1b)
- Fail

Brakes imbalanced across an axle (3.7.B.5b)
- Fail

Nearside Rear Shock absorber has an excessively worn shock absorber pivot (2.7.4)
- Fail

Nearside Front Drag link end ball joint has excessive play (2.2.B.1f)
- Fail

Nearside Front Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail

Offside Headlamp aim too low (1.8)
- Fail

Nearside Rear Vehicle structure has excessive corrosion, seriously affecting its strength within 30cm of the body mountings (6.1.B.2)
- Fail

Nearside Obligatory mirror missing (8.1.1)
- Fail

Nearside Front Shock absorber detached (2.7.2b)
- Fail

Steering pivot point has excessive play (2.2.B.1g)
- Fail

Nearside Headlamp aim too low (1.8)



Damage history

Check the damage history for this LAND ROVER. See if, where and when this LAND ROVER had damage and the car repair costs. We also check if this LAND ROVER was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	



Extra LAND ROVER salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Owner history

For how long did the current and previous owner(s) have this LAND ROVER? How many owners did this LAND ROVER have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this LAND ROVER had different number plates.

Number of plates	1
Current registration	XXXXXX
Plate since	2024-03-28
Current registration	XXXXXX
Plate since	2024-03-28

More info >



Finance check

Check if this LAND ROVER is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this LAND ROVER has been settled.

If not, and you buy this LAND ROVER then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this LAND ROVER is financed.


Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	22
First mileage registration	1985-08-20
Last registration	2023-03-06
Complete history	See info



Registration #1	1985-08-20	15 mi
Registration #2	2006-08-19	98.611 mi
Registration #3	2006-09-01	98.707 mi
Registration #4	2007-10-25	105.305 mi
Registration #5	2007-10-30	105.305 mi
Registration #6	2008-10-15	111.355 mi
Registration #7	2008-10-23	111.511 mi
Registration #8	2009-10-19	117.942 mi
Registration #9	2010-10-16	123.573 mi
Registration #10	2011-10-07	128.318 mi
Registration #11	2013-02-22	130.327 mi
Registration #12	2013-03-20	131.337 mi
Registration #13	2013-04-19	131.337 mi
Registration #14	2013-05-18	131.337 mi
Registration #15	2013-06-17	131.337 mi
Registration #16	2013-07-16	131.337 mi
Registration #17	2013-08-15	131.337 mi
Registration #18	2013-09-14	131.337 mi
Registration #19	2013-10-13	131.337 mi
Registration #20	2013-11-12	131.337 mi
Registration #21	2013-12-11	131.337 mi
Registration #22	2013-12-11	131.337 mi

More info >



Additional information

Engine number	UNKNOWN
---------------	---------