





General information

| Make | RENAULT |
|---------------------|--------------------------------------|
| Model | MEGANE SCENIC AUTHENTIQUE 16V SCENIC |
| Colour | Beige |
| Year of manufacture | 2003 |
| Top speed | 107 mph |
| Gearbox | 5 speed Manual |

Engine & fuel consumption

| Power | 95 BHP |
|-------------------------|---------------------|
| Max. torque | 127 Nm at 3.750 rpm |
| Engine capacity | 1.390 cc |
| Cylinders | 4 |
| Fuel type | Petrol |
| Consumption city | 29.1 mpg |
| Consumption extra urban | 49.6 mpg |
| Consumption combined | 39.8 mpg |
| CO2 emission | 173 g/km |
| CO2 label | Н |







Internet history

| Entry 1 | | |
|---------------|-------------|--|
| Date | 2022-03-13 | |
| Pictures | 15 | |
| Listing price | View report | |









source: cargurus.co.uk



MOT history

| MOT expiry date | 2025-02-28 |
|--------------------|------------|
| MOT pass rate | 61 % |
| MOT passed | 20 |
| Failed MOT tests | 13 |
| Total advice items | 55 |
| Total items failed | 34 |

| MOT #33 | 2024-03-01 16:55 |
|---|--|
| MOT test number | 644898480720 |
| Result | ✓ Passed |
| Next expiry date | 2025-02-28 |
| Advice Engine oil leak. | |
| Advice Front Lower Suspension arm corroded but not seriously w | veakened both sides of car (5.3.3 (b) (i)) |
| Advice Front brake pads worn thin and both brake discs in poor of | corroded condition,advise attention. |
| Advice Front Coil spring corroded both sides of car (5.3.1 (b) (i)) | |



BPO3YMD report date: 2024-03-29

| MOT #32 | 2024-02-29 14:24 |
|--|-------------------------|
| MOT test number | 371213028315 |
| Result | 🗙 Failed |
| Advice Engine oil leak. | |
| Fail Nearside Front Track rod end ball joint has excessive play (2.1.3 (b) (i)) | |
| Fail Nearside Front Inner Tyre has ply or cords exposed shoulder of tread (5.2.3 (d) (i | i)) |
| Advice Front Lower Suspension arm corroded but not seriously weakened both sides | of car (5.3.3 (b) (i)) |
| Fail Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h)) | |
| Advice Front brake pads worn thin and both brake discs in poor corroded condition, a | dvise attention. |
| Fail Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii)) | |
| Advice Front Coil spring corroded both sides of car (5.3.1 (b) (i)) | |
| Fail Exhaust carbon monoxide content after 2nd fast idle exceeds manufacturer's special (a)) | ecified limits (8.2.1.2 |

| MOT #31 | 2023-01-25 1 | 2:14 |
|----------|--|------|
| MOT test | number 208893028 | 3750 |
| Result | ✓ Pa | ssed |
| Advice | Nearside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) | |
| Advice | Oil leak, but not excessive (8.4.1 (a) (i)) | |
| Advice | Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) | |
| Advice | Offside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) | |
| Advice | Offside Front Seat belt buckle slightly damaged Outer case missing but works (7.1.2 (d)) | |
| Advice | Brake pipe corroded, covered in grease or other material Front to NSR (1.1.11 (c)) | |
| Advice | Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)) | |
| Minor | Stop lamp(s) with a multiple light source up to $1/2$ not functioning Centre (4.3.1 (a) (i)) | |



| B | Ρ | 0 | 3 | Y | Μ | D |
|---|-----|-----|-----|---------------|-------|-------|
| | rep | ort | dat | : e: 2 | 024-(|)3-29 |

| MOT #30 | 2023-01-24 11:47 |
|---|--------------------|
| MOT test number | 522903037931 |
| Result | 🗙 Failed |
| Advice Offside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.1) | 4 (a) (ii)) |
| Advice Oil leak, but not excessive (8.4.1 (a) (i)) | |
| Fail Nearside Front Outer Prop shaft joint constant velocity boot no longer prevents the ir (6.1.7 (g) (ii)) | ngress of dirt |
| Minor Stop lamp(s) with a multiple light source up to 1/2 not functioning Centre (4.3.1 (a |) (i)) |
| Advice Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.1 | 4 (a) (ii)) |
| Advice Nearside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1. | 14 (a) (ii)) |
| Advice Offside Front Seat belt buckle slightly damaged Outer case missing but works (7.3 | L.2 (d)) |
| Advice Brake pipe corroded, covered in grease or other material Front to NSR (1.1.11 (c) |) |
| FailExhaust carbon monoxide content after 2nd fast idle exceeds manufacturer's specifie(a)) | ed limits (8.2.1.2 |
| Advice Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1 | .14 (a) (ii)) |
| Fail Engine MIL inoperative or indicates a malfunction (8.2.1.2 (h)) | |

| MOT #29 | | 2022-01-08 09:55 |
|----------|--|-------------------|
| MOT test | number | 771104301121 |
| Result | | ✓ Passed |
| Minor | Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorate | d (6.1.7 (g) (i)) |
| Advice | Nearside Front Nail in tyre | |
| Advice | Several items on vehicle are corroded | |
| Minor | Power steering fluid level below minimum (2.1.5 (b) (i)) | |
| Minor | Nearside Front Tyre obviously under inflated (5.2.3 (I)) | |
| Advice | Spare tyre defective little to no pressure | |



BP03YMD report date: 2024-03-29

| MOT #28 | 2022-01-05 16:05 |
|---|----------------------|
| MOT test number | 331800608564 |
| Result | 🗙 Failed |
| Minor Nearside Front Tyre obviously under inflated (5.2.3 (l)) | |
| Advice Offside Rear Child Seat fitted not allowing full inspection of adult belt | |
| Fail Front Windscreen washer provides insufficient washer liquid both there is a split in check wipers due to this (3.5 (a)) | n pipe and unable to |
| Minor Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorate | ted (6.1.7 (g) (i)) |
| Advice Nearside Front Nail in tyre | |
| Advice Spare tyre defective little to no pressure | |
| Advice Several items on vehicle are corroded | |
| Fail Offside Front Direction indicator incorrect colour showing too much white light (4.) | 4.3 (a)) |
| Minor Power steering fluid level below minimum (2.1.5 (b) (i)) | |

| MOT #27 | 2021-01-13 10:19 |
|---|------------------|
| MOT test number | 484806468967 |
| Result | ✓ Passed |
| AdviceCentral Exhaust has a minor leak of exhaust gases (6.1.2 (a))MinorNearside Windscreen wiper blade defective (3.4 (b) (i)) | |

| MOT #26 | 2020-01-10 14:01 |
|--|------------------|
| MOT test number | 965520638356 |
| Result | ✓ Passed |
| Advice Exhaust has a minor leak of exhaust gases (6.1.2 (a)) | |



| B | P (| 03 | Y | Μ | D |
|---|------------|-------|--------------|-------|-------|
| | repo | rt da | te: 2 | 024-0 |)3-29 |

| MOT #25 | 2020-01-10 14:02 |
|---|--|
| MOT test number | 878939726030 |
| Result | × Failed |
| Advice Exhaust has a m | ninor leak of exhaust gases (6.1.2 (a)) |
| Pass with rectification longer prevents the ingress | Nearside Outer Drive shaft joint constant velocity boot split or insecure, no of dirt (6.1.7 (g) (ii)) |
| MOT #24 | 2019-01-19 10:58 |
| MOT test number | 330834265743 |
| Result | ✓ Passed |
| | |
| MOT #23 | 2018-01-20 09:4 |
| MOT test number | 590849283543 |
| Result | ✓ Passed |
| | |
| MOT #22 | 2018-01-20 09:4 |
| MOT test number | 438024104055 |
| Result | × Failed |
| Pass with rectification | Nearside Registration plate lamp not working (1.1.C.1d) |
| Pass with rectification | Nearside Outer Front constant velocity joint gaiter insecure to the extent that it |

Pass with rectification Nearside Outer Front constant velocity joint gaiter insecure to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

| MOT #21 | | 2017-01-14 12:14 |
|------------------------|--|-----------------------|
| MOT test | number | 370297918176 |
| Result | | ✓ Passed |
| Advice | Both rear tyres perished and cracked and slight bind on both wheels | |
| Advice | Eml light on emissions only just passed would appear in need of adjustment | or repair |
| Advice | O/s rear brake disc corroded on inner face | |
| Advice dirt (2.5.C. | Nearside Front Outer Front constant velocity joint gaiter damaged, but preve .1a) | enting the ingress of |
| Advice | O/s front tyre perished and cracked | |





| МОТ #20 | 2016-01-29 10:31 |
|--|------------------|
| MOT test number | 496155344520 |
| Result | ✓ Passed |
| Advice Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5 | 5.1i) |
| MOT #19 | 2016-01-29 10:31 |
| MOT test number | 935744437398 |
| Result | 🗙 Failed |
| Pass with rectification Offside Registration plate lamp not working (1.1.C.1d) | |
| Advice Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5 | 5.1i) |
| | |
| MOT #18 | 2015-01-15 11:20 |
| MOT test number | 606925615002 |

| MOIT | st number 600925615002 | |
|--------|--|--|
| Result | ✓ Passed | |
| Advi | ce Nearside Rear position lamp(s) slightly affected by the operation of another lamp (1.1.A.3f) | |
| Advi | Nearside Rear Tyre worn close to the legal limit (4.1.E.1) | |
| Advi | Nearside Front Tyre worn close to the legal limit (4.1.E.1) | |
| Advi | Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i) | |
| | | |

| MOT #17 | 2014-01-20 16:22 |
|-----------------|------------------|
| MOT test number | 729160624043 |
| Result | ✓ Passed |
| | |

| MOT #16 | | 2014-01-20 16:22 |
|-------------------------|--|------------------|
| MOT test number | | 655720624054 |
| Result | | 🗙 Failed |
| Pass with rectification | Offside Headlamp not working on dipped beam (1.7.5a) | |



| B | P(| כן | 3 | Y | Μ | D |
|---|------|------|-----|-------------|-------|-------|
| | repo | rt d | lat | e: 2 | 024-(| 03-29 |

| MOT #15 | 2013-06-25 14:28 |
|---------------------------------|---|
| MOT test number | 407776973189 |
| Result | ✓ Passed |
| | |
| MOT #14 | 2013-06-24 14:21 |
| MOT test number | 579965073131 |
| Result | × Failed |
| Fail Nearside Brake pipe | e excessively corroded (3.6.B.2c) |
| MOT #13 | 2012-06-15 12:08 |
| MOT test number | 906877162194 |
| Result | ✓ Passed |
| Notice N/s front to rear | brake pipe corroding |
| MOT #12 | 2012-06-15 12:08 |
| MOT test number | 169437062176 |
| Result | × Failed |
| Pass with rectification | Offside Windscreen wiper does not clear the windscreen effectively (8.2.2) |
| Pass with rectification | Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2) |

Pass with rectificationRegistration plate lamp not working (1.1.C.1d)

Notice N/s front to rear brake pipe corroding

| MOT #11 | 2011-06-20 09:52 |
|-----------------|------------------|
| MOT test number | 485031271139 |
| Result | ✓ Passed |





| MOT #3 | 10 | 2010-06-21 09:43 |
|--------|---|--------------------|
| MOT te | st number | 174282570134 |
| Result | | ✓ Passed |
| Advic | e Nearside Front Tyre worn close to the legal limit (4.1.E.1) | |
| MOT # |) | 2009-06-24 17:03 |
| MOT te | st number | 624435579106 |
| Result | | 🗸 Passed |
| | | |
| MOT #8 | 3 | 2009-06-22 16:21 |
| MOT te | st number | 654263979180 |
| Result | | 🗙 Failed |
| Fail | Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail | Offside Front Front constant velocity joint gaiter insecurely mounted to its ho | using (2.5.C.1a) |
| Fail | Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail | Nearside Front Front constant velocity joint gaiter insecurely mounted to its h | nousing (2.5.C.1a) |

| MOT #7 | 2008-04-14 15:44 |
|-----------------|------------------|
| MOT test number | 463115308126 |
| Result | ✓ Passed |

| MOT #6 | 5 | 2008-04-10 12:18 |
|--------|---|------------------|
| MOT te | st number | 743791208139 |
| Result | | 🗙 Failed |
| Fail | Offside Front Mechanical brake component has restricted free movement (3.5.1k) | |
| Fail | Nearside Front Mechanical brake component has restricted free movement (3.5.1k) | |
| Fail | Offside Rear fog lamp not working (1.3.2b) | |





| MOT # | 5 | 2007-08-28 11:26 |
|--------|---|------------------|
| MOT te | st number | 963820847276 |
| Result | | ✓ Passed |
| | | |
| MOT #4 | 1 | 2007-08-20 14:11 |
| MOT te | st number | 533732237243 |
| Result | | 🗙 Failed |
| Fail | Rear Brake pad(s) less than 1.5 mm thick (3.5.1g) | |
| Fail | Front Brake pad(s) less than 1.5 mm thick (3.5.1g) | |
| Fail | Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail | Offside Front brake disc in such a condition that it is seriously weakened (3.5.1i) | |
| Fail | Brakes imbalanced across an axle (3.7.B.5b) | |

| MOT #3 | 2006-08-15 09:18 |
|---------------------------------|--|
| MOT test number | 423267726256 |
| Result | × Failed |
| Pass with rectification (8.2.2) | Nearside Front Windscreen wiper does not clear the windscreen effectively |
| Pass with rectification | Offside Registration plate lamp not working (1.1.C.1d) |
| Pass with rectification | Offside Front Windscreen wiper does not clear the windscreen effectively (8.2.2) |

| MOT #2 | 2006-08-15 09:18 |
|-----------------|------------------|
| MOT test number | 192147826288 |
| Result | ✓ Passed |
| | |
| MOT #1 | 2006-04-25 15:20 |
| NOTION | 000000420110 |

| MOT test number | 980620436118 |
|-----------------|--------------|
| Result | ✓ Passed |



Tax & MOT check

| ✓ Taxed | мот |
|------------------------|------------------------------|
| Tax due: 1 May 2024 | Expires: 28 February 2025 |
| Tax status | Valid until 1 May |
| Days left | 2 |
| MOT expiry date | 28 February 2025 |
| Full MOT history | See MOT history |

Tax calculation

| Vehicle class | 48 |
|---|------------|
| Band | н |
| Single payment (12 months) | £ 290,00,- |
| Single six month payment | £ 159,50,- |
| Total payable by 12 monthly instalments | £ 304,50,- |





Damage history

Check the damage history for this RENAULT. See if, where and when this RENAULT had damage and the car repair costs. We also check if this RENAULT was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | |
|----------|-------------|
| Date | FER I |
| Category | A PLANE |
| Туре | |
| Damage 2 | AMPLE |
| Damage 2 | E Stand |
| Date | * |
| Category | ante. |
| Туре | |

Extra RENAULT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





Vehicle valuation

What is this car worth? See the vehicle value of this RENAULT in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

| Trade retail value | 4.00.000 |
|-----------------------------|----------|
| Auction value | 4 10.000 |
| Average private trade value | 4 10.200 |





Owner history

For how long did the current and previous owner(s) have this RENAULT? How many owners did this RENAULT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| xxxxxxxx | |
|--|-------------|
| ********** | |
| ******* | |
| ******* | |
| ********** | |
| ******* | |
| | More info > |
| Plate changes | |
| See in this check if this RENAULT had different number plates. | |
| Number of plates | , |
| Current registration | |
| Plate since | |
| Current registration | |
| Plate since | |
| | More info > |





Finance check

Check if this RENAULT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this RENAULT has been settled.

If not, and you buy this RENAULT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this RENAULT is financed.


| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |



BPO3YMD report date: 2024-03-29

Mileage check

| Odometer | In miles |
|----------------------------|-----------------|
| Mileage registrations | 32 |
| First mileage registration | 2003-07-21 |
| Last registration | 2024-03-01 |
| Complete history | <u>See info</u> |



| Devicturation #1 | 2002 07 21 | 24 mi |
|------------------|------------|------------|
| Registration #1 | 2003-07-21 | 24 mi |
| Registration #2 | 2006-04-25 | 17.809 mi |
| Registration #3 | 2006-08-15 | 19.516 mi |
| Registration #4 | 2007-08-20 | 25.184 mi |
| Registration #5 | 2007-08-28 | 25.327 mi |
| Registration #6 | 2008-04-10 | 30.877 mi |
| Registration #7 | 2008-04-14 | 30.928 mi |
| Registration #8 | 2009-06-22 | 41.996 mi |
| Registration #9 | 2009-06-24 | 41.996 mi |
| Registration #10 | 2010-06-21 | 47.568 mi |
| Registration #11 | 2011-06-20 | 52.475 mi |
| Registration #12 | 2012-06-15 | 56.930 mi |
| Registration #13 | 2013-06-24 | 62.206 mi |
| Registration #14 | 2013-06-25 | 62.206 mi |
| Registration #15 | 2014-01-20 | 64.043 mi |
| Registration #16 | 2015-01-15 | 66.413 mi |
| Registration #17 | | 11.777 mi |
| Registration #18 | | 11.777 esi |
| Registration #19 | | 11.777 mi |
| Registration #20 | | 11.777 est |
| Registration #21 | | 11.777 mi |
| Registration #22 | | 11.777 est |
| Registration #23 | | 11.777 mi |
| Registration #24 | | 11.777 est |
| Registration #25 | | 11.777 mi |
| Registration #26 | | 11.777 est |
| CarCheck.co.uk | | page 17/18 |

| Registration #27 | 11.777 est |
|------------------|------------|
| Registration #28 | 11.777 est |
| Registration #29 | 11.777 est |
| Registration #30 | 11.777 est |
| Registration #31 | 11.777 esi |
| Registration #32 | 11.117 esi |





Car features

| S0225 | Air conditioning |
|-------|------------------|
| S0295 | |
| S0482 | |
| S0501 | |
| S0566 | |
| S0567 | |
| S0569 | |

Safety ratings

NCAP rating

Video

see crash video



| Dimensions & weight | |
|-----------------------------------|-----------------------|
| Width | 2007 mm |
| Height | 1600 mm |
| Length | 4140 mm |
| Wheel base | 2580 mm |
| Kerb weight | 1315 kg |
| Max. allowed weight | 1880 kg |
| Additional information | |
| Fuel tank capacity | 60 I |
| Fuel delivery | Multi-Point Injection |
| Number of doors | 5 |
| Number of axles CarCheck.co.uk | 2 page 18/18 |