





## General information

Make	FIAT
Model	BARCHETTA
Colour	Red
Year of manufacture	1996
Gearbox	-

## Engine & fuel consumption

Engine capacity	1.747 cc	0 < 101 A	LABEL UNKNOW
Fuel type	Petrol	101 - 120 B 121 - 140 E	
		141 165 F	

225+



## Internet history

Entry 1

Date


2021-07-11

5

Pictures

Listing price

View report



source: autotrader.co.uk



### MOT history

MOT expiry date	2024-06-29	
MOT pass rate	57 %	
MOT passed	17	
Failed MOT tests	13	
Total advice items	51	
Total items failed	48	

MOT #30	2023-06-30 07:20
MOT test number	651905801049
Result	✓ Passed
Next expiry date	2024-06-29

MOT #29	2023-06-29 11:42
MOT test number	435861962570
Result	× Failed
Fail     Nearside Front Inner Drive shaft joint constant velocity boot split or insecur       ingress of dirt (6.1.7 (g) (ii))	re, no longer prevents the
<b>Fail</b> Supplementary restraint system warning lamp indicates a fault (7.1.6 (a))	
Fail     Offside Front Suspension arm ball joint dust cover no longer prevents the in	ngress of dirt (5.3.4 (b) (ii))

MOT #28	2022-06-10 14:30
MOT test number	573980530363
Result	✓ Passed



MOT #2	<b>27</b> 2022-05-28 11:17
MOT te	<b>st number</b> 166491321232
Result	× Failed
Fail	Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
Fail	Exhaust emissions - engine idle speed too high (8.2.1.2 (e))
<b>Fail</b> structu	Offside Suspension component mounting prescribed area excessively corroded significantly reducing ral strength floor (5.3.6 (a) (i))
Advic	Offside Rear Road wheel slightly distorted (5.2.2 (c) (i))
Fail	Offside Headlamp light intensity severely reduced (4.1.4 (a))
Fail	Offside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))
<b>Fail</b> (a) (i))	Nearside Seat belt anchorage prescribed area strength or continuity significantly reduced floor (7.1.1
Fail	Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
Fail	Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))
Fail reducir	Nearside Suspension component mounting prescribed area excessively corroded significantly ng structural strength floor (5.3.6 (a) (i))
Fail	Parking brake efficiency below requirements (1.4.2 (a) (i))
<b>Fail</b> arch pa	Offside Rear Inner Suspension component mounting prescribed area is inadequately repaired wheel atch (5.3.6 (a) (i))
Fail	Nearside Headlamp light intensity severely reduced (4.1.4 (a))
Fail	Nearside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))
Fail	Central Front Lower Exhaust has a major leak of exhaust gases flexi section (6.1.2 (a))
<b>Fail</b> ingress	Nearside Front Inner Drive shaft joint constant velocity boot split or insecure, no longer prevents the of dirt (6.1.7 (g) (ii))
<b>Fail</b> (a) (i))	Offside Seat belt anchorage prescribed area strength or continuity significantly reduced floor (7.1.1



MOT #26		2021-05-13 10:52
MOT test	number	779163807431
Result		✓ Passed
Advice	Front Brake disc worn, but not excessively both (1.1.14 (a) (i))	
Advice	Front Coil spring corroded both (5.3.1 (b) (i))	
Advice	Front Brake pad(s) wearing thin (1.1.13 (a) (ii))	
Advice	Rear Coil spring corroded both (5.3.1 (b) (i))	
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened both (1.1.14	(a) (ii))
Advice	Offside Front Tyre worn close to legal limit/worn on edge edge worn slightly (5.2	.3 (e))

MOT #25		2020-05-12 13:58
MOT test	number	255696279395
Result		✓ Passed
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (	ii))
Advice	Rear Coil spring corroded both (5.3.1 (b) (i))	
Advice	Offside Front Tyre worn close to legal limit/worn on edge edge worn (5.2.3 (e))	
Advice	Front Coil spring corroded both (5.3.1 (b) (i))	
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (i	i))
Advice	Oil leak, but not excessive (8.4.1 (a) (i))	



<b>N8900A</b>	Ε
report date: 2022-08	3-09

MOT #24		2019-04-15 12:39
MOT test	number	714411521648
Result		✓ Passed
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened both (1.1.1	4 (a) (ii))
Advice	Rear Coil spring corroded both (5.3.1 (b) (i))	
Advice	Front Coil spring corroded both (5.3.1 (b) (i))	
Advice	Front Brake pad(s) wearing thin aprox 70 $\%$ worn (1.1.13 (a) (ii))	
MOT #23		2019-04-15 11:13
MOT #23 MOT test	number	2019-04-15 11:13 798139942877
	number	
MOT test	<b>number</b> Front Coil spring corroded both (5.3.1 (b) (i))	798139942877
MOT test Result		798139942877
MOT test Result Advice Advice	Front Coil spring corroded both (5.3.1 (b) (i)) Front Brake pad(s) wearing thin aprox 70 % worn (1.1.13 (a) (ii)) earside Rear Parking (secondary brake) on a single line braking system has inade	798139942877 🗙 Failed

Advice Front Brake disc worn, pitted or scored, but not seriously weakened both (1.1.14 (a) (ii))

Advice Rear Coil spring corroded both (5.3.1 (b) (i))

MOT #22		2018-04-10 15:17
MOT test	number	158317976115
Result		✓ Passed
Advice	Nearside Rear coil spring corroded (2.4.C.1b)	
Advice	Nearside Front Vehicle structure has slight corrosion (6.1.A.1)	
Advice	Offside Rear Road wheel with a slightly distorted bead rim (4.2.A.1a)	
Advice	Offside Rear coil spring corroded (2.4.C.1b)	
Advice	Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)	



MOT #21	2018-04-05 15:43
MOT test number	787350389622
Result	🗙 Failed
Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8	.3.1d)
Advice Offside Rear coil spring corroded (2.4.C.1b)	
Advice Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)	
Fail     Offside Rear Inner Brake pipe excessively corroded (3.6.B.2c)	
FailRear Brakes imbalanced across an axle Axle 2 (3.7.B.5b)	
<b>Fail</b> Nearside Front Suspension arm ball joint dust cover excessively deteriorated so the prevents the ingress of dirt (2.4.G.2)	at it no longer
Advice Nearside Rear coil spring corroded (2.4.C.1b)	
Advice Nearside Front Vehicle structure has slight corrosion (6.1.A.1)	
Advice Offside Rear Road wheel with a slightly distorted bead rim (4.2.A.1a)	
FailParking brake: efficiency below requirements (3.7.B.7)	
Fail     Nearside Rear Inner Brake pipe excessively corroded (3.6.B.2c)	

MOT #20	2017-03-08 16:50
MOT test number	426590625805
Result	✓ Passed
Advice Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)	

MOT #19	2017-03-08 16:50
MOT test number	509483334036
Result	× Failed
Pass with rectification	Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)
Advice Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)	





MOT #18	2016-08-12 17:11
MOT test number	388658560238
Result	✓ Passed
MOT #17	2016-08-12 09:59
MOT test number	132687641987
Result	× Failed
Fail Rear Brakes imbalanced across an axle Axle 2 (3.7.B.5b)	
Fail     Nearside Front Inner Road wheel bead rim badly distorted (4.2.A.1a)	
MOT #16	2015-09-12 11:00
MOT test number	156506950454
Result	✓ Passed
Advice Exhaust heat shield ratling	
MOT #15	2014-09-06 12:53
MOT #15 MOT test number	398039444493
Result	✓ Passed
NO SUL	V Tusseu
MOT #14	2014-09-06 11:28
MOT test number	569999744239
Result	🗙 Failed

FailSupplementary Restraint System warning lamp indicates a fault (5.4.2)

MOT #13	2013-08-31 12:17
MOT test number	126493443291
Result	✓ Passed



MOT #12	2013-08-31 11:20
MOT test number	676223943204
Result	🗙 Failed
Fail     Parking brake: efficiency below requirements (3.7.B.7)	
MOT #11	2012-08-04 10:47
MOT test number	895137812280
Result	✓ Passed
MOT #10	2011-07-30 12:16
MOT test number	809881711216
Result	✓ Passed
Advice Nearside Inner Front Road wheel with a slightly distorted bead rim (4.2.A.1a)	
MOT #9	2010-07-21 16:11
MOT test number	973842200263
Result	✓ Passed
MOT #8	2010-07-17 10:25
MOT test number	463188190109
Result	🗙 Failed
Fail     Nearside Rear position lamp(s) not working (1.1.A.3b)	

**Fail** Rear fog lamp obviously incorrectly positioned (1.3.2a)

**Fail** Nearside Registration plate lamp not working (1.1.C.1d)

MOT #7	2009-07-16 17:31
MOT test number	260827499157
Result	✓ Passed
<b>Notice</b> Slight corrosion to the outer floor pan both sides below the seats	



MOT #6	2009-07-01 15:40
MOT test number	570962789153
Result	🗙 Failed
<ul><li>Fail Parking brake lever has no reserve travel (3.1.6b)</li><li>Fail Nearside Rear Radius arm has excessive play in a pin/bush (2.4.G.2)</li></ul>	
<b>Notice</b> Slight corrosion to both outer floor pans under seats	

MOT #5	2008-06-11 16:46
MOT test number	642983968131
Result	✓ Passed

МОТ #4	2008-05-19 16:03
MOT test number	133580748188
Result	🗙 Failed
<b>Fail</b> Offside Rear Radius arm has excessive play in a pin/bush (2.4.G.2)	

MOT #3	2006-11-01 14:30
MOT test number	411125306311
Result	✓ Passed
<b>Notice</b> Both rear subframe mountings split	



MOT #2 2006-10-25 1	5:35
MOT test number 630098196	239
Result × Fa	ailed
Fail     Nearside Rear brake disc excessively pitted (3.5.1h)	
Fail     Parking brake: efficiency below requirements (3.7.B.7)	
Advice Offside Brake load sensing valve linkage stiff (3.6.E.3)	
Fail     Nearside Registration plate lamp not working (1.1.5c)	
Notice Neraside parking brake cable worn	
<b>Advice</b> Service brake: service brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)	
Fail     Offside Stop lamp not working (1.2.1b)	
<b>Fail</b> Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	
Advice Steering column top bearing slightly worn (2.1.2c)	
Advice Offside Rear Trailing arm has slight play in a pin bearing (2.4.G.2)	
Notice Both rear subframe bushes worn	
Fail     Windscreen washer provides insufficient washer liquid (8.2.3)	

**N8900AE** 


report date: 2022-08-09



MOT #1 2006-10-25	15:26
<b>MOT test number</b> 1636789	96283
Result	Failed
Fail     Windscreen washer provides insufficient washer liquid (8.2.3)	
Notice Both rear subframe bushes worn	
Fail     Offside Stop lamp not working (1.2.1b)	
Fail     Parking brake: efficiency below requirements (3.7.B.7)	
Advice Offside Rear Brake load sensing valve linkage stiff (3.6.E.3)	
Notice Nearside parking brake cable worn	
Advice Nearside Rear Service brake: service brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)	
<b>Fail</b> Nearside Registration plate lamp not working (1.1.5c)	
Fail     Nearside Rear brake disc excessively pitted (3.5.1h)	
Advice Steering column top bearing slightly worn (2.1.2c)	
Advice Offside Trailing arm has slight play in a pin bearing (2.4.G.2)	



Tax & MOT check







### Damage history

Check the damage history for this FIAT. See if, where and when this FIAT had damage and the car repair costs. We also check if this FIAT was scrapped. Download the premium report <u>here</u> for the results.

Damage 1		
Date		
Category		Lamp
Туре		
Damage 2		AMPL
	4	
Date		1.E
Category		amt
Туре		

#### Extra FIAT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





### Owner history

For how long did the current and previous owner(s) have this FIAT? How many owners did this FIAT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second s	
***********	
*******	
******	
**********	
*******	
	More info >
Plate changes	
See in this check if this FIAT had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	
	More info >





#### Finance check

Check if this FIAT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FIAT has been settled.

If not, and you buy this FIAT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FIAT is financed.


Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info  $\rightarrow$ 



## Mileage check

Mileage registrations32First mileage registration1996-12-31Last registration2023-06-30	Odometer	In miles
	Mileage registrations	32
Last registration2023-06-30	First mileage registration	1996-12-31
	Last registration	2023-06-30
Complete history See info	Complete history	See info



Registration #1	1996-12-31	8 mi
Registration #2	2006-10-25	88.331 mi
Registration #3	2006-10-25	88.331 mi
Registration #4	2006-11-01	88.333 mi
Registration #5	2008-05-19	150.366 mi
Registration #6	2008-06-11	93.454 mi
Registration #7	2009-07-01	151.071 mi
Registration #8	2009-07-16	151.073 mi
Registration #9	2010-07-17	94.375 mi
Registration #10	2010-07-21	151.849 mi
Registration #11	2011-07-30	95.007 mi
Registration #12	2012-08-04	95.180 mi
Registration #13	2013-08-31	95.725 mi
Registration #14	2013-08-31	95.727 mi
Registration #15	2014-09-06	96.346 mi
Registration #16	2014-09-06	96.346 mi
Registration #17		11.777 mi
Registration #18		11.277 esi
Registration #19		11.777 mi
Registration #20		11.217 est
Registration #21		11.777 mi
Registration #22		11.777 est
Registration #23		10.207 mi
Registration #24		10.200 est
Registration #25		10.207 mi
Registration #26		11.217 est
CarCheck.co.uk		page 17/18

Registration #27	11.777 est
Registration #28	11.777 est
Registration #29	11.777 est
Registration #30	11.777 est
Registration #31	11.777 esi
Registration #32	11.117 esi

More info  $\rightarrow$ 





### Car features

50225	Air conditioning
50295	
50482	
50501	
50566	
0567	
60569	

# Additional information

Number of seats	2
Engine number	NOT KNOWN