

Ford



General information

| Make | FORD |
|---------------------|--------------------------------------|
| Model | TRANSIT CONNECT TDCI T230 LX LWB P/V |
| Colour | Blue |
| Year of manufacture | 2005 |
| Gearbox | 5 speed Manual |

Engine & fuel consumption

| Power | 89 BHP |
|-----------------|---------------------|
| Max. torque | 220 Nm at 1.750 rpm |
| Engine capacity | 1.753 сс |
| Cylinders | 4 |
| Fuel type | Diesel |
| | |







| Internet history | | |
|------------------|-------------|--|
| Entry 1 | | |
| Date | 2021-01-31 | |
| Pictures | 1 | |
| Listing price | View report | |



source: autoonline.co.uk



MOT history

| MOT expiry date | 2024-04-04 |
|--------------------|------------|
| MOT pass rate | 55 % |
| MOT passed | 16 |
| Failed MOT tests | 13 |
| Total advice items | 82 |
| Total items failed | 62 |





| MOT #29 202 | 4-03-09 11:35 |
|--|---------------|
| MOT test number 1 | 20516367683 |
| Result | 🗙 Failed |
| Advice Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 | (a) (ii)) |
| Fail Offside Headlamp has a product on the lens so that the light output is severely reduced (| (4.1.4 (b)) |
| Fail Offside Headlamp light intensity severely reduced (4.1.4 (a)) | |
| Minor Offside Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i)) | |
| Fail Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii)) | |
| Advice Offside Brake pipe corroded, covered in grease or other material (1.1.11 (c)) | |
| FailOffside Tyre has ply or cords exposed (5.2.3 (d) (ii)) | |
| Fail Parking brake efficiency below requirements (1.4.2 (a) (i)) | |
| Fail Offside Headlamp has a product on the lens so that the light output is severely reduced (| (4.1.4 (b)) |
| Advice Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a |) (ii)) |
| Fail Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii) |) |
| Fail (a) (i))Offside Inner Seat belt anchorage prescribed area strength or continuity significantly red | uced (7.1.1 |
| Minor Nearside Rear Electrical wiring insecure (4.11 (a) (i)) | |
| Fail Offside Tyre tread depth below requirements of 1.6mm (5.2.3 (e)) | |
| Fail Nearside Front Brake pipe excessively corroded (1.1.11 (c)) | |
| | |

| MOT #28 | | 2023-03-14 17:04 |
|----------|--|------------------|
| MOT test | number | 874226464603 |
| Result | | ✓ Passed |
| Minor | Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i)) | |
| Minor | Nearside Rear Electrical wiring insecure (4.11 (a) (i)) | |





| MOT #27 | 2023-03-06 12:24 |
|--|--------------------|
| MOT test number | 892171129576 |
| Result | 🗙 Failed |
| Minor Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i)) | |
| Fail Nearside Rear Suspension component mounting prescribed area excessively corr reducing structural strength (5.3.6 (a) (i)) | oded significantly |
| Minor Nearside Rear Electrical wiring insecure (4.11 (a) (i)) | |
| Fail Offside Front Position lamp not working (4.2.1 (a) (ii)) | |
| Fail Offside Rear Suspension component mounting prescribed area excessively corror reducing structural strength (5.3.6 (a) (i)) | led significantly |

| MOT #26 | | 2022-04-05 15:39 |
|----------|--|------------------|
| MOT test | number | 364142085175 |
| Result | | ✓ Passed |
| Minor | Offside Headlamp reflector slightly defective (4.1.1 (b) (i)) | |
| Minor | Nearside Headlamp reflector slightly defective (4.1.1 (b) (i)) | |

| MOT #25 | 2022-03-15 12:51 |
|--|--------------------|
| MOT test number | 357459909315 |
| Result | 🗙 Failed |
| FailFuel cap/sealing device ineffective (6.1.3 (b) (i)) | |
| Minor Offside Headlamp lens slightly defective (4.1.1 (b) (i)) | |
| Fail Offside Rear Suspension component mounting prescribed area excessively corrod reducing structural strength (5.3.6 (a) (i)) | led significantly |
| Fail Rear Exhaust emissions likely to be affected by an exhaust leak (8.2.2.1 (b)) | |
| Minor Nearside Headlamp lens slightly defective (4.1.1 (b) (i)) | |
| FailNearside Rear Suspension component mounting prescribed area excessively corrected area excessively corrected structural strength (5.3.6 (a) (i)) | oded significantly |
| Fail Front Exhaust emissions likely to be affected by an exhaust leak (8.2.2.1 (b)) | |



AD54UMO report date: 2024-03-29

| MOT #24 | 2021-03-10 14:32 |
|---|------------------------------------|
| MOT test number | 441535874791 |
| Result | ✓ Passed |
| | |
| MOT #23 | 2021-02-17 11:37 |
| MOT test number | 891601964404 |
| Result | 🗙 Failed |
| Fail Rear Brakes imbalanced across an axle (1.2.1 (b) (i)) | |
| Fail Offside Front Seat belt anchorage prescribed area strength or continuity significant sill corroded within 30cm of seat mounting (7.1.1 (a) (i)) | ly reduced door |
| Minor Offside Windscreen damaged but not adversely affecting driver's view small crac | ck (3.2 (a) (i)) |
| Fail Driver's door likely to open inadvertently or not remain closed (6.2.3 (b) (ii)) | |
| FailRear Service brake excessively fluctuating (1.2.1 (e)) | |
| FailOffside Track rod end ball joint has excessive play (2.1.3 (b) (i)) | |
| Fail Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e)) | |
| Fail Offside Front Brake inadequately mounted caliper retaining spring missing (1.1.21) | (c)) |
| Fail Front Exhaust has a major leak of exhaust gases flexy pipe (6.1.2 (a)) | |
| Fail Nearside Seat belt anchorage prescribed area strength or continuity significantly recorroded within 30cm of seat mounting (7.1.1 (a) (i)) | educed door sill |
| Fail Fuel cap/sealing device ineffective emergency push incap fitted (6.1.3 (b) (i)) | |
| Fail Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e)) | |
| Fail Nearside Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of | ⁻ dirt (5.3.4 (b) (ii)) |





| MOT #22 | 2020-02-05 12:29 |
|---|-----------------------|
| MOT test number | 788597584049 |
| Result | ✓ Passed |
| Advice Suspension spring mounting prescribed area is corroded but not considered CHASSIS MEMBERS (5.3.6 (a) (i)) | d excessive BOTH REAR |
| Advice Brake pipe corroded, covered in grease or other material ALL PIPES (1.1.11 | . (c)) |
| Advice Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |
| Advice Coil spring corroded BOTH FRONT (5.3.1 (b) (i)) | |
| Minor Offside Obligatory mirror slightly damaged (3.3 (b) (i)) | |
| Advice Tyre worn close to legal limit/worn on edge BOTH FRONT (5.2.3 (e)) | |
| Advice SURFACE CORROSION ALL STEERING AND SUSPENSION AND BRAKE PARTS | BUT STILL O/K |



AD54UMO report date: 2024-03-29

| MOT #21 | 2020-02-03 12:31 |
|--|-------------------|
| MOT test number | 351002094347 |
| Result | 🗙 Failed |
| Fail Offside Rear Position lamp not working (4.2.1 (a) (ii)) | |
| Minor Offside Obligatory mirror slightly damaged (3.3 (b) (i)) | |
| Advice Tyre worn close to legal limit/worn on edge BOTH FRONT (5.2.3 (e)) | |
| Fail Nearside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii)) | |
| Advice Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i)) | |
| Advice SURFACE CORROSION ALL STEERING AND SUSPENSION AND BRAKE PARTS BUT | STILL O/K |
| Advice Coil spring corroded BOTH FRONT (5.3.1 (b) (i)) | |
| Fail Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 | (b) (ii)) |
| Fail Offside Rear fog lamp lens defective such that emitted light is adversely affected (| 4.5.1 (b) (ii)) |
| FailNearside Seat belt anchorage prescribed area strength or continuity significantly reOUTER SILL (7.1.1 (a) (i)) | educed MIDDLE |
| Advice Suspension spring mounting prescribed area is corroded but not considered exe CHASSIS MEMBERS (5.3.6 (a) (i)) | cessive BOTH REAR |
| Advice Brake pipe corroded, covered in grease or other material ALL PIPES (1.1.11 (c)) | |

| MOT #20 | | 2019-01-29 08:47 |
|----------|--|------------------|
| MOT test | number | 796956304513 |
| Result | | ✓ Passed |
| Advice | Nearside Front Coil spring corroded (5.3.1 (b) (i)) | |
| Advice | Oil leak, but not excessive (8.4.1 (a) (i)) | |
| Advice | Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e)) | |
| Advice | Offside Front Coil spring corroded (5.3.1 (b) (i)) | |
| Advice | Offside Rear Brake pipe corroded, covered in grease or other material $x2$ (1.1.11 | . (c)) |



| MOT #19 | | 2018-02-02 09:20 |
|----------|---|------------------|
| MOT test | number | 870083229816 |
| Result | | Passed |
| Advice | Front coil spring corroded both sides (2.4.C.1b) | |
| Advice | Offside Rear Brake pipe slightly corroded x2 (3.6.B.2c) | |

| MOT #18 | | 2017-01-28 11:48 |
|----------|--|------------------|
| MOT test | number | 907680369710 |
| Result | | ✓ Passed |
| Advice | Both front tyres worn inner edges and close to limit195/65/15h | |
| Advice | Brake pipe slightly corroded both front to rears (3.6.B.2c) | |

| MOT #17 | 2017-01-21 10:16 |
|---|-------------------|
| MOT test number | 799818866873 |
| Result | × Failed |
| Fail Rear brake application uneven (3.7.B.2) | |
| Fail Offside rear brake excessively fluctuating (3.7.B.3) | |
| Advice Both front tyres worn inner edges and close to limit195/65/15h | |
| Fail Offside Front Inner Front constant velocity joint gaiter deteriorated to the extent prevents the ingress of dirt etc (2.5.C.1a) | that it no longer |
| Fail Nearside rear brake excessively fluctuating (3.7.B.3) | |
| Advice Brake pipe slightly corroded both front to rears (3.6.B.2c) | |





MOT #16

| MOT test number | 933364543293 |
|--|------------------|
| Result | ✓ Passed |
| Advice Brake pipe slightly corroded both front to rears (3.6.B.2c) | |
| Advice Both outer sills slightly rusty | |
| Advice Slight seepage from power steering rack | |
| | |
| MOT #15 | 2016-01-23 08:46 |
| MOT test number | 113690642866 |
| Result | 🗙 Failed |
| Advice Front Brake pad(s) wearing thin (3.5.1g) | |
| Fail Nearside rear brake excessively fluctuating (3.7.B.3) | |
| Advice Both outer sills slightly rusty | |
| Fail Nearside rear brake binding (3.7.B.1) | |
| Fail Offside Registration plate lamp not working (1.1.C.1d) | |
| Advice Exhaust has a minor leak of exhaust gases (7.1.2) | |
| Fail Nearside Front Anti-roll bar has excessive play in a ball joint (2.4.G.2) | |
| Advice Brake pipe slightly corroded both front to rears (3.6.B.2c) | |
| Fail Offside rear brake excessively fluctuating (3.7.B.3) | |
| Advice Slight seepage from power steering rack | |
| Fail Offside rear brake binding (3.7.B.1) | |

Fail Windscreen washer provides insufficient washer liquid (8.2.3)



2016-01-26 13:36



| A | D | 5 | 4 | U | Μ | 0 |
|---|-----|-----|-----|-------|-------|-------|
| | rer | ort | dat | te: 2 | 2024- | 03-29 |

2015-01-31 11:55 186731835446

| MOT #14 | 2015-02-04 15:37 |
|---|------------------|
| MOT test number | 449775835033 |
| Result | ✓ Passed |
| AdviceOffside Rear Brake pipe slightly corroded (3.6.B.2c)AdviceNearside Rear Brake pipe slightly corroded (3.6.B.2c) | |

MOT #13

| мот | test | num | ber | |
|-----|------|-----|-----|--|
| | | | | |

| Result | 🗙 Failed |
|--|----------|
| Fail Nearside rear brake binding (3.7.B.1) | |
| FailOffside rear brake excessively fluctuating (3.7.B.3) | |
| Advice Offside Rear Brake pipe slightly corroded (3.6.B.2c) | |
| Fail Battery insecure (1.9.1) | |
| Fail Nearside rear brake excessively fluctuating (3.7.B.3) | |
| Advice Nearside Rear Brake pipe slightly corroded (3.6.B.2c) | |

| MOT #12 | 2014-01-11 11:58 |
|-----------------|------------------|
| MOT test number | 177631814495 |
| Result | ✓ Passed |
| | |

| MOT #11 | 2013-01-17 09:43 |
|---|------------------|
| MOT test number | 116287613012 |
| Result | ✓ Passed |
| Advice Rear Brake pipe slightly corroded (3.6.B.2c) | |



| A | D | 5 | 4 | U | Μ | 0 |
|---|-----|-----|-----|---------------|------|-------|
| | rec | ort | dat | t e: 2 | 024- | 03-29 |

| MOT #10 | 2012-01-30 14:09 |
|--|------------------|
| MOT test number | 238950032039 |
| Result | ✓ Passed |
| AdviceRear Brake pipe slightly corroded (3.6.B.2c)NoticeSpare tyre defective | |
| Notice Spare tyre defective | |
| МОТ #9 | 2012-01-26 10:24 |

| MOT test number | 689746622057 |
|---|--------------|
| Result | 🗙 Failed |
| Fail Offside Front Tyre has ply or cords exposed (4.1.D.1b) | |
| Advice Rear Brake pipe slightly corroded (3.6.B.2c) | |
| Fail Nearside Rear Registration plate lamp not working (1.1.C.1d) | |
| Notice Spare tyre defective | |
| FailPower steering fluid level below minimum (2.3.1) | |
| Fail Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1) | |
| Fail Nearside Inner Front constant velocity joint gaiter deteriorated to the extent that it no prevents the ingress of dirt etc (2.5.C.1a) | longer |
| Fail Stop lamp not working (1.2.1b) | |
| Fail Nearside rear brake binding (3.7.B.1) | |

| MOT #8 | | 2011-01-19 11:52 |
|----------|---|------------------|
| MOT test | number | 169989011062 |
| Result | | ✓ Passed |
| Notice | N/s inner cv boot split | |
| Advice | Offside Rear Tyre worn close to the legal limit (4.1.E.1) | |





| MOT #7 | | 2011-01-19 11:52 |
|--------------------------|---|------------------|
| MOT test number | | 907369511081 |
| Result | | 🗙 Failed |
| Pass with rectification | Front Brake pad(s) less than 1.5 mm thick (3.5.1g) | |
| Pass with rectification | Front Exhaust has part of the system excessively deteri | orated (7.1.1a) |
| Notice N/s inner cv boot | split | |
| Advice Offside Rear Tyr | e worn close to the legal limit (4.1.E.1) | |
| | | |
| MOT #6 | | 2010-01-21 11:14 |

| MOT test | number 5145 | 71320077 |
|----------|--|----------|
| Result | | ✓ Passed |
| Advice | Front Exhaust has part of the system slightly deteriorated (7.1.1a) | |
| Notice | N/s inner driveshaft boot split | |
| Advice | Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d) | |
| Advice | Front Exhaust has a minor leak of exhaust gases (7.1.2) | |
| Advice | Front Brake pad(s) wearing thin (3.5.1g) | |
| Advice | Brake pipe slightly corroded (3.6.B.2c) | |



AD54UMO report date: 2024-03-29

| MOT #5 | 2010-01-21 11:14 | |
|--|--|--|
| MOT test number | 432771520085 | |
| Result | 🗙 Failed | |
| Advice Brake pipe slightly corroded (3.6.B.2c) | | |
| Advice Front Exhaust has part of the system slightly deteriorate | ed (7.1.1a) | |
| Advice Windscreen has damage to an area less than a 40mm c | Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d) | |
| Notice N/s inner driveshaft boot split | | |
| Advice Front Exhaust has a minor leak of exhaust gases (7.1.2) |) | |
| Advice Front Brake pad(s) wearing thin (3.5.1g) | | |
| Pass with rectification Nearside Front Anti-roll bar linkage ha | as excessive play in a ball joint (2.4.G.2) | |

| MOT #4 | | 2009-01-29 12:16 |
|----------|--|------------------|
| MOT test | number | 883339829090 |
| Result | | ✓ Passed |
| Notice | Slight oil seepage around n/s steering rack gaitor | |
| Notice | Oil leak | |

| | MOT #3 | | 2009-0 | 1-29 12:16 |
|---|----------|-------------------|--|------------|
| Ī | MOT test | number | 5206 | 599529012 |
| I | Result | | | 🗙 Failed |
| | Pass wi | th rectification | Offside Front Anti-roll bar has excessive play in a ball joint (2.4.G.2) | |
| | Notice | Slight oil seepag | ge around n/s steering rack gaitor | |
| | Notice | Oil leak | | |




| A | D5 | 4ι | JM | 0 |
|---|-----------|-------|-------|-------|
| | report | date: | 2024- | 03-29 |

| MOT #2 | | 2008-01-15 11:42 |
|--|--|----------------------------------|
| MOT test | number | 940835918070 |
| Result | | ✓ Passed |
| Notice | Slight play n/s rack joint | |
| Notice | O/s wiper blade small split (clears screen) | |
| Advice | Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2) | |
| | | |
| | | |
| MOT #1 | | 2008-01-15 11:42 |
| MOT #1 MOT test | number | 2008-01-15 11:42 190125018074 |
| | number | |
| MOT test | number Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2) | 190125018074 |
| MOT test Result | | 190125018074 |
| MOT test Result Advice Notice | Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2) | 190125018074 |



Tax & MOT check







Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report <u>here</u> for the results.

| Damage 1 | |
|----------|-------------|
| Date | FE D |
| Category | L CENPE |
| Туре | K K |
| Damage 2 | AMPL |
| Date | |
| Category | AMPL |
| Туре | |

Extra FORD salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

| And a second sec | |
|--|-------------|
| *********** | |
| ******** | |
| ******* | |
| *********** | |
| ******** | |
| | More info > |
| Plate changes | |
| See in this check if this FORD had different number plates. | |
| Number of plates | , |
| Carrent registration | |
| Plate since | |
| Current registration | |
| Plate since | |
| | |





Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FORD is financed.

| Finance company | |
|-------------------|--|
| Date of agreement | |
| Agreement type | |
| Agreement term | |
| Agreement number | |
| Contact info | |

More info \rightarrow





Mileage check

| Odometer | In miles |
|----------------------------|------------|
| Mileage registrations | 27 |
| First mileage registration | 2005-01-31 |
| Last registration | 2024-03-09 |
| Complete history | See info |



| | page 20/21 |
|------------|--|
| | 11.117 est |
| | 11.227 esi |
| | 11.177 est |
| | 11.227 est |
| | 11.117 est |
| | 11.222 esi |
| | 11.117 mi |
| | 11.117 mi |
| | 10.000 est |
| | 11.222 mi |
| | 11.117 mi |
| | 11.222 esi |
| 2017-01-21 | 116.090 mi |
| 2016-01-26 | 107.137 mi |
| 2016-01-23 | 107.083 mi |
| 2015-02-04 | 98.581 mi |
| 2015-01-31 | 98.502 mi |
| 2014-01-11 | 89.150 mi |
| 2013-01-17 | 80.246 mi |
| 2012-01-30 | 72.095 mi |
| 2012-01-26 | 72.093 mi |
| 2011-01-19 | 60.590 mi |
| 2010-01-21 | 49.475 mi |
| 2009-01-29 | 36.442 mi |
| 2008-01-15 | 24.919 mi |
| 2005-01-31 | 8 mi |
| | 2008-01-15 2009-01-29 2010-01-21 2011-01-19 2012-01-26 2012-01-30 2013-01-17 2014-01-11 2015-01-31 2015-02-04 2016-01-23 2016-01-23 2016-01-26 2017-01-21 |

More info \rightarrow





Car features

| S0225 | Air conditionin |
|--------|-----------------|
| \$0295 | |
| \$0482 | |
| \$0501 | |
| \$0566 | |
| 50567 | |
| S0569 | |

Dimensions & weight

| Width | 2044 mm |
|---------------------|---------|
| Height | 601 mm |
| Length | 4525 mm |
| Max. allowed weight | 2340 kg |

Additional information

| Fuel tank capacity | 60 I |
|--------------------|------------------|
| Fuel delivery | Direct Injection |
| Number of doors | 4 |
| Number of seats | 2 |
| Engine number | 5R29653 |