



KG57UVL

report date: 2024-03-29

General information

|                     |  |
|---------------------|--|
| Make                | FORD                                   |
| Model               | TRANSIT CONNECT TDCI T200 L SWB P/V 75 |
| Colour              | White                                  |
| Year of manufacture | -                                      |
| Gearbox             | 5 speed Manual                         |

Engine & fuel consumption

|             |                     |
|-------------|---------------------|
| Power       | 74 BHP              |
| Max. torque | 175 Nm at 1.800 rpm |
| Cylinders   | 4                   |
| Fuel type   | Diesel              |




LABEL UNKNOWN



Internet history

Entry 1

|               |                             |
|---------------|-----------------------------|
| Date          | 2021-08-27                  |
| Pictures      | 3                           |
| Listing price | <a href="#">View report</a> |



source: cargurus.co.uk



## MOT history

|   |                  |
|---|------------------|
| MOT #21   | 2021-03-04 16:45 |
| MOT test number   | 614218504308     |
| Result  | ✓ Passed         |
| Next expiry date  | 2022-03-09       |
| <b>Advice</b> Integral body structure or chassis corroded within 30cm of a mounting, but not seriously affecting overall security (6.2.2 (d) (i)) |                  |
| <b>Advice</b> Nearside Front Road wheel slightly distorted (5.2.2 (c) (i))  |                  |

|   |                  |
|---|------------------|
| MOT #20   | 2021-03-04 10:39 |
| MOT test number   | 961949070221     |
| Result  | ✗ Failed         |
| <b>MAJOR</b> Nearside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (5.2.3 (d) (i))                    |                  |
| <b>Advice</b> Integral body structure or chassis corroded within 30cm of a mounting, but not seriously affecting overall security (6.2.2 (d) (i)) |                  |
| <b>MAJOR</b> Brake lever has insufficient reserve travel (1.1.2 (a))  |                  |
| <b>Advice</b> Nearside Front Road wheel slightly distorted (5.2.2 (c) (i))  |                  |
| <b>MAJOR</b> Windscreen washer not working (3.5 (a))  |                  |

|                 |                  |
|-----------------|------------------|
| MOT #19         | 2020-03-10 18:09 |
| MOT test number | 681211502080     |
| Result          | ✓ Passed         |

|   |                  |
|---|------------------|
| MOT #18   | 2020-03-05 09:58 |
| MOT test number   | 367627488416     |
| Result  | ✗ Failed         |
| <b>DANGEROUS</b> Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e)) |                  |

|                 |                  |
|-----------------|------------------|
| MOT #17         | 2018-03-24 11:52 |
| MOT test number | 611960625868     |
| Result          | ✓ Passed         |

**MOT #16**

2018-03-23 14:35

**MOT test number**

646695482112

**Result****✗ Failed**

**Fail** Nearside Front Inner Front constant velocity joint gaiter deteriorated to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

**Fail** Nearside Rear Stop lamp not working (1.2.1b)

**Fail** Offside Front Inner Front constant velocity joint gaiter deteriorated to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

**Fail** Offside Rear Stop lamp not working (1.2.1b)

**MOT #15**

2018-02-14 11:06

**MOT test number**

953936069987

**Result****✗ Failed**

**Fail** Windscreen washer provides insufficient washer liquid (8.2.3)

**Advice** Corrosion on inner and outer sill

**Advice** Brake pipes corroded

**Fail** Nearside Inner Front constant velocity joint gaiter damaged to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

**Advice** O/s/f tyre worn on inner edge

**Fail** Nearside Seat belt anchorage prescribed area is excessively corroded outer sill (5.2.6)

**Advice** Spare tyre flat

**Fail** Nearside Front brake disc in such a condition that it is seriously weakened (3.5.1i)

**Advice** Small hole in exhaust

**Fail** Nearside rear brake binding (3.7.B.1)

**Advice** Wear in n/s/f rack end

**Fail** Offside Inner Front constant velocity joint gaiter damaged to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

**Advice** O/s/f brake disc corroded



MOT #14

2017-02-16 09:06

MOT test number

333531633080

Result

✓ Passed

- Advice

Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Advice

Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice

Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)
- Advice

Front Brake pipe slightly corroded to rear brake pipes starting to corrode (3.6.B.2c)
- Advice

Brake pad(s) wearing thin (3.5.1g)
- Advice

Offside Front Inner brake disc worn, pitted or scored, but not seriously weakened surface starting to break up (3.5.1i)
- Advice

Nearside Rear brake binding on
- Advice

Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**MOT #13**

2017-02-15 09:22

**MOT test number**

132190534923

**Result****✗ Failed**

- Advice** Front Brake pipe slightly corroded to rear brake pipes starting to corrode (3.6.B.2c)
- Fail** Nearside Rear Registration plate lamp not working (1.1.C.1d)
- Fail** Offside Front Tyre has ply or cords exposed (4.1.D.1b)
- Advice** Brake pad(s) wearing thin (3.5.1g)
- Advice** Offside Front Inner brake disc worn, pitted or scored, but not seriously weakened surface starting to break up (3.5.1i)
- Advice** Nearside Rear brake binding on
- Advice** Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)
- Fail** Rear Stop lamp not working high level brake light (1.2.1b)
- Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)
- Fail** Offside Rear Registration plate lamp not working (1.1.C.1d)
- Advice** Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)

**MOT #12**

2016-02-18 17:12

**MOT test number**

512543537869

**Result****✓ Passed**

- Advice** Outer sill corroded
- Advice** Front to rear brake pipes corroded

**MOT #11** 2016-02-18 10:16**MOT test number** 154434111109**Result** ✗ Failed**Advice** Outer sill corroded**Fail** Front Fuel system component leaking spill pipes (7.2.3)**Advice** Front to rear brake pipes corroded**Fail** Offside Front wheel bearing rough when rotated (2.5.A.2)**MOT #10** 2015-02-13 12:34**MOT test number** 408134745044**Result** ✓ Passed**Notice** Under-trays fitted obscuring some underside components**Advice** Front Brake pipe slightly corroded (3.6.B.2c)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**Notice** Engine covers fitted obscuring some components in the engine bay**Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)



MOT #9 2015-02-12 10:36

MOT test number 218583545041

Result ✗ Failed

**Notice** Engine covers fitted obscuring some components in the engine bay

**Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

**Advice** Front Brake pipe slightly corroded (3.6.B.2c)

**Notice** Under-trays fitted obscuring some underside components

**Fail** Nearside Anti-roll bar linkage has excessive play in a pin/bush (2.4.G.2)

**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)

**Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

MOT #8 2014-02-17 17:30

MOT test number 289508044080

Result ✓ Passed

**Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**Advice** Front Brake pad(s) wearing thin (3.5.1g)



**MOT #7**

2014-02-17 10:47

**MOT test number**

267288444054

**Result****✗ Failed****Fail**

Offside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (4.1.D.1a)

**Fail**

Nearside Front Tyre has ply or cords exposed (4.1.D.1b)

**Advice**

Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

**Fail**

Nearside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (4.1.D.1a)

**Fail**

Offside Front Tyre has ply or cords exposed (4.1.D.1b)

**Fail**

Nearside Front Front constant velocity joint gaiter damaged to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

**Advice**

Front Brake pad(s) wearing thin (3.5.1g)

**MOT #6**

2013-02-20 15:15

**MOT test number**

426101353052

**Result****✓ Passed****MOT #5**

2012-02-08 12:14

**MOT test number**

367759832064

**Result****✓ Passed****Notice**

Offside rear tyre has slight wear on outer edge tread!!

**Advice**

Offside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)

**Notice**

Washers frozen!

**Advice**

Nearside Inner Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)

**MOT #4**

2012-02-07 11:26

**MOT test number**

116508332085

**Result****✗ Failed****Advice** Offside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)**Notice** Offside rear tyre has slight wear on outer edge tread!!**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Advice** Nearside Inner Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)**Notice** Washers frozen!**MOT #3**

2011-02-21 16:01

**MOT test number**

766212751081

**Result****✓ Passed****Advice** Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)**Advice** Front registration plate deteriorated but not likely to be misread (6.3.1d)**Notice** Offside front tyre worn on inner edge**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)**Notice** Brake discs worn**Advice** Offside Front Steering system has slight free play detected at steering wheel (2.2.A.1b)



MOT #2 2011-02-21 14:11

MOT test number 109742551453

Result ✗ Failed

- Fail

Front Brake pad(s) less than 1.5 mm thick (3.5.1g)
- Advice

Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
- Advice

Offside Front Steering system has slight free play detected at steering wheel (2.2.A.1b)
- Fail

Offside Headlamp not working on dipped beam (1.7.5a)
- Notice

Offside front tyre worn on inner edge
- Advice

Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)
- Advice

Front registration plate deteriorated but not likely to be misread (6.3.1d)
- Notice

Brake discs worn

MOT #1 2010-11-01 13:56

MOT test number 700965000319

Result ✓ Passed

- Advice

Front Brake pad(s) wearing thin (3.5.1g)



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

|          |  |
|----------|--|
| Date     |  |
| Category |  |
| Type     |  |

Damage 2

|          |  |
|----------|--|
| Date     |  |
| Category |  |
| Type     |  |



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

|                             |          |
|-----------------------------|----------|
| Trade retail value          | £ 19,999 |
| Auction value               | £ 19,999 |
| Average private trade value | £ 19,999 |

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

|       |              |
|-------|--------------|
| Owner | Registration |
| Owner | Registration |
| Owner | Registration |
| Owner | Registration |
| Owner | Registration |
| Owner | Registration |
| Owner | Registration |

More info >

Plate changes

See in this check if this FORD had different number plates.

|                      |                |
|----------------------|----------------|
| Number of plates     | 1              |
| Current registration | <b>KG57UVL</b> |
| Plate since          | 2024-03-29     |
| Current registration | <b>KG57UVL</b> |
| Plate since          | 2024-03-29     |

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

|                   |            |      |
|-------------------|------------|------|
| Finance company   | XXXXXXXXXX | XXXX |
| Date of agreement | XXXXXXXXXX | XXXX |
| Agreement type    | XXXXXXXXXX | XXXX |
| Agreement term    | XXXXXXXXXX | XXXX |
| Agreement number  | XXXXXXXXXX | XXXX |
| Contact info      | XXXXXXXXXX | XXXX |

More info >



Mileage check

|                            |                          |
|----------------------------|--------------------------|
| Odometer                   | In miles                 |
| Mileage registrations      | 23                       |
| First mileage registration | 2007-10-15               |
| Last registration          | 2021-03-04               |
| Complete history           | <a href="#">See info</a> |



|                  |            |            |
|------------------|------------|------------|
| Registration #1  | 2007-10-15 | 22 mi      |
| Registration #2  | 2010-11-01 | 76.364 mi  |
| Registration #3  | 2011-02-21 | 78.772 mi  |
| Registration #4  | 2011-02-21 | 78.774 mi  |
| Registration #5  | 2012-02-07 | 90.583 mi  |
| Registration #6  | 2012-02-08 | 90.603 mi  |
| Registration #7  | 2013-02-20 | 103.318 mi |
| Registration #8  | 2014-02-17 | 117.064 mi |
| Registration #9  | 2014-02-17 | 117.065 mi |
| Registration #10 | 2015-02-12 | 130.107 mi |
| Registration #11 | 2015-02-13 | 130.109 mi |
| Registration #12 | 2016-02-18 | 142.240 mi |
| Registration #13 | 2016-02-18 | 142.240 mi |
| Registration #14 | 2016-02-18 | 142.240 mi |
| Registration #15 | 2016-02-18 | 142.240 mi |
| Registration #16 | 2016-02-18 | 142.240 mi |
| Registration #17 | 2016-02-18 | 142.240 mi |
| Registration #18 | 2016-02-18 | 142.240 mi |
| Registration #19 | 2016-02-18 | 142.240 mi |
| Registration #20 | 2016-02-18 | 142.240 mi |
| Registration #21 | 2016-02-18 | 142.240 mi |
| Registration #22 | 2016-02-18 | 142.240 mi |
| Registration #23 | 2016-02-18 | 142.240 mi |

More info >





Car features

The FORD factory car options list is only available in the premium report.

|       |                  |
|-------|------------------|
| S0225 | Air conditioning |
| S0295 |                  |
| S0482 |                  |
| S0501 |                  |
| S0566 |                  |
| S0567 |                  |
| S0569 |                  |

View the complete FORD factory list for this vehicle [here](#).

More info >

Dimensions & weight

|                     |         |
|---------------------|---------|
| Width               | 2044 mm |
| Height              | 598 mm  |
| Length              | 4278 mm |
| Max. allowed weight | 2040 kg |

Additional information

|                    |                  |
|--------------------|------------------|
| Fuel tank capacity | 60 l             |
| Fuel delivery      | Direct Injection |
| Number of doors    | 4                |
| Number of seats    | 2                |
| Engine number      | 7U04913          |