



report date: 2024-03-29

General information

Make	KIA
Model	CARENS GS CRDI
Colour	Blue
Year of manufacture	2007
Top speed	116 mph
0 - 60 mph	12.6 seconds
Gearbox	4 speed automatic

Engine & fuel consumption

Power	138 BHP
Max. torque	305 Nm at 2.500 rpm
Engine capacity	1.991 cc
Cylinders	4
Fuel type	Diesel
Consumption city	29.4 mpg
Consumption extra urban	49.6 mpg
Consumption combined	39.8 mpg
CO2 emission	191 g/km
CO2 label	J





Internet history

Entry 2

Date	2022-03-11
Pictures	10
Listing price	View report



source: cargurus.co.uk

Entry 1

Date	2021-12-15
Pictures	10
Listing price	View report



source: cargurus.co.uk



MOT history

MOT expiry date	2025-03-09
MOT pass rate	52 %
MOT passed	15
Failed MOT tests	14
Total advice items	129
Total items failed	32

MOT #29 2024-03-07 12:45

MOT test number 136516206482

Result ✓ Passed

Next expiry date 2025-03-09

- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice** Offside Front Suspension arm corroded but not seriously weakened trailing arm (5.3.3 (b) (i))
- Advice** Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))
- Advice** Rear Coil spring corroded both sides (5.3.1 (b) (i))

MOT #28 2024-03-05 12:45

MOT test number 150259132811

Result ✗ Failed

- Advice** Offside Front Suspension arm corroded but not seriously weakened trailing arm (5.3.3 (b) (i))
- Fail** Parking brake efficiency below requirements (1.4.2 (a) (i))
- Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Fail** Offside Front Sub-frame corroded to the extent that the rigidity of the assembly is significantly reduced (6.1.1 (c) (i))
- Fail** Nearside Rear Parking brake inoperative on one side (1.4.1 (a))
- Advice** Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))
- Advice** Rear Coil spring corroded both sides (5.3.1 (b) (i))

**MOT #27**

2024-02-16 13:13

MOT test number

599743905560

Result**✗ Failed**

Advice Nearside Suspension arm pin or bush worn but not resulting in excessive movement wishbone bush (5.3.4 (a) (i))

Advice Offside Front Service brake binding but not excessively (1.2.1 (f))

Fail Nearside Parking (secondary brake) on a single line braking system has inadequate effort at a wheel (1.3.1 (a) (i))

Pass with rectification Offside Headlamp aim too low (4.1.2 (a))

Fail Front Sub-frame corroded and seriously weakened (5.3.3 (b) (i))

Advice Nearside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))

Advice Nearside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))

Advice Offside Rear Coil spring corroded (5.3.1 (b) (i))

Advice Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))

Minor Offside Rear reflector defective or damaged by up to 50% of the reflecting surface (4.8.1 (a) (i))

Fail Nearside Front Service brake lagging in operation (1.2.1 (d))

Fail Nearside Front Service brake excessively binding (1.2.1 (f))

Fail Parking brake efficiency below requirements (1.4.2 (a) (i))

Advice Offside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))

Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

Advice Play in steering rack inner joint(s)

Advice Nearside Rear Coil spring corroded (5.3.1 (b) (i))

Advice Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))

**MOT #26**

2023-03-10 12:48

MOT test number

340996685619

Result

✓ Passed

Advice Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Advice Underbody corrosion

Advice Rear Tyre worn close to legal limit/worn on edge x2 (5.2.3 (e))

Advice Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement Trailing arm bush (5.3.4 (a) (i))

MOT #25

2023-03-02 12:29

MOT test number

489803130123

Result

✗ Failed

Fail Offside Front Coil spring fractured or broken (5.3.1 (b) (i))

Advice Offside Rear Lower Suspension arm pin or bush worn but not resulting in excessive movement trailing arm bush (5.3.4 (a) (i))

Advice Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))

Fail Nearside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))

Fail Supplementary restraint system warning lamp indicates a fault (7.1.6 (a))

Fail Offside Rear Suspension arm corroded and seriously weakened hole in arm (5.3.3 (b) (i))

Advice Offside Front Lower Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

Fail Rear Brakes imbalanced across an axle Axle 2 (1.2.1 (b) (i))

Advice Offside Rear Tyre worn close to legal limit/worn on edge inner edge (5.2.3 (e))

Fail Offside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))

MOT #24

2022-03-04 13:02

MOT test number

441533105839

Result

✓ Passed

Advice Os and ns track rod end boots perishing

**MOT #23** 2021-11-23 12:00**MOT test number** 717356210170**Result** ✓ Passed**MOT #22** 2021-11-22 16:16**MOT test number** 477728562561**Result** ✗ Failed**Advice** Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))**Fail** Front Brake disc significantly and obviously worn (1.1.14 (a) (i))**MOT #21** 2021-01-07 08:31**MOT test number** 220125036007**Result** ✓ Passed**Advice** Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))**Advice** Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive Subframe (5.3.6 (a) (i))**Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Minor** Nearside Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i))**Advice** Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))**Advice** Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive Subframe (5.3.6 (a) (i))**Minor** Offside Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i))

**MOT #20**

2021-01-05 10:01

MOT test number

839533257881

Result**✗ Failed****Advice** Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))**Advice** Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive Subframe (5.3.6 (a) (i))**Minor** Nearside Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i))**Fail** Offside Headlamp aim not tested (4.1.2 (b))**Advice** Nearside Rear Shock absorbers has slight external damage to the casing Rusted (5.3.2 (b))**Advice** Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))**Advice** Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive Subframe (5.3.6 (a) (i))**Advice** Offside Rear Brake pipe corroded, covered in grease or other material (1.1.11 (c))**Fail** Offside Headlamp not working on dipped beam (4.1.1 (a) (ii))**Minor** Offside Track rod end ball joint dust cover damaged or deteriorated, but preventing the ingress of dirt (2.1.3 (g) (i))**Fail** Offside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))**Fail** Nearside Front Coil spring fractured or broken (5.3.1 (b) (i))



MOT #19

2019-12-03 16:51

MOT test number

492427924584

Result		✓ Passed
Advice	Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Offside Front Fluid leak, but not excessive close to steering rack area (8.4.1 (a) (i))	
Advice	Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))	
Advice	Offside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Nearside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	



MOT #18

2019-12-03 16:51

MOT test number

586481329901

Result		✗ Failed
Advice	Offside Front Fluid leak, but not excessive close to steering rack area (8.4.1 (a) (i))	
Advice	Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))	
Advice	Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice	Offside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	
Pass with rectification	Offside Headlamp aim too low (4.1.2 (a))	
Advice	Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Nearside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))	

**MOT #17**

2019-12-03 10:00

MOT test number

803758034105

Result**✗ Failed**

- Fail** Offside Front Headlamp aim not tested (4.1.2 (b))
- Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
- Advice** Offside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Fail** Offside Front Headlamp not working on main beam (4.1.1 (a) (ii))
- Advice** Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Nearside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Offside Front Fluid leak, but not excessive close to steering rack area (8.4.1 (a) (i))

MOT #16

2018-12-13 12:15

MOT test number

104504240806

Result**✓ Passed**

- Advice** Registration plate deteriorated but not likely to be misread front and rear (0.1 (b))
- Advice** Nearside Rear tire sidewall cracking
- Advice** Front Brake hose has slight corrosion to ferrule both sides (1.1.12 (f) (i))
- Advice** Rear Coil spring corroded both sides (5.3.1 (b) (i))
- Advice** Underbody components corroding
- Advice** Nearside Front Side repeater slightly discoloured bulb tint fading (4.4.3 (a))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))

**MOT #15**

2018-12-13 12:15

MOT test number

541781882053

Result**✗ Failed**

- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Nearside Rear tire sidewall cracking
- Advice** Registration plate deteriorated but not likely to be misread front and rear (0.1 (b))
- Advice** Front Brake hose has slight corrosion to ferrule both sides (1.1.12 (f) (i))
- Advice** Underbody components corroding
- Advice** Rear Coil spring corroded both sides (5.3.1 (b) (i))
- Pass with rectification** Offside Rear Passenger's seat backrest cannot be secured in the upright position. did not latch, latch worked untill locking (6.2.6 (a) (i))
- Advice** Nearside Front Side repeater slightly discoloured bulb tint fading (4.4.3 (a))

MOT #14

2017-12-19 12:56

MOT test number

497074308152

Result**✓ Passed**

- Advice** Nearside Rear tyre side wall cracking
- Advice** Parking brake lever has little reserve travel (3.1.6b)
- Advice** Nearside Front Tyre worn close to the legal limit 0mm on edge (4.1.E.1)
- Advice** Front wipers slight smearing
- Advice** Offside Front Tyre worn close to the legal limit 0mm on edge (4.1.E.1)
- Advice** Oil leak

**MOT #13**

2017-12-19 12:00

MOT test number

679433073819

Result**✗ Failed****Fail** Nearside Rear Stop lamp not working (1.2.1b)**Advice** Front wipers slight smearing**Advice** Offside Front Tyre worn close to the legal limit 0mm on edge (4.1.E.1)**Advice** Oil leak**Advice** Parking brake lever has little reserve travel (3.1.6b)**Fail** Offside Front Wheel nut(s) missing (4.2.A.1e)**Advice** Nearside Rear tyre side wall cracking**Advice** Nearside Front Tyre worn close to the legal limit 0mm on edge (4.1.E.1)**MOT #12**

2016-11-24 11:59

MOT test number

243471282278

Result**✓ Passed****Advice** Underbody components corroding**MOT #11**

2016-11-21 11:58

MOT test number

950159758788

Result**✗ Failed****Advice** Front brake disc worn, pitted or scored, but not seriously weakened both sides (3.5.1i)**Advice** Underbody components corroding**Fail** Anti-lock braking system warning lamp indicates an ABS fault (3.4.1c)**Pass with rectification** Nearside Outer Seat belt locking mechanism does not secure or release middle rear (5.2.5a)

**MOT #10**

2015-12-22 13:18

MOT test number

475494369720

Result

✓ Passed

- Advice** Front brake disc worn, pitted or scored, but not seriously weakened both sides (3.5.1i)
- Advice** Offside Rear Tyre worn close to the legal limit 0mm on inside no exposed cords evident (4.1.E.1)
- Advice** Advise underbody components corroding
- Advice** Front Brake hose has slight corrosion to ferrules both sides (3.6.B.4e)

MOT #9

2015-12-22 13:18

MOT test number

648023826634

Result

✗ Failed

- Pass with rectification** Nearside Rear Stop lamp not working (1.2.1b)
- Advice** Advise underbody components corroding
- Advice** Front Brake hose has slight corrosion to ferrules both sides (3.6.B.4e)
- Advice** Front brake disc worn, pitted or scored, but not seriously weakened both sides (3.5.1i)
- Advice** Offside Rear Tyre worn close to the legal limit 0mm on inside no exposed cords evident (4.1.E.1)

MOT #8

2015-11-03 13:22

MOT test number

194252187108

Result

✗ Failed

- Advice** Front brake disc worn, pitted or scored, but not seriously weakened both sides (3.5.1i)
- Advice** Offside Rear Tyre worn close to the legal limit 0mm on inside no exposed cords evident (4.1.E.1)
- Fail** Offside Rear Stop lamp not working (1.2.1b)
- Advice** Front Brake hose has slight corrosion to ferrules both sides (3.6.B.4e)



MOT #7 2014-11-06 10:57

MOT test number 776790714370

Result ✓ Passed

- Notice** Advise front brake discs corroding
- Advice** Supplementary Restraint System warning lamp does not illuminate (5.4.2)
- Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)
- Advice** Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice** Parking brake lever has little reserve travel (3.1.6b)

MOT #6 2014-11-06 10:57

MOT test number 557340814388

Result ✗ Failed

- Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)
- Pass with rectification** Nearside Front Headlamp aim too low (1.8)
- Advice** Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Notice** Advise front brake discs corroding
- Advice** Parking brake lever has little reserve travel (3.1.6b)
- Advice** Supplementary Restraint System warning lamp does not illuminate (5.4.2)

**MOT #5** 2013-11-06 09:42**MOT test number** 945540513370**Result** ✓ Passed**Advice** Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Advice** Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Notice** Nearside and offside rear rear seats missing**Advice** Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Notice** Engine covers fitted obscuring some components in the engine bay**Advice** Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**MOT #4** 2012-11-26 14:54**MOT test number** 617151932342**Result** ✓ Passed**MOT #3** 2012-04-02 11:50**MOT test number** 128093792038**Result** ✓ Passed**MOT #2** 2012-04-02 11:50**MOT test number** 437933292015**Result** ✗ Failed**Pass with rectification** Offside Rear position lamp(s) not working (1.1.A.3b)**MOT #1** 2010-08-28 10:03**MOT test number** 531080540255**Result** ✓ Passed**Advice** Tyre worn close to the legal limit (4.1.E.1)



Tax & MOT check

X

Untaxed

Tax expired:
16 February 2024

✓

MOT

Expires:
9 March 2025

Tax status	Expired at 16 February 2024
Days left	74 days too late
MOT expiry date	9 March 2025
Full MOT history	See MOT history

Tax calculation

Vehicle class	49
Band	J
Single payment (12 months)	£ 365,00,-
Single six month payment	£ 200,75,-
Total payable by 12 monthly instalments	£ 383,25,-



Damage history

Check the damage history for this KIA. See if, where and when this KIA had damage and the car repair costs. We also check if this KIA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra KIA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this KIA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,299
Auction value	£ 19,299
Average private trade value	£ 19,299

More info >



Owner history

For how long did the current and previous owner(s) have this KIA? How many owners did this KIA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this KIA had different number plates.

Number of plates	1
Current registration	XXXXXX
Plate since	2024-03-29
Current registration	XXXXXX
Plate since	2024-03-29

More info >



Finance check

Check if this KIA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this KIA has been settled.

If not, and you buy this KIA then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this KIA is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	30
First mileage registration	2007-09-12
Last registration	2024-03-07
Complete history	See info



Registration #1	2007-09-12	16 mi
Registration #2	2010-08-28	31.418 mi
Registration #3	2012-04-02	36.768 mi
Registration #4	2012-11-26	38.248 mi
Registration #5	2013-11-06	40.627 mi
Registration #6	2014-11-06	43.605 mi
Registration #7	2015-11-03	46.394 mi
Registration #8	2015-12-22	46.657 mi
Registration #9	2015-12-22	46.657 mi
Registration #10	2016-11-21	49.779 mi
Registration #11	2016-11-24	49.799 mi
Registration #12	2017-12-19	51.359 mi
Registration #13	2017-12-19	51.359 mi
Registration #14	2018-12-13	55.511 mi
Registration #15	2018-12-13	55.511 mi
Registration #16	2019-03-20	55.511 mi
Registration #17	2019-03-20	55.511 mi
Registration #18	2019-03-20	55.511 mi
Registration #19	2019-03-20	55.511 mi
Registration #20	2019-03-20	55.511 mi
Registration #21	2019-03-20	55.511 mi
Registration #22	2019-03-20	55.511 mi
Registration #23	2019-03-20	55.511 mi
Registration #24	2019-03-20	55.511 mi
Registration #25	2019-03-20	55.511 mi
Registration #26	2019-03-20	55.511 mi

Registration #27	2025-25-25	25,252 442
Registration #28	2025-25-25	25,252 442
Registration #29	2025-25-25	25,252 442
Registration #30	2025-25-25	25,252 442

More info >



Car features

The KIA factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete KIA factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating



Video

[see crash video](#)



Dimensions & weight

Width	1820 mm
Height	1720 mm
Length	4545 mm
Wheel base	2700 mm
Kerb weight	1681 kg
Max. allowed weight	2275 kg

Additional information

Fuel tank capacity	55 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	7

Number of axles	2
Engine number	D4EA6H24440