



HYUNDAI



report date: 2024-03-29

General information

Make	HYUNDAI
Model	SANTA FE CRTD CDX
Colour	Blue
Year of manufacture	-
Top speed	103 mph
0 - 60 mph	14.9 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	111 BHP
Max. torque	260 Nm at 2.000 rpm
Cylinders	4
Fuel type	Diesel
Consumption city	31.4 mpg
Consumption extra urban	46.3 mpg
Consumption combined	39.8 mpg



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-01-31
Pictures	10
Listing price	<a href="#">View report</a>



source: [autoonline.co.uk](#)



MOT history

---

**MOT #22**

2023-02-15 13:25

**MOT test number**

499719206229

**Result**

✓ Passed

**Next expiry date**

2024-02-14

**Advice** Offside Rear Upper Suspension component mounting prescribed area is corroded but not considered excessive shocker mount point (5.3.6 (a) (i))

**Advice** Nearside Rear Suspension arm corroded but not seriously weakened all arms corroded (5.3.3 (b) (i))

**Minor** Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

**Advice** Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

**Advice** Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Advice** Nearside Front Suspension component mounting prescribed area is corroded but not considered excessive inner wing at strut mount (5.3.6 (a) (i))

**Advice** Nearside Rear Seat belt slightly damaged (7.1.2 (b) (i))

**Advice** Nearside Front Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))

**Advice** Offside Integral body structure is corroded but structural rigidity is not significantly reduced at sill (6.1.1 (c) (i))

**Advice** Nearside Rear Upper Suspension component mounting prescribed area is corroded but not considered excessive shocker mount point (5.3.6 (a) (i))

**Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))

**Advice** Offside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))

**Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

**Advice** Offside Rear Suspension arm corroded but not seriously weakened all arms corroded (5.3.3 (b) (i))

**Minor** Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

**Advice** Offside Front Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))

**Advice** Nearside Front Vehicle structure is repaired but structural rigidity is not significantly reduced (6.1.1 (d) (i))

**Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))

**Advice** Offside Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Advice** Offside Front Suspension component mounting prescribed area is corroded but not considered excessive iner wing at strut mount (5.3.6 (a) (i))

**Advice** Nearside Rear Integral body structure is corroded but structural rigidity is not significantly reduced at sill (6.1.1 (c) (i))

**Advice** Offside Front Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Advice** Offside Front Outer Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))

**Advice** Nearside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))

**MOT #21**

2023-02-15 13:25

**MOT test number**

511007233271

**Result****✗ Failed**

**Advice** Nearside Front Suspension component mounting prescribed area is corroded but not considered excessive inner wing at strut mount (5.3.6 (a) (i))

**Advice** Nearside Front Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))

**Advice** Offside Integral body structure is corroded but structural rigidity is not significantly reduced at sill (6.1.1 (c) (i))

**Advice** Nearside Rear Upper Suspension component mounting prescribed area is corroded but not considered excessive shocker mount point (5.3.6 (a) (i))

**Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))

**Advice** Offside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))

**Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

**Pass with rectification** Offside Rear Stop lamp(s) not working (4.3.1 (a) (ii))

**Advice** Offside Rear Suspension arm corroded but not seriously weakened all arms corroded (5.3.3 (b) (i))

**Minor** Nearside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

**Advice** Offside Front Seat belt webbing slightly damaged or frayed (7.1.2 (b) (ii))

**Advice** Nearside Front Vehicle structure is repaired but structural rigidity is not significantly reduced (6.1.1 (d) (i))

**Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement rear bush (5.3.4 (a) (i))

**Advice** Offside Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Advice** Nearside Rear Integral body structure is corroded but structural rigidity is not significantly reduced at sill (6.1.1 (c) (i))

**Advice** Offside Front Suspension component mounting prescribed area is corroded but not considered excessive inner wing at strut mount (5.3.6 (a) (i))

**Advice** Offside Front Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))

**Advice** Nearside Rear Brake hose has slight corrosion to ferrule (1.1.12 (f) (i))

**Advice** Offside Rear Upper Suspension component mounting prescribed area is corroded but not considered excessive shocker mount point (5.3.6 (a) (i))

**Advice** Nearside Rear Suspension arm corroded but not seriously weakened all arms corroded (5.3.3 (b) (i))

**Advice** Offside Front Outer Tyre worn close to legal limit/worn on edge (5.2.3 (e))

**Advice** Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

**Pass with rectification** Central Stop lamp(s) not working (4.3.1 (a) (ii))

**Advice** Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Minor** Offside Front Outer Drive shaft joint constant velocity boot severely deteriorated (6.1.7 (g) (i))

**Advice** Nearside Rear Seat belt slightly damaged (7.1.2 (b) (i))



MOT #20	2022-02-09 16:22
MOT test number	166637268647
Result	✓ Passed



- Advice** Nearside Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Nearside Front Suspension component mounting prescribed area is corroded but not considered excessive strut mount point (5.3.6 (a) (i))
- Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))
- Advice** Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Rear diff cradle corroded
- Advice** Central Prop shaft flexible coupling slightly deteriorated (6.1.7 (d) (i))
- Advice** Offside Rear Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))
- Advice** Offside Front Tyre worn close to legal limit/worn on edge slightly worn outer edge (5.2.3 (e))
- Advice** Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Nearside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Offside Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Central propshaft mount corroded
- Advice** Offside Front Suspension component mounting prescribed area is corroded but not considered excessive strut mount point (5.3.6 (a) (i))
- Advice** Nearside Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))
- Advice** Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Rear Vehicle structure slightly corroded within 30cm of towbar mounting (6.1.6 (i) (i))
- Advice** Offside Front Inner Power steering component has slight seepage from a component rack end damp at gaitor (2.1.5 (a))
- Advice** Nearside Front Integral body structure is corroded but structural rigidity is not significantly reduced leg at front (6.1.1 (c) (i))
- Advice** Nearside Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Advice** Offside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))

**MOT #19**

2022-02-09 12:48

**MOT test number**

777663106078

**Result****✗ Failed****Advice** Rear diff cradle corroded**Fail** Nearside Front Brake pipe leaking on a hydraulic braking system brake pipe (1.1.11 (b) (ii))**Advice** Offside Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))**Advice** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))**Advice** Offside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))**Advice** Nearside Front not attached to strut**Advice** Nearside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))**Advice** Offside Front Suspension component mounting prescribed area is corroded but not considered excessive strut mount point (5.3.6 (a) (i))**Advice** Offside Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))**Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))**Fail** Nearside Rear Coil spring fractured or broken (5.3.1 (b) (i))**Advice** Offside Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))**Advice** Nearside Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))**Fail** Nearside Front Brake performance not tested leak at pipe (1.2.1 (g))**Advice** Central propshaft mount corroded**Minor** Central Stop lamp(s) switch does not operate in accordance with the requirements (4.3.2 (a) (i))**Advice** Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))**Advice** Rear Vehicle structure slightly corroded within 30cm of towbar mounting (6.1.6 (i) (i))**Advice** Offside Front Inner Power steering component has slight seepage from a component rack end damp at gaitor (2.1.5 (a))**Advice** Nearside Front Macpherson strut corroded but not seriously weakened (5.3.3 (b) (i))**Advice** Nearside Front Integral body structure is corroded but structural rigidity is not significantly reduced leg at front (6.1.1 (c) (i))**Advice** Nearside Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Advice** Nearside Front Suspension component mounting prescribed area is corroded but not considered excessive strut mount point (5.3.6 (a) (i))

**Advice** Offside Front Tyre worn close to legal limit/worn on edge slightly worn outer edge (5.2.3 (e))

**Advice** Offside Rear Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))

**Fail** Nearside Front Anti-roll bar linkage ball joint excessively worn (5.3.4 (a) (i))

**Advice** Nearside Rear Subframe mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))

**Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))

**Advice** Central Prop shaft flexible coupling slightly deteriorated (6.1.7 (d) (i))

**Advice** Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

**Advice** Offside Rear Integral body structure is corroded but structural rigidity is not significantly reduced sill (6.1.1 (c) (i))

**Fail** Anti-lock braking system warning lamp indicates an ABS fault (1.6 (b))

**MOT #18** 2021-02-02 17:06**MOT test number** 379005478638**Result** ✓ Passed**MOT #17** 2021-02-01 17:13**MOT test number** 817305296773**Result** ✗ Failed

**Fail** Nearside Integral body structure corroded to the extent that the rigidity of the assembly is significantly reduced (6.1.1 (c) (i))

**Fail** Upper Stop lamp(s) not working (4.3.1 (a) (ii))

**MOT #16** 2019-12-21 09:57**MOT test number** 138429498101**Result** ✓ Passed

**Advice** Rear rear bumper support slight corrosion

**Advice** Nearside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))

**Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

**Advice** Offside Front Wheel bearing has slight play (5.1.3 (a) (i))

**Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

**MOT #15** 2018-12-18 16:08**MOT test number** 863437939501**Result** ✓ Passed

**Advice** Offside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

**Advice** Offside Front Track rod end ball joint has slight play (2.1.3 (b) (i))

**Advice** Nearside Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

**MOT #14**

2017-12-19 14:22

**MOT test number**

715872218296

**Result**

✓ Passed

**Advice** Central Exhaust has a minor leak of exhaust gases (7.1.2)**Advice** Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**MOT #13**

2017-12-14 12:54

**MOT test number**

699803527009

**Result**

✗ Failed

**Fail** Nearside Front Lower Suspension arm rubber bush deteriorated resulting in excessive movement REAR (2.4.G.2)**Fail** Nearside front brake binding (3.7.B.1)**Fail** Offside Brake pipe excessively corroded FRONT TO REAR (3.6.B.2c)**Fail** Nearside Rear Statutory seat belt missing STALK (5.1.1)**Fail** Offside Rear coil spring broken (2.4.C.1a)**Advice** Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Fail** Central Exhaust has a major leak of exhaust gases (7.1.2)**Fail** Offside Rear Statutory seat belt missing STALK (5.1.1)**MOT #12**

2017-03-02 15:54

**MOT test number**

534298131435

**Result**

✓ Passed

**Advice** Rear Brake pad(s) wearing thin (3.5.1g)**Advice** Metal brake pipes masked with excessive under-seal, unable to check properly**Advice** Exhaust centre deteriorated**Advice** Towbar component slightly corroded (6.6.1)**Advice** Rear bumper support panel corroded/holed at offside & nearside rear

**MOT #11**

2017-03-02 14:19

**MOT test number**

207073332250

**Result**

✗ Failed

**Advice** Metal brake pipes masked with excessive under-seal,unable to check properly**Fail** Nearside Stop lamp not working (1.2.1b)**Advice** Rear Brake pad(s) wearing thin (3.5.1g)**Fail** Towbar locking device insecure at offside (6.6.3b)**Fail** Exhaust has a major leak of exhaust gases centre section corroded/holed (7.1.2)**Advice** Rear bumper support panel corroded/holed at offside & nearside rear**Advice** Towbar component slightly corroded (6.6.1)**MOT #10**

2016-03-02 14:26

**MOT test number**

261990110230

**Result**

✓ Passed

**Advice** O/s/f & n/s/f metal brake pipes masked with excessive underseal,unable to check properly**Advice** Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt offside & nearside outer gaiters (2.5.C.1a)**Advice** Rear Brake hose has slight corrosion to ferrules offside & nearside (3.6.B.4e)**Advice** Front to rear metal brake pipes masked with excessive under-seal,unable to check properly**Advice** Exhaust has a minor leak of exhaust gases centre section deteriorated (7.1.2)**MOT #9**

2015-03-02 14:09

**MOT test number**

345301165013

**Result**

✓ Passed

**Notice** Under-trays fitted obscuring some underside components**Advice** Exhaust has a minor leak of exhaust gases (7.1.2)

**MOT #8** 2014-03-03 14:56**MOT test number** 188932464430**Result** ✓ Passed

- Notice** Under-trays fitted obscuring some underside components
- Notice** Offside & nearside front brake pipes masked in underseal unable to check
- Advice** Power steering component(s) has slight seepage from a component (2.3.3b)

**MOT #7** 2013-03-04 11:41**MOT test number** 909173163043**Result** ✓ Passed

- Advice** Offside Front Brake pipe slightly corroded (3.6.B.2c)
- Notice** Under-trays fitted obscuring some underside components
- Advice** Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)
- Advice** Power steering pipe(s) or hose(s) has slight seepage (2.3.3b)
- Notice** Exhaust back box corroded

**MOT #6** 2012-03-08 15:58**MOT test number** 346138262094**Result** ✓ Passed

- Advice** Front Brake hose slightly deteriorated (3.6.B.4d)
- Notice** Exhaust back box outer skin corroded
- Notice** Slight blue smoke on start up

**MOT #5** 2011-03-23 13:04**MOT test number** 578302581036**Result** ✓ Passed**Notice** Slight blue smoke on start up**Advice** Exhaust has part of the system slightly deteriorated (7.1.1a)**MOT #4** 2010-03-30 17:21**MOT test number** 522099780002**Result** ✓ Passed**Notice** Offside & nearside front ABS CONTROL RINGS BROKEN**Advice** Exhaust has part of the system slightly deteriorated (7.1.1a)**Notice** Slight blue smoke on start up**MOT #3** 2010-03-30 14:57**MOT test number** 692369280065**Result** ✗ Failed**Notice** Offside & nearside front ABS CONTROL RINGS BROKEN**Fail** Service brake juddering severely (3.7.C.2)**Fail** Fuel system component leaking (7.2.3)**Notice** Slight blue smoke on start up**Advice** Exhaust has part of the system slightly deteriorated (7.1.1a)**MOT #2** 2009-04-06 14:48**MOT test number** 323686899020**Result** ✓ Passed





MOT #1	2008-09-01 11:53
MOT test number	604125748223
Result	✓ Passed



Damage history

Check the damage history for this HYUNDAI. See if, where and when this HYUNDAI had damage and the car repair costs. We also check if this HYUNDAI was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra HYUNDAI salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this HYUNDAI in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 15,200
Auction value	£ 15,200
Average private trade value	£ 15,200

More info >



Owner history

For how long did the current and previous owner(s) have this HYUNDAI? How many owners did this HYUNDAI have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****
*****	*****

More info >

Plate changes

See in this check if this HYUNDAI had different number plates.

Number of plates	1
Current registration	*****
Plate since	2019-06-29
Current registration	*****
Plate since	2019-06-29

More info >



Finance check

Check if this HYUNDAI is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HYUNDAI has been settled.

If not, and you buy this HYUNDAI then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this HYUNDAI is financed.

Finance company	REDACTED	REDACTED
Date of agreement	REDACTED	REDACTED
Agreement type	REDACTED	REDACTED
Agreement term	REDACTED	REDACTED
Agreement number	REDACTED	REDACTED
Contact info	REDACTED	REDACTED

More info >



Mileage check

Odometer	In miles
Mileage registrations	24
First mileage registration	2005-09-05
Last registration	2023-02-15
Complete history	<a href="#">See info</a>



Registration #1	2005-09-05	20 mi
Registration #2	2008-09-01	23.351 mi
Registration #3	2009-04-06	27.066 mi
Registration #4	2010-03-30	36.758 mi
Registration #5	2010-03-30	36.761 mi
Registration #6	2011-03-23	45.203 mi
Registration #7	2012-03-08	52.148 mi
Registration #8	2013-03-04	60.803 mi
Registration #9	2014-03-03	69.851 mi
Registration #10	2015-03-02	78.369 mi
Registration #11	2016-03-02	86.083 mi
Registration #12	2017-03-02	94.201 mi
Registration #13	2018-03-02	102.319 mi
Registration #14	2019-03-02	110.437 mi
Registration #15	2020-03-02	118.555 mi
Registration #16	2021-03-02	126.673 mi
Registration #17	2022-03-02	134.791 mi
Registration #18	2023-02-15	142.909 mi
Registration #19	2023-02-15	142.909 mi
Registration #20	2023-02-15	142.909 mi
Registration #21	2023-02-15	142.909 mi
Registration #22	2023-02-15	142.909 mi
Registration #23	2023-02-15	142.909 mi
Registration #24	2023-02-15	142.909 mi

More info >



Car features

The HYUNDAI factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete HYUNDAI factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating



Video

[see crash video](#)



Dimensions & weight

Width	1820 mm
Height	1730 mm
Length	4500 mm
Wheel base	2620 mm
Kerb weight	1718 kg
Max. allowed weight	2520 kg

Additional information

Fuel tank capacity	65 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	5

<b>Number of axles</b>	2
<b>Engine number</b>	D4EA4515294