





### General information

Make	PEUGEOT
Model	206 COUPE CABRIOLET S
Colour	Red
Year of manufacture	-
Top speed	120 mph
0 - 60 mph	10.7 seconds
Gearbox	5 speed Manual

### Engine & fuel consumption

Power	110 BHP
Max. torque	147 Nm at 4.000 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	29.7 mpg
Consumption extra urban	49.5 mpg
Consumption combined	40.3 mpg





# Internet history

Entry 1	
Date	2021-06-22
Pictures	11
Listing price	View report









source: autotrader.co.uk



# MOT history

МОТ #26	2021-07-08 12:58
MOT test number	928366043218
Result	✓ Passed
Next expiry date	2022-07-07
Advice Hand brake high	
Advice Front brake discs slightly worn inner face	

MOT #25		2020-10-30 16:39
MOT test	number	439601404694
Result		✓ Passed
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened $(1.1.14$ (a) (ii	))

МОТ #24	2020-10-30 12:04
MOT test number	996389084662
Result	🗙 Failed
<b>MAJOR</b> Nearside Stop lamp(s) not working (4.3.1 (a) (ii))	
<b>DANGEROUS</b> Offside Rear Outer Brake pad(s) missing (1.1.13 (c))	
Advice Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a)	) (ii))
<b>DANGEROUS</b> Offside Rear Inner Brake pad(s) incorrectly mounted (1.1.13 (c))	
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	

MOT #23		2019-10-31 15:25
MOT test	number	993659487471
Result		✓ Passed
Advice	Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (	ii))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	





MOT #22	2019-10-30 16:54
MOT test number	127957005732
Result	🗙 Failed
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Minor Offside Front Tyre obviously under inflated (5.2.3 (I))	
Advice Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14	(a) (ii))
<b>DANGEROUS</b> Offside Front Tyre has ply or cords exposed (5.2.3 (d) (ii))	
<b>MAJOR</b> Parking brake efficiency below requirements (1.4.2 (a) (i))	
<b>MAJOR</b> Nearside Stop lamp(s) not working (4.3.1 (a) (ii))	
Advice Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1.14	(a) (ii))

MOT #21	2018-10-15 13:32
MOT test number	826527814922
Result	✓ Passed
<b>Advice</b> Nearside Front Suspension arm pin or bush worn but not resulting in excessive frontmost bush badly deteriorated bonding (5.3.4 (a) (i))	ve movement
Advice Front Tyre slightly damaged/cracking or perishing both (5.2.3 (d) (ii))	
Advice Offside Front door check strap broken	
Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	





MOT #20	2018-10-05 10:52
MOT test	number 686476316153
Result	× Failed
MAJOR	Parking brake efficiency below requirements (1.4.2 (a) (i))
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened both (1.1.14 (a) (ii))
MAJOR	Offside Side repeater incorrect colour (4.4.3 (a))
Advice	Front Tyre slightly damaged/cracking or perishing both (5.2.3 (d) (ii))
MAJOR	Nearside Headlamp aim not tested (4.1.2 (b))
MAJOR the ingres	Nearside Front Outer Drive shaft joint constant velocity boot split or insecure, no longer prevents s of dirt (6.1.7 (g) (ii))
<b>MAJOR</b> brake app	Nearside Rear Position lamp adversely affected by the operation of another lamp goes out when lied (4.2.3 (c))
Advice frontmost	Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement bush badly deteriorated bonding (5.3.4 (a) (i))
MAJOR	Nearside Side repeater incorrect colour (4.4.3 (a))
Advice adjustmer	Service brake requirements only just met. It would appear that the braking system requires nt or repair (1.2.1 (c))
Advice	Rear Brake pad(s) wearing thin very thin (1.1.13 (a) (ii))
MAJOR	Nearside Headlamp not working on dipped beam (4.1.1 (a) (ii))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
MAJOR	Nearside Stop lamp(s) not working (4.3.1 (a) (ii))
<b>MAJOR</b> the ingres	Offside Front Outer Drive shaft joint constant velocity boot split or insecure, no longer prevents s of dirt (6.1.7 (g) (ii))
Advice	Offside Front door check strap broken





MOT #19	2017-10-02 13:13
MOT test number	236690312176
Result	✓ Passed
Advice Rear brake disc worn, pitted or scored, but not seriously weakened bot corroded (3.5.1i)	h rear discs worn and
Advice Steering system slightly tight Nearside front strut top bearing partrially	/ seized (2.2.D.1)
Advice Nearside rear brake fluctuating, but not excessively (3.7.B.3)	
Advice Rear Brake pad(s) wearing thin (3.5.1g)	
MOT #18	2017-10-02 09:23
MOT test number	440505402389

Result × Faile	ed
Advice Rear brake disc worn, pitted or scored, but not seriously weakened both rear discs worn and corroded (3.5.1i)	
Fail Offside Rear position lamp(s) not working (1.1.A.3b)	
Advice Steering system slightly tight Nearside front strut top bearing partrially seized (2.2.D.1)	
Fail Offside Stop lamp not working (1.2.1b)	
Advice Nearside rear brake fluctuating, but not excessively (3.7.B.3)	
<b>Advice</b> Front brake disc worn, pitted or scored, but not seriously weakened both front discs corroded on inner facings (3.5.1i)	
Fail Windscreen washer provides insufficient washer liquid (8.2.3)	
Advice Rear Brake pad(s) wearing thin (3.5.1g)	
Fail Nearside Stop lamp not working (1.2.1b)	
Fail Offside front brake excessively fluctuating (3.7.B.3)	
<b>Fail</b> Nearside Front Outer Front constant velocity joint gaiter insecure to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)	

MOT #17	2016-10-13 15:45
MOT test number	122396080748
Result	✓ Passed





MOT #16	2016-10-12 12:50
MOT test number	998944228737
Result	🗙 Failed
<b>Fail</b> Offside Front wheel bearing rough when rotated (2.5.A.2)	
FailNearside Track rod end ball joint dust cover insecure so that it no longer preve(2.2.C.1c)	ents the ingress of dirt
Fail Offside Track rod end ball joint dust cover excessively deteriorated so that it r   ingress of dirt (2.2.C.1c)	no longer prevents the
MOT #15	2015-10-20 14:10
MOT test number	336936703097
Result	✓ Passed
MOT #14	2015-10-13 08:23
MOT test number	920730293092
Result	🗙 Failed
Fail Nearside Rear Stop lamp not working (1.2.1b)	
<b>Fail</b> Offside Front Front constant velocity joint gaiter insecure to the extent that it ingress of dirt etc (2.5.C.1a)	no longer prevents the
Fail Offside Rear Service brake indicates brake judder (3.7.D.1)	
Fail Offside Front Upper coil spring broken (2.4.C.1a)	
Fail Nearside Rear Service brake indicates brake judder (3.7.D.1)	
MOT #13	2014-10-15 12:05
MOT test number	369128484296
Result	✓ Passed

MOT #12	2013-10-16 15:25
MOT test number	838319183288
Result	✓ Passed





<b>MOT</b> #3	11	2013-10-15 12:33
MOT te	st number	375738683455
Result		🗙 Failed
Fail	Nearside Front Service brake indicates brake judder (3.7.D.1)	
Fail	Nearside Rear Service brake indicates brake judder (3.7.D.1)	
Fail	Nearside Front Headlamp not working on dipped beam (1.7.5a)	
Fail	Offside Front Service brake indicates brake judder (3.7.D.1)	
Fail	Offside Rear Service brake indicates brake judder (3.7.D.1)	

MOT #10	2012-10-19 11:54
MOT test	number 216993492236
Result	✓ Passed
Advice	Offside Inner Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Nearside Inner Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
Advice	Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)
Advice	Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

МОТ #9	2011-10-10 09:36
MOT test number	389863881455
Result	✓ Passed
Advice Rear Brake pad(s) wearing thin (3.5.1g)	
Notice Rear disc's groved and pitted	

MOT #8	2010-11-10 11:12
MOT test number	280914010399
Result	✓ Passed





MOT #7	2009-11-17 13:45
MOT test number	451281129319
Result	✓ Passed
MOT #6	2009-11-16 12:03
MOT test number	974650729371
Result	× Failed
Fail Nearside Front brake disc excessively pitted (3.5.1h)	
FailNearside Rear Stop lamp not working (1.2.1b)	
Fail Offside Front brake disc excessively scored (3.5.1h)	

MOT #5	2008-10-29 14:28
MOT test number	901683908334
Result	✓ Passed

440642608446
🗙 Failed

MOT #3	2007-10-11 11:34
MOT test number	523664187200
Result	✓ Passed





MOT #2	2006-11-10 11:39
MOT test number	993374216345
Result	✓ Passed
<ul><li>Advice Nearside Front Tyre worn close to the legal limit (4.1.E.1)</li><li>Advice Nearside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)</li></ul>	
MOT #1	2006-10-24 14:59
MOT test number	153847896290
Result	🗙 Failed

Fail Nearside Front Roa	d wheel bead rim badly distorted (4.2.A.1a)
Advice Nearside Tyre worn close to the legal limit (4.1.E.1)	
Advice Steering system	has slight free play detected at steering wheel (2.2.A.1b)
Pass with rectification	Centre Rear fog lamp not working (1.3.2b)
Advice Offside Front Road wheel with a slightly distorted bead rim (4.2.A.1a)	
Advice Exhaust has part of the system slightly deteriorated (7.1.1a)	





#### Damage history

Check the damage history for this PEUGEOT. See if, where and when this PEUGEOT had damage and the car repair costs. We also check if this PEUGEOT was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FEIDO
Category	4. ARMPE
Туре	
Damage 2	AMPLI
Damaye 2	E E E E
Date	*
Category	AMP
Туре	

#### Extra PEUGEOT salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.





#### Vehicle valuation

What is this car worth? See the vehicle value of this PEUGEOT in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4





### Owner history

For how long did the current and previous owner(s) have this PEUGEOT? How many owners did this PEUGEOT have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

******	
**********	
*******	
******	
**********	
********	
	More info >
Plate changes	
See in this check if this PEUGEOT had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Current registration	
Plate since	





#### Finance check

Check if this PEUGEOT is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this PEUGEOT has been settled.

If not, and you buy this PEUGEOT then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this PEUGEOT is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	





# Mileage check

Odometer	In miles
Mileage registrations	28
First mileage registration	2003-11-14
Last registration	2021-07-08
Complete history	See info



Registration #1	2003-11-14	28 mi
Registration #2	2006-10-24	19.285 mi
Registration #3	2006-11-10	19.464 mi
Registration #4	2007-10-11	21.185 mi
Registration #5	2008-10-28	22.456 mi
Registration #6	2008-10-29	225.456 mi
Registration #7	2009-11-16	24.409 mi
Registration #8	2009-11-17	24.409 mi
Registration #9	2010-11-10	26.271 mi
Registration #10	2011-10-10	27.784 mi
Registration #11	2012-10-19	29.803 mi
Registration #12	2013-10-15	31.546 mi
Registration #13	2013-10-16	31.546 mi
Registration #14	2014-10-15	33.268 mi
Registration #15		11.117 mi
Registration #16		11.117 est
Registration #17		11.117 mi
Registration #18		11.117 est
Registration #19		11.117 esi
Registration #20		11.117 esi
Registration #21		11.117 mi
Registration #22		11.117 est
Registration #23		11.777 esi
Registration #24		11.777 esi
Registration #25		11.117 mi
Registration #26		11.117 est
CarCheck.co.uk		page 15/16

Registration #28

-----

7000.00.00

-

FI 777 #6

More info >





### Car features

S0225	Air conditioning
S0295	
50482	
\$0501	
\$0566	
\$0567	
S0569	

# Safety ratings

**NCAP** rating

Video

see crash video



Dimensions & weight	
Width	1673 mm
Height	1373 mm
Length	3835 mm
Wheel base	2442 mm
Kerb weight	1140 kg
Additional information	
Fuel tank capacity	47
Fuel delivery	Multi-Point Injection
Number of doors	2