



report date: 2024-03-28

General information

Make	KIA
Model	RIO CRDI CHILL
Colour	Black
Year of manufacture	2008
Top speed	110 mph
Gearbox	5 speed Manual

Engine & fuel consumption

Power	109 BHP
Max. torque	235 Nm at 2.000 rpm
Engine capacity	1.493 cc
Cylinders	4
Fuel type	Diesel
Consumption city	52.3 mpg
Consumption extra urban	68.9 mpg
Consumption combined	62.8 mpg
CO2 emission	119 g/km
CO2 label	C






Internet history

Entry 1

Date	2021-02-01
Pictures	8
Listing price	View report



source: [autoonline.co.uk](https://www.autoonline.co.uk)



MOT history

MOT expiry date	2024-12-21
MOT pass rate	61 %
MOT passed	14
Failed MOT tests	9
Total advice items	83
Total items failed	23

MOT #23 2023-12-21 14:39

MOT test number 119670198655

Result ✓ Passed

Next expiry date 2024-12-21

- Advice** Offside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))
- Minor** Nearside Front Windscreen wiper blade defective (3.4 (b) (i))
- Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))
- Advice** Front Lower Suspension arm corroded but not seriously weakened both sides (5.3.3 (b) (i))
- Advice** Rear Axle swivel pins and bushes swivel pin and/or bush slightly worn both sides (5.1.2 (b) (i))
- Advice** Front Sub-frame corroded but not seriously weakened and rear axle (5.3.3 (b) (i))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))
- Advice** Front Lower Suspension arm pin or bush worn but not resulting in excessive movement both sides (5.3.4 (a) (i))
- Minor** Nearside Obligatory mirror slightly loose (3.3 (b) (i))
- Advice** Front Brake pad(s) wearing thin both (1.1.13 (a) (ii))
- Advice** Front Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Front Upper Macpherson strut top bush or bearing has slight wear or free play, both sides
- Advice** Coil spring corroded front and rear both sides (5.3.1 (b) (i))

**MOT #22**

2023-12-21 14:39

MOT test number

506243179535

Result**✗ Failed**

- Advice** Front Brake pad(s) wearing thin both (1.1.13 (a) (ii))
- Advice** Offside Front Anti-roll bar linkage ball joint has slight play (5.3.4 (a) (i))
- Advice** Front Lower Suspension arm corroded but not seriously weakened both sides (5.3.3 (b) (i))
- Advice** Front Upper Macpherson strut top bush or bearing has slight wear or free play, both sides
- Advice** Rear Axle swivel pins and bushes swivel pin and/or bush slightly worn both sides (5.1.2 (b) (ii))
- Advice** Rear Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))
- Advice** Front Sub-frame corroded but not seriously weakened and rear axle (5.3.3 (b) (i))
- Pass with rectification** Nearside Rear Stop lamp(s) not working (4.3.1 (a) (ii))
- Minor** Nearside Obligatory mirror slightly loose (3.3 (b) (i))
- Advice** Front Lower Suspension arm pin or bush worn but not resulting in excessive movement both sides (5.3.4 (a) (i))
- Advice** Front Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Front Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))
- Advice** Coil spring corroded front and rear both sides (5.3.1 (b) (i))
- Pass with rectification** Front Headlamp aim too low both sides (4.1.2 (a))
- Minor** Nearside Front Windscreen wiper blade defective (3.4 (b) (i))

**MOT #21**

2022-12-14 14:58

MOT test number

564760478089

Result

✓ Passed

- Advice** Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Front Sub-frame is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

MOT #20

2021-12-09 16:13

MOT test number

175435064690

Result

✓ Passed

- Advice** Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Nearside Front Service brake binding but not excessively (1.2.1 (f))
- Advice** Rear axle corroded but not excessive
- Advice** Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))

**MOT #19**

2021-12-06 16:25

MOT test number

974849951338

Result**✗ Failed**

Fail Nearside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))

Advice Oil leak, but not excessive (8.4.1 (a) (i))

Fail Offside Front Service brake excessively binding (1.2.1 (f))

Advice Nearside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))

Fail Front Sub-frame corroded and seriously weakened (5.3.3 (b) (i))

Fail Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))

Advice Rear axle corroded but not excessive

Advice Nearside Front Service brake binding but not excessively (1.2.1 (f))

Fail Offside Rear Service brake excessively binding (1.2.1 (f))

Advice Offside Front Suspension arm corroded but not seriously weakened (5.3.3 (b) (i))

MOT #18

2020-12-22 11:29

MOT test number

808619788922

Result**✓ Passed****MOT #17**

2020-12-19 11:29

MOT test number

874561452541

Result**✗ Failed**

Fail Parking brake lever has excessive movement indicating incorrect adjustment (1.1.6 (c))

Fail Parking brake efficiency less than 50% of the required value (1.4.2 (a) (ii))

Fail Offside Parking brake inoperative on one side (1.4.1 (a))

**MOT #16**

2020-10-19 15:57

MOT test number

526437082072

Result

✓ Passed

- Advice** Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

MOT #15

2020-10-12 09:30

MOT test number

767327988230

Result

✗ Failed

- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Fail** Nearside Front Suspension arm ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
- Advice** Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Fail** Offside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))
- Minor** Nearside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Fail** Nearside Front Wheel bearing has excessive play (5.1.3 (a) (i))

MOT #14

2019-10-07 15:29

MOT test number

661778196692

Result

✓ Passed

- Advice** Rear Sub-frame corroded but not seriously weakened axle beam badly corroded but not weakened (5.3.3 (b) (i))
- Advice** Front Sub-frame corroded but not seriously weakened badly corroded but not weakened (5.3.3 (b) (i))
- Advice** Rear Subframe mounting prescribed area is corroded but not considered excessive offside and nearside (5.3.6 (a) (i))
- Advice** Front Lower Suspension arm corroded but not seriously weakened offside and nearside (5.3.3 (b) (i))

**MOT #13** 2019-10-01 13:15**MOT test number** 107702182691**Result** ✗ Failed

Advice Rear Sub-frame corroded but not seriously weakened axle beam badly corroded but not weakened (5.3.3 (b) (i))

Advice Front Sub-frame corroded but not seriously weakened badly corroded but not weakened (5.3.3 (b) (i))

Fail Nearside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))

Advice Rear Subframe mounting prescribed area is corroded but not considered excessive offside and nearside (5.3.6 (a) (i))

Advice Front Lower Suspension arm corroded but not seriously weakened offside and nearside (5.3.3 (b) (i))

MOT #12 2018-09-27 15:01**MOT test number** 491610105094**Result** ✓ Passed**MOT #11** 2017-10-18 12:25**MOT test number** 508755562519**Result** ✓ Passed

Advice Both rear inner sills corroding.

Advice O/s/front tyre worn on inner edge

**MOT #10**

2017-10-18 08:17

MOT test number

782960561729

Result**✗ Failed****Advice** Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Fail** Nearside Front Upper Anti-roll bar linkage ball joint dust cover excessively deteriorated so that it no longer prevents the ingress of dirt (2.4.G.2)**Advice** O/s/front tyre worn on inner edge**Advice** Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**Fail** Nearside Front suspension has excessive play in a lower suspension ball joint (2.5.B.1a)**Fail** Offside Front position lamp(s) not working (1.1.A.3b)**Advice** Both rear inner sills corroding.**MOT #9**

2016-10-03 13:55

MOT test number

822088927844

Result**✓ Passed****Advice** Front front brake fluctuating, but not excessively (3.7.B.3)**Advice** Plastic trims shields and guards covering some prescribed areas**Advice** Headlamp aim on one**MOT #8**

2015-10-08 08:21

MOT test number

183517344152

Result**✓ Passed****Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

**MOT #7** 2014-10-01 15:49**MOT test number** 975184474298**Result** ✓ Passed**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)**Notice** Nail in nearside rear tyre**Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)**Notice** Nail in offside rear tyre**MOT #6** 2014-10-01 10:27**MOT test number** 329284574480**Result** ✗ Failed**Notice** Nail in offside rear tyre**Fail** Nearside Registration plate lamp not working (1.1.C.1d)**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)**Notice** Nail in nearside rear tyre**Fail** Offside Registration plate lamp not working (1.1.C.1d)**Advice** Nearside Rear Tyre worn close to the legal limit (4.1.E.1)**MOT #5** 2013-10-09 12:31**MOT test number** 457822483287**Result** ✓ Passed**Advice** Rear Brake pad(s) wearing thin (3.5.1g)**Advice** Offside Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**Notice** Nearside front tyre worn on raised outer edges

**MOT #4** 2013-10-03 15:38**MOT test number** 398916873273**Result** ✗ Failed**Notice** Nearside front tyre worn on raised outer edges**Advice** Offside Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)**Fail** Parking brake: efficiency below requirements (3.7.B.7)**Advice** Rear Brake pad(s) wearing thin (3.5.1g)**MOT #3** 2012-09-27 15:09**MOT test number** 526081372239**Result** ✓ Passed**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)**Advice** Nearside Front Brake hose has slight corrosion to ferrules (3.6.B.4e)**MOT #2** 2011-09-26 13:56**MOT test number** 945209061235**Result** ✓ Passed**MOT #1** 2011-09-24 09:58**MOT test number** 779597561206**Result** ✗ Failed**Fail** Offside Rear Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (4.1.D.1a)**Fail** Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)**Fail** Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)



Tax & MOT check

✓
Taxed
Tax due:
1 October 2024

✓
MOT
Expires:
21 December 2024

Tax status	Valid until 1 October
Days left	155
MOT expiry date	21 December 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	49
Band	C
Single payment (12 months)	£ 35,00,-
Single six month payment	Not applicable
Total payable by 12 monthly instalments	£ 36,75,-



Damage history

Check the damage history for this KIA. See if, where and when this KIA had damage and the car repair costs. We also check if this KIA was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra KIA salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this KIA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this KIA? How many owners did this KIA have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this KIA had different number plates.

Number of plates	1
Current registration	
Plate since	2019-03-28
Current registration	
Plate since	2019-03-28

More info >



Finance check

Check if this KIA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this KIA has been settled.

If not, and you buy this KIA then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this KIA is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	25
First mileage registration	2008-09-19
Last registration	2023-12-21
Complete history	See info



Registration #1	2008-09-19	14 mi
Registration #2	2011-09-24	30.455 mi
Registration #3	2011-09-26	30.455 mi
Registration #4	2012-09-27	39.762 mi
Registration #5	2013-10-03	51.668 mi
Registration #6	2013-10-09	51.668 mi
Registration #7	2014-10-01	65.931 mi
Registration #8	2014-10-01	65.931 mi
Registration #9	2015-10-08	80.520 mi
Registration #10	2016-10-03	94.470 mi
Registration #11	2017-10-18	104.507 mi
Registration #12	2017-10-18	104.507 mi
Registration #13	2018-09-27	107.368 mi
Registration #14	2019-09-27	121.277 mi
Registration #15	2019-09-27	121.277 mi
Registration #16	2019-09-27	121.277 mi
Registration #17	2019-09-27	121.277 mi
Registration #18	2019-09-27	121.277 mi
Registration #19	2019-09-27	121.277 mi
Registration #20	2019-09-27	121.277 mi
Registration #21	2019-09-27	121.277 mi
Registration #22	2019-09-27	121.277 mi
Registration #23	2019-09-27	121.277 mi
Registration #24	2019-09-27	121.277 mi
Registration #25	2019-09-27	121.277 mi



Car features

The KIA factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete KIA factory list for this vehicle [here](#).

More info >

Safety ratings

NCAP rating

Video [see crash video](#)



Dimensions & weight

Width	1695 mm
Height	1470 mm
Length	3990 mm
Wheel base	2500 mm
Kerb weight	1146 kg
Max. allowed weight	1650 kg

Additional information

Fuel tank capacity	45 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	5

Number of axles	2
Engine number	D4FA8H366947