





## General information

Make	BMW
Model	525 525D SE
Colour	Grey
Year of manufacture	2004
Top speed	141 mph
0 - 60 mph	8.3 seconds
Gearbox	6 speed automatic

# Engine & fuel consumption

Power	177 BHP
Max. torque	400 Nm at 2.000 rpm
Engine capacity	2.497 сс
Cylinders	6
Fuel type	Diesel
Consumption city	26.6 mpg
Consumption extra urban	45.6 mpg
Consumption combined	36.2 mpg
CO2 emission	208 g/km
CO2 label	К







# Internet history

Entry 4	
Date	2022-11-21
Pictures	13
Listing price	View report



source: autotrader.co.uk

Entry 3	
Date	2021-09-24
Pictures	10
Listing price	View report



source: autotrader.co.uk

Entry 2		
Date	2021-07-01	
Pictures	10	
Listing price	View report	



source: autotrader.co.uk

### Pictures

Listing price

10

View report



source: autotrader.co.uk



## MOT history

MOT expiry date	2024-09-13
MOT pass rate	73 %
MOT passed	16
Failed MOT tests	6
Total advice items	107
Total items failed	17

MOT #22	2023-09-14 13:11
MOT test number	618709773396
Result	🗸 Passed
Next expiry date	2024-09-13
Minor Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))	

MOT #21	2022-09-12 15:37
MOT test number	144029962704
Result	✓ Passed
Advice Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice Nearside Rear Brake hose slightly deteriorated Brake hose perished (1.1.12 (b) (	ii))
Advice Nearside Rear Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Minor Nearside Front Windscreen wiper blade defective (3.4 (b) (i))	
Advice Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c	:))
Advice Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Minor Front Headlamp lens slightly defective (4.1.1 (b) (i))	

MOT #20	2021-09-21 15:20
MOT test number	606601038277
Result	✓ Passed





MOT #19	2020-10-21 15:16
MOT test	<b>number</b> 744452449016
Result	✓ Passed
Advice	Rear Registration plate deteriorated but not likely to be misread (0.1 (b))
Advice	Front Anti-roll bar corroded but not seriously weakened (5.3.3 (b) (i))
Minor	Windscreen wiper blade defective Both front (3.4 (b) (i))
Advice	Brake pipe corroded, covered in grease or other material Both front to rear (1.1.11 (c))
<b>Advice</b> (a) (i))	Suspension arm pin or bush worn but not resulting in excessive movement Both rear lower (5.3.4
Advice	Nearside Headlamp has a product on the lens but not seriously reducing light output (4.1.4 (b))
Advice	Undertrays fitted through out
Advice	Tyre slightly damaged/cracking or perishing Both rear (5.2.3 (d) (ii))
Advice	Front Exhaust has a minor leak of exhaust gases (6.1.2 (a))
Advice	Front Brake disc worn, but not excessively (1.1.14 (a) (i))
Advice	Brake pipe corroded, covered in grease or other material Both front (1.1.11 (c))
Advice	Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice	Tyre has a cut but not deep enough to reach the ply or cords Both rear (5.2.3 (d) (i))



LT54WUU report date: 2024-03-28

MOT #18	<b>3</b> 2020-10-13 12:04
MOT test	t number 712399332586
Result	× Failed
Advice	Front Brake disc worn, but not excessively (1.1.14 (a) (i))
Advice	Nearside Headlamp has a product on the lens but not seriously reducing light output (4.1.4 (b))
Advice	Brake pipe corroded, covered in grease or other material Both front (1.1.11 (c))
Fail	Offside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
Fail	Nearside Front Coil spring fractured or broken (5.3.1 (b) (i))
Advice	Tyre slightly damaged/cracking or perishing Both rear (5.2.3 (d) (ii))
Advice	Front Exhaust has a minor leak of exhaust gases (6.1.2 (a))
<b>Fail</b> (b) (ii))	Nearside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4
Advice	Brake pipe corroded, covered in grease or other material Both front to rear (1.1.11 (c))
Minor	Windscreen wiper blade defective Both front (3.4 (b) (i))
Fail	Offside Headlamp has a product on the lens so that the light output is severely reduced (4.1.4 (b))
Advice (a) (i))	Suspension arm pin or bush worn but not resulting in excessive movement Both rear lower (5.3.4
Advice	Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice	Rear Registration plate deteriorated but not likely to be misread (0.1 (b))
Advice	Tyre has a cut but not deep enough to reach the ply or cords Both rear (5.2.3 (d) (i))
Advice	Undertrays fitted through out
Advice	Front Anti-roll bar corroded but not seriously weakened (5.3.3 (b) (i))





MOT #17	2019-06-25 15:27
MOT test	<b>number</b> 425509659595
Result	✓ Passed
<b>Advice</b> (5.3.4 (a)	Nearside Rear Lower Suspension arm pin or bush worn but not resulting in excessive movement (i))
Advice	Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice	Nearside Front Inner Road wheel slightly distorted (5.2.2 (c) (i))
Advice	Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
<b>Advice</b> (5.3.4 (a)	Offside Rear Lower Suspension arm pin or bush worn but not resulting in excessive movement (i))
Advice	Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))
Advice	Rear Brake pipe corroded, covered in grease or other material and front to rear (1.1.11 (c))





<b>MOT #16</b> 20	19-06-18 11:39
MOT test number	125100554317
Result	🗙 Failed
Fail Offside Headlamp has a product on the lens so that the light output is severely reduced	(4.1.4 (b))
Advice Offside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Advice Offside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Advice Offside Rear Lower Suspension arm pin or bush worn but not resulting in excessive r (5.3.4 (a) (i))	novement
Advice Offside Front stone trapped in front brake disc	
Fail Nearside Front Inner Position lamp not working (4.2.1 (a))	
<b>Fail</b> Nearside Front Headlamp aim so that beam "kick up" is not visible on the screen (4.1.2	(a))
Advice Rear Brake pipe corroded, covered in grease or other material and front to rear (1.1.	11 (c))
Advice Nearside Front Tyre slightly damaged/cracking or perishing (5.2.3 (d) (ii))	
Fail Parking brake lever defective so that it cannot be satisfactorily operated (1.1.6 (d))	
Advice Nearside Rear Lower Suspension arm pin or bush worn but not resulting in excessive (5.3.4 (a) (i))	e movement
Advice Nearside Front Inner Road wheel slightly distorted (5.2.2 (c) (i))	
<b>Fail</b> Offside Front Headlamp aim so that beam "kick up" is not visible on the screen (4.1.2 (a	))

MOT #15	2017-09-15 11:40
MOT test number	677368654358
Result	✓ Passed
Advice Offside Rear Lower Suspension arm rubber bush deteriorated but not removement front (2.4.G.2)	sulting in excessive
Advice Brake pipe slightly corroded rear cross pipe (3.6.B.2c)	
<b>Advice</b> Nearside Rear Lower Suspension arm rubber bush deteriorated but not movement front (2.4.G.2)	resulting in excessive
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	





MOT #14	2017-09-14 11:42
MOT test number	666874628874
Result	🗙 Failed
<b>Fail</b> Offside Headlamp has a product on the lens so that the light output is s	everely reduced (1.7.5a)
<b>Advice</b> Nearside Rear Lower Suspension arm rubber bush deteriorated but r movement front (2.4.G.2)	not resulting in excessive
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice Nearside Headlamp has a product on the lens but not seriously redu	cing light output (1.7.5a)
Fail Offside Headlamp aim so that beam "kick up" is not visible on the scree	en (1.8.B.1)
<b>Advice</b> Offside Rear Lower Suspension arm rubber bush deteriorated but no movement front (2.4.G.2)	t resulting in excessive
Advice Brake pipe slightly corroded rear cross pipe (3.6.B.2c)	

MOT #13	2016-09-29 15:15
MOT test number	105670208344
Result	Passed
Advice Offside Headlamp has a product on the light source but not seriously reduce (1.7.5a)	ucing light output
Advice Nearside Rear Suspension arm rubber bush deteriorated but not resulting front (2.4.G.2)	in excessive movement
<b>Advice</b> Brakes imbalanced requirements only just met. It would appear that the badjustment or repair. (3.7.B.5b)	oraking system requires
Advice Rear registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice Offside Rear Suspension arm rubber bush deteriorated but not resulting in front (2.4.G.2)	n excessive movement





MOT #12	2016-09-20 11:02
MOT test number	983036194395
Result	🗙 Failed
<b>Advice</b> Nearside Rear Suspension arm rubber bush deteriorated but not resulting in excernance front (2.4.G.2)	essive movement
<b>Fail</b> Nearside Front wheel bearing rough when rotated (2.5.A.2)	
<b>Advice</b> Brakes imbalanced requirements only just met. It would appear that the braking adjustment or repair. (3.7.B.5b)	system requires
Advice Rear registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice Offside Rear Suspension arm rubber bush deteriorated but not resulting in excess front (2.4.G.2)	sive movement
Advice Offside Headlamp has a product on the light source but not seriously reducing light (1.7.5a)	ght output

MOT #11		2015-09-23 12:20
MOT test	number	416560933436
Result		✓ Passed
Advice	Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Underbody and engine covers fitted obscuring some items	
Advice	Nearside Headlamp has a product on the lens but not seriously reducing lig	ht output (1.7.5a)
<b>Advice</b> (2.4.G.2)	Suspension arm rubber bush deteriorated but not resulting in excessive mo	vement both rear arm
Advice	Offside Headlamp has a product on the lens but not seriously reducing light	output (1.7.5a)





MOT #10		2014-09-30 15:48
MOT test	number	395963374430
Result		✓ Passed
Notice	Plastic undertrays fitted throughout	
Advice movement	Offside Rear Lower Suspension arm rubber bush deteriorated but not resulting i t (2.4.G.2)	n excessive
Notice	Both front headlamp lenses tarnished	
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Notice	Rear differential rusty	
Notice	Front brake pads getting down	
Notice	Various engine oil leaks	
Advice movement	Nearside Rear Lower Suspension arm rubber bush deteriorated but not resulting (2.4.G.2)	g in excessive
Notice	Nearside front wheel bearing worn and noisy	
Advice	Nearside Front Brake pipe slightly corroded (3.6.B.2c)	
Notice	Rear towing eye cover in bumper missing	
Notice	Exhaust system getting rusty	
Notice	Nail in nearside front tyre (not puntured and removed)	

MOT #9	2013-09-24 13:51
MOT test number	429867563262
Result	✓ Passed



LT54WUU
report date: 2024-03-28

MOT #8		2012-09-24 12:03
MOT test	number	385648062471
Result		✓ Passed
Advice	Offside Front Brake pipe slightly corroded (3.6.B.2c)	
Advice	Rear registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice	Nearside Front Brake pipe slightly corroded (3.6.B.2c)	
Notice	Exhaust system rusty in places	
NOT #7		2012 00 24 12:02

MOT #7		2012-09-24 12:03
MOT test number		128748962207
Result		🗙 Failed
Advice Nearside Front E	Brake pipe slightly corroded (3.6.B.2c)	
Notice Exhaust system rusty in places		
Pass with rectification	Offside Windscreen washer provides insufficient washe	er liquid (8.2.3)
Advice Offside Front Brake pipe slightly corroded (3.6.B.2c)		
Pass with rectification	Nearside Windscreen washer provides insufficient was	her liquid (8.2.3)
Advice Rear registration	n plate deteriorated but not likely to be misread (6.3.1d)	

MOT #6		2011-09-08 15:00
MOT test	number	289031151217
Result		✓ Passed
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Notice	OFFSIDE REAR LOWER STEERING KNUCKLE (trunion) HAS PLAY	
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	



LT54WUU
report date: 2024-03-28

MOT #5		2010-09-14 09:28
MOT test nu	nber	823907150285
Result		✓ Passed
Advice R	ear Tyre worn close to the legal limit (4.1.E.1)	
Advice R	ear Brake pad(s) wearing thin (3.5.1g)	
Advice 0	ffside Rear Tyre worn close to the legal limit (4.1.E.1)	

MOT #4		2009-09-18 09:21
MOT test	number	890091769227
Result		✓ Passed
Notice	A.oil level on min mark	
Notice	A.front washers have low pressure	

MOT #3		2008-09-12 10:31
MOT test	number	684836258260
Result		✓ Passed
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Front Brake pad(s) wearing thin (3.5.1g)	
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice	Rear Brake pad(s) wearing thin (3.5.1g)	

MOT #2	2007-10-02 16:13
MOT test number	812865977263
Result	✓ Passed





MOT #1	2007-10-01 15:00
MOT test number	144934277218
Result	🗙 Failed
Fail Nearside Front Tyre has a cut in excess of the requirements deep enough to reach (4.1.D.1a)	the ply or cords
<b>Fail</b> Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	
<b>Notice</b> A.o/s/f tyre worn on outter edge	
Fail Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)	



Tax & MOT check

✓ Taxed Tax due: 1 September 2024	✓ MOT Expires: 13 September 2024
Tax status	Valid until 1 September
Days left	125
MOT expiry date	13 September 2024
Full MOT history	See MOT history

# Tax calculation

Vehicle class	49
Band	К
Single payment (12 months)	£ 395,00,-
Single six month payment	£ 217,25,-
Total payable by 12 monthly instalments	£ 414,75,-





### Damage history

Check the damage history for this BMW. See if, where and when this BMW had damage and the car repair costs. We also check if this BMW was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	FERRE
Category	Lamp
Туре	
Damage 2	AMPLE
Date	A.F.
Category	ante.
Туре	

#### Extra BMW salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info  $\rightarrow$ 





### Vehicle valuation

What is this car worth? See the vehicle value of this BMW in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200

More info  $\rightarrow$ 





## Owner history

For how long did the current and previous owner(s) have this BMW? How many owners did this BMW have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

*******	
***********	
*******	
******	
***********	
********	
	More info >
Plate changes	
See in this check if this BMW had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Plate since	





### Finance check

Check if this BMW is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this BMW has been settled.

If not, and you buy this BMW then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this BMW is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info  $\rightarrow$ 





# Mileage check

Odometer	In miles
Mileage registrations	26
First mileage registration	2004-09-09
Last registration	2023-09-14
Complete history	See info



Registration #1	2004-09-09	14 mi
Registration #2	2007-10-01	35.664 mi
Registration #3	2007-10-02	35.664 mi
Registration #4	2008-09-12	49.449 mi
Registration #5	2009-09-18	66.619 mi
Registration #6	2010-09-14	79.305 mi
Registration #7	2011-09-08	81.966 mi
Registration #8	2012-09-24	84.042 mi
Registration #9	2013-09-24	85.251 mi
Registration #10	2014-09-30	86.688 mi
Registration #11	2015-09-23	88.225 mi
Registration #12	2016-09-20	89.369 mi
Registration #13	2016-09-29	89.416 mi
Registration #14		11.117 esi
Registration #15		11.777 esi
Registration #16		11.777 esi
Registration #17		11.777 esi
Registration #18		11.117 est
Registration #19		11.777 esi
Registration #20		11.117 esi
Registration #21		11.117 mi
Registration #22		11.117 est
Registration #23		11.777 mi
Registration #24		11.777 esi
Registration #25		11.117 mi
Registration #26		11.117 esi

More info >





### Car features

S0225	Air conditioning
\$0295	
50482	
50501	
50566	
50567	
60569	

# Safety ratings

**NCAP** rating

Video

see crash video



Dimensions & weight	
Width	1846 mm
Height	1469 mm
Length	4841 mm
Wheel base	2888 mm
Kerb weight	1685 kg
Max. allowed weight	2155 kg
Additional information	
Fuel tank capacity	70
Fuel delivery	Direct Injection
Number of doors	4
Number of seats CarCheck.co.uk	5 page 20/20