





General information

Make	JAGUAR
Model	S-TYPE SPORT V6
Colour	Black
Year of manufacture	2001
Top speed	146 mph
0 - 60 mph	6.9 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	240 BHP
Max. torque	300 Nm at 4.500 rpm
Engine capacity	2.967 cc
Cylinders	6
Fuel type	Petrol
Consumption city	17.1 mpg
Consumption extra urban	34.9 mpg
Consumption combined	25.2 mpg
CO2 emission	270 g/km
CO2 label	Μ







Internet history

Entry	1

Date

2021-11-12

Pictures

Listing price

View report

9



source: cargurus.co.uk



MOT history

MOT expiry date	2024-11-24
MOT pass rate	67 %
MOT passed	16
Failed MOT tests	8
Total advice items	79
Total items failed	17

MOT #24		2023-11-25 13:55
MOT test	number	331797184951
Result		✓ Passed
Next expi	ry date	2024-11-24
Advice	Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice	Front Power steering pipe/hose slightly corroded (2.1.5 (g) (i))	
Advice	Brake pipe corroded, covered in grease or other material ALL pipes (1.1.11 (c))	

МОТ #23	2023-11-10 16:52
MOT test number	426118339991
Result	🗙 Failed
FailNearside Rear Hydraulic brake calliper leaking and braking performance(1.1.16 (b) (ii))	affected Calliper leaking
Advice Brake pipe corroded, covered in grease or other material ALL metal k (c))	orake pipes corroded (1.1.11
Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Minor Offside Rear Battery insecure but not likely to fall from carrier (4.13 (a	a) (i))
Advice Front Power steering pipe/hose slightly corroded (2.1.5 (g) (i))	



PN51RNE report date: 2024-03-28

MOT #22	2023-11-08 16:04
MOT test number	427448474145
Result	🗙 Failed
Minor Offside Rear Battery insecure but not likely to fall from carrier (4.13 (a) (i))	
Fail Rear Brakes imbalanced across an axle (1.2.1 (b) (i))	
Advice Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	
Advice Front Power steering pipe/hose slightly corroded (2.1.5 (g) (i))	
Fail Nearside Rear Inner Brake disc significantly and obviously worn inner side of dis	c (1.1.14 (a) (i))
Advice Brake pipe corroded, covered in grease or other material ALL metal brake pipe (c))	pes corroded (1.1.11
Fail Rear Brakes imbalanced across an axle Axle 2 (1.2.1 (b) (i))	

MOT #21		2022-11-10 07:25
MOT test	number	102803728924
Result		✓ Passed
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.	11 (c))
Advice	Nearside Front Engine mounting damaged but not to excess (6.1.8 (a) (i))	
Advice	Rear Sub-frame pin or bush worn but not resulting in excessive movement all	bushes (5.3.4 (a) (i))
Minor	Steering lock not functioning (7.3 (a))	
Advice	Brake pipe corroded, covered in grease or other material both front to rear (1	.1.11 (c))
Advice	Offside Front Engine mounting damaged but not to excess (6.1.8 (a) (i))	





MOT #20	2022-11-07 12:53
MOT test number	323547466071
Result	🗙 Failed
Advice Offside Front Engine mounting damaged but not to excess (6.1.8 (a) (i))	
Advice Nearside Front Brake pipe corroded, covered in grease or other material (1.1	l.11 (c))
Fail Offside Rear Lower Suspension arm pin or bush excessively worn hub bush (5.3)	.4 (a) (i))
Advice Nearside Front Engine mounting damaged but not to excess (6.1.8 (a) (i))	
Advice Rear Sub-frame pin or bush worn but not resulting in excessive movement a	ll bushes (5.3.4 (a) (i))
Fail Nearside Rear Lower Suspension arm pin or bush excessively worn hub bush (5.)	.3.4 (a) (i))
Advice Brake pipe corroded, covered in grease or other material both front to rear (1.1.11 (c))
Minor Steering lock not functioning (7.3 (a))	

MOT #19	2021-11-09 15:09
MOT test number	279665512951
Result	✓ Passed
Advice Rear Suspension component corroded but not seriously weakened subframe, cabsorber (5.3.3 (b) (i))	oil spring and shock
Advice Front Tyre slightly damaged/cracking or perishing both side (5.2.3 (d) (ii))	
Advice Central Power steering pipe/hose slightly corroded (2.1.5 (g) (i))	
Advice Nearside Front Brake pipe corroded, covered in grease or other material (1.1.1	l1 (c))
Minor Offside Front Anti-roll bar ball joint dust cover severely deteriorated (5.3.4 (b) (i))
Advice Offside Brake pipe corroded, covered in grease or other material front and rea	r (1.1.11 (c))



PN51RNE
report date: 2024-03-28

MOT #18		2020-10-12 13:28
MOT test	number	558395783027
Result		✓ Passed
Advice	Rear Coil spring corroded nearside and offside (5.3.1 (b) (i))	
Advice	Rear Brake pipe corroded, covered in grease or other material nearside and c	offside (1.1.11 (c))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Power steering pipe/hose slightly corroded (2.1.5 (g) (i))	
Advice adjustmen	Parking brake efficiency only just met. It would appear that the braking systent or repair. (1.4.2 (a) (i))	m requires
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.	11 (c))
Advice	Front Tyre slightly damaged/cracking or perishing nearside and offside (5.2.3	(d) (ii))
Advice	Headlamp has a product on the lens but not seriously reducing light output be	oth (4.1.4 (b))





MOT #17	2020-09-25 15:45
MOT test	number 847414713287
Result	× Failed
Minor (b) (i))	Nearside Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1
	offside Rear Lower Suspension arm ball joint dust cover no longer prevents the ingress of dirt inner (5.3.4 (b) (ii))
Advice	Power steering pipe/hose slightly corroded (2.1.5 (g) (i))
Fail R	ear Tyre tread depth below requirements of 1.6mm nearside and offside (5.2.3 (e))
Fail P	arking brake efficiency below requirements (1.4.2 (a) (i))
Advice	Nearside Rear Exhaust mounting defective (6.1.2 (a))
Advice	Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Minor	Windscreen wiper blade defective both (3.4 (b) (i))
	earside Rear Lower Suspension arm ball joint dust cover no longer prevents the ingress of dirt inner (5.3.4 (b) (ii))
Advice (b))	Headlamp has a product on the lens but not seriously reducing light output both headlamps (4.1.4
Advice	Rear Coil spring corroded nearside and offside (5.3.1 (b) (i))
Advice	Coolant leak
Advice	Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
Advice	Front Tyre slightly damaged/cracking or perishing nearside and offside (5.2.3 (d) (ii))
Minor	Offside Front Brake pipe inadequately clipped or supported pipes (1.1.11 (d) (i))
Fail O	offside Rear Lower Suspension arm ball joint excessively worn outer (5.3.4 (a) (i))

MOT #16	2019-08-30 13:01
MOT test number	999613069998
Result	✓ Passed



PN51RNE
report date: 2024-03-28

MOT #15	2019-08-30 09:32
MOT test number	514515732834
Result	🗙 Failed
Fail Rear Brakes imbalanced across an axle Axle 2 (1.2.1 (b) (i))Fail Parking brake efficiency below requirements (1.4.2 (a) (i))	
MOT #14 2018-05-15 10:3	

MOT test number	184009290850
Result	✓ Passed

MOT #13	2017-03-14 12:34
MOT test number	600718047115
Result	✓ Passed
Advice Rear Tyre worn close to the legal limit o/s and n/s. (4.1.E.1)	
Advice Rear Suspension arm has slight play in a pin/bush o/s and n/s rear outer hub lower mounting bush to bottom suspension arm. (2.4.G.2)	
Advice Rear Brake pipe slightly corroded o/s and n/s. (3.6.B.2c)	
Advice Nearside Front Lower Shock absorber has a slightly worn bush (2.7.4)	

MOT #12	2017-03-14 12:34	
MOT test number	782097939952	
Result	🗙 Failed	
Advice Rear Brake pipe slightly corroded o/s and n/s. (3.6.B.2c)		
Advice Nearside Front Lower Shock absorber has a slightly worn bush (2.7.4)		
Pass with rectification Front Windscreen wiper does not clear the windscreen	effectively (8.2.2)	
Advice Rear Tyre worn close to the legal limit o/s and n/s. (4.1.E.1)		
Advice Rear Suspension arm has slight play in a pin/bush o/s and n/s rear outer hub lower mounting bush to bottom suspension arm. (2.4.G.2)		





MOT #11		2016-02-26 10:13
MOT test	number	258583693597
Result		✓ Passed
Advice (2.4.G.2)	Rear Lower Suspension arm has slight play in a pin/bush wishbone n/s and	o/s outer bushes.
Advice	N/s/front tyre near wear bars.	
Advice	Rear Tyre worn close to the legal limit o/s and n/s (4.1.E.1)	

MOT #10	2014-03-04 14:52
MOT test number	657933464025
Result	✓ Passed

МОТ #9	2014-03-01 09:06
MOT test number	568130864063
Result	🗙 Failed
Fail Parking brake: efficiency below requirements (3.7.B.7)	
Fail Nearside rear parking brake recording little or no effort (3.7.B.6a)	
Advice Offside Rear Rear wheel bearing has slight play (2.6.2)	

MOT #8	2012-09-10 09:58
MOT test number	138764352265
Result	✓ Passed

MOT #7	2011-09-16 09:41
MOT test number	917659551262
Result	✓ Passed

MOT #6	2010-08-31 08:58
MOT test number	951673540235
Result	✓ Passed



PN51RNE
report date: 2024-03-28

MOT #5		2009-09-03 12:59
MOT test	number	134946549243
Result		🗸 Passed
Advice	Offside Rear Lower Suspension arm has slight play in a pin/bush (2.4.G.2)	
Advice	Offside Rear Shock absorber has a slightly worn bush (2.7.4)	
Advice	Nearside Rear Shock absorber has a slightly worn bush (2.7.4)	

MOT #4 2008-09-03 10:54 **MOT test number** 994937348266 Result ✓ Passed Advice Offside Front suspension has slight play in a lower suspension ball joint (2.5.B.1a) Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1) Advice Nearside Front suspension has slight play in a lower suspension ball joint (2.5.B.1a) Advice Offside Rear Lower Suspension arm synthetic bush deteriorated but not resulting in excessive movement (2.4.G.2) Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)

МОТ #3	2008-09-03 10:54
MOT test number	332207548477
Result	× Failed
Advice Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice Offside Front suspension has slight play in a lower suspension ball joint (2.	.5.B.1a)
Advice Nearside Rear Tyre worn close to the legal limit (4.1.E.1)	
Advice Nearside Front suspension has slight play in a lower suspension ball joint (2.5.B.1a)	
Advice Offside Rear Lower Suspension arm synthetic bush deteriorated but not resulting in excessive movement (2.4.G.2)	
Pass with rectification Bonnet retaining device ineffective (8.4.2)	





MOT #2		2007-09-13 09:17	
MOT test	number	882226957278	
Result		✓ Passed	
Advice	Offside Lower Front suspension has slight play in a lower suspension ball jo	oint (2.5.B.1a)	
Advice	Advice Nearside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)		
Advice	Advice Nearside Lower Front suspension has slight play in a lower suspension ball joint (2.5.B.1a)		
Advice Offside Front Anti-roll bar linkage has slight play in a ball joint (2.4.G.2)			
MOT #1		2006-09-12 12:57	
MOT test	number	143075656263	

Advice Tyre worn close to the legal limit (4.1.E.1)

Advice Brake disc slightly pitted (3.5.1h)

Passed



Tax & MOT check

✓	✓
Taxed	MOT
Tax due:	Expires:
1 November 2024	24 November 2024
Tax status	Valid until 1 November
Days left	186
MOT expiry date	24 November 2024
Full MOT history	See MOT history

Tax calculation

Vehicle class	48
Band	К
Single payment (12 months)	£ 395,00,-
Single six month payment	£ 217,25,-
Total payable by 12 monthly instalments	£ 414,75,-





Damage history

Check the damage history for this JAGUAR. See if, where and when this JAGUAR had damage and the car repair costs. We also check if this JAGUAR was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	
Damage 2	AMPL
	E Store
Date	1. E
Category	amt
Туре	

Extra JAGUAR salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this JAGUAR in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4 10.000
Auction value	4 10.000
Average private trade value	4 10.200

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this JAGUAR? How many owners did this JAGUAR have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second s	

	More info >
Plate changes	
See in this check if this JAGUAR had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Plate since Carrent registration	
Plata since Carrent registration Plate since	8775-25-27





Finance check

Check if this JAGUAR is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this JAGUAR has been settled.

If not, and you buy this JAGUAR then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this JAGUAR is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info \rightarrow



PN51RNE report date: 2024-03-28

Mileage check

In miles
25
2001-09-18
2023-11-25
See info



Registration #1	2001-09-18	21 mi
Registration #2	2006-09-12	21.506 mi
Registration #3	2007-09-13	36.951 mi
Registration #4	2008-09-03	50.593 mi
Registration #5	2009-09-03	62.837 mi
Registration #6	2010-08-31	66.403 mi
Registration #7	2011-09-16	74.541 mi
Registration #8	2012-09-10	83.261 mi
Registration #9	2014-03-01	86.376 mi
Registration #10	2014-03-04	86.390 mi
Registration #11	2016-02-26	88.495 mi
Registration #12	2017-03-14	88.819 mi
Registration #13	2017-03-14	88.819 mi
Registration #14		11.777 est
Registration #15		11.317 est
Registration #15 Registration #16		11.777 es
		01,000 est 01,000 est 01,000 est
Registration #16		01,000 est 01,000 est 01,000 est 01,000 est
Registration #16 Registration #17		01,000 est 01,000 est 01,000 est 01,000 est 01,000 est
Registration #16 Registration #17 Registration #18		00,000 e8 0,000 e8 0,000 e8 0,000 e8 0,000 e8 0,000 e8
Registration #16 Registration #17 Registration #18 Registration #19		00,000 e8 0,000 e8 0,000 e8 0,000 e8 0,000 e8 0,000 e8 0,000 e8
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20		00,000 e8 0,000 e8 0,000 e8 0,000 e8 0,000 e8 0,000 e8 0,000 e8 0,000 e8
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21		00.000 46 0.000 46 0.000 46 0.000 46 0.000 46 0.000 46 0.000 46 0.000 46
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22		00,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46 0,000 46
Registration #16 Registration #17 Registration #18 Registration #19 Registration #20 Registration #21 Registration #22 Registration #23		10, 200 46 0, 200 46



Dimensions & weight

Width	2040 mm
Height	1444 mm
Length	4861 mm
Wheel base	2909 mm
Kerb weight	1668 kg
Additional information	

Fuel tank capacity70 IFuel deliveryMulti-Point InjectionNumber of doors4Number of axles2Engine number137638358FB