





General information

Make	HONDA
Model	ACCORD VTEC SE EXECUTIVE
Colour	Silver
Year of manufacture	-
Top speed	130 mph
0 - 60 mph	9.9 seconds
Gearbox	4 speed automatic

Engine & fuel consumption

Power	145 BHP
Max. torque	184 Nm at 4.800 rpm
Cylinders	4
Fuel type	Petrol
Consumption city	22.1 mpg
Consumption extra urban	39.8 mpg
Consumption combined	30.7 mpg





Internet history	
Entry 1	
Date	2021-06-22
Pictures	0
Listing price	View report

source: autotrader.co.uk



report date: 2024-03-29

MOT history

MOT #27	2023-07-03 10:39
MOT test number	136411646192
Result	🗙 Failed
Fail Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))	
Fail Nearside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))	
Advice Offside Rear Brake disc worn, pitted or scored, but not seriously weakened (1.1	.14 (a) (ii))
Minor Nearside Front Upper Suspension arm ball joint dust cover severely deteriorated	(5.3.4 (b) (i))
Fail Emissions unable to be completed (8.2.1.2 (d))	
Fail Offside Front Suspension component mounting prescribed area excessively damag reducing structural strength subframe mount (5.3.6 (a) (i))	jed significantly
Fail Offside Windscreen washer provides insufficient washer liquid (3.5 (a))	
Fail Offside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))	
Fail Rear Exhaust emissions likely to be affected by an exhaust leak (8.2.2.1 (b))	
Fail Nearside Front Suspension component mounting prescribed area is corroded to the control of the vehicle is likely to be adversely affected subframe mount (5.3.6 (a) (ii))	e extent that
Minor Offside Front Upper Suspension arm ball joint dust cover severely deteriorated (5.3.4 (b) (i))
Fail Rear Exhaust has a major leak of exhaust gases (6.1.2 (a))	

MOT #26		2022-07-07 13:50
MOT test	number	413546729966
Result		✓ Passed
Minor (i))	Nearside Front Upper Suspension component ball joint dust cover severely de	eteriorated (5.3.4 (b)
Minor	Offside Front Upper Suspension component ball joint dust cover severely det	eriorated (5.3.4 (b) (i))
Advice Front Seat belt anchorage prescribed area is corroded but not considered excessive both sides (7.1.1 (a) (i))		





MOT #25	2022-07-07 13:07	
MOT test number	219690551068	
Result	🗙 Failed	
Minor Nearside Front Upper Suspension component ball joint dust cover severely der (i))	teriorated (5.3.4 (b)	
Fail Nearside Headlamp has a product on the lens so that the light output is severely	reduced (4.1.4 (b))	
Advice Front Seat belt anchorage prescribed area is corroded but not considered excessive both sides (7.1.1 (a) (i))		
Minor Offside Front Upper Suspension component ball joint dust cover severely dete	riorated (5.3.4 (b) (i))	
Fail Supplementary restraint system warning lamp indicates a fault (7.1.6 (a))		
Fail Offside Headlamp has a product on the lens so that the light output is severely r	educed (4.1.4 (b))	

MOT #24	2021-07-13 08:02
MOT test number	109310760865
Result	✓ Passed

MOT #23	2021-07-12 14:19
MOT test number	604585285117
Result	🗙 Failed
Advice Nearside Side repeater slightly discoloured (4.4.3 (a))	
Fail (ii))Offside Rear Registration plate lamp inoperative in the case of a single lamp or (iii))	all lamps (4.7.1 (b)
Fail Windscreen washer not working both (3.5 (a))	
Fail Offside Front Position lamp not working (4.2.1 (a) (ii))	
Fail Nearside Rear Position lamp light intensity significantly reduced (4.2.3 (a) (ii))	
Advice Offside Front Side repeater slightly discoloured (4.4.3 (a))	
Fail Nearside Front Position lamp not working (4.2.1 (a) (ii))	
Fail Offside Rear Position lamp not working (4.2.1 (a) (ii))	





MOT #22	2020-08-20 08:50	
MOT test number	206777234011	
Result	✓ Passed	
MOT #21	2020-08-19 09:36	
MOT test number	907246603085	
Result	🗙 Failed	
Fail Rear Registration plate inscription illegible (0.1 (b))		
Fail Front Registration plate inscription illegible (0.1 (b))		
Fail Exhaust carbon monoxide content after 2nd fast idle exceeds default limits (8.2.1.2 (b))		

MOT #20		2019-08-09 07:02
MOT test	number	406563218643
Result		✓ Passed
Advice	Front Registration plate deteriorated but not likely to be misread (0.1 (b))	
Advice	Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))	
Advice	Rear Registration plate deteriorated but not likely to be misread (0.1 (b))	





MOT #:	19	2019-08-06 10:31
MOT te	st number	595141496002
Result		🗙 Failed
Fail	Offside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))	
Fail	Nearside Rear Tyre has a tear, caused by separation or partial failure of its structure	e (5.2.3 (d) (ii))
Advic	All tyres worn low	
Fail	Offside Headlamp aim projected beam image is obviously incorrect $(4.1.2 (c))$	
Fail	Offside Steering rack gaiter missing or no longer prevents the ingress of dirt (2.1.3 (g) (ii))
Fail	Front Registration plate inscription illegible (0.1 (b))	
Fail	Nearside Windscreen wiper does not clear the windscreen effectively $(3.4 (b) (ii))$	
Fail	Nearside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))	
Fail	Power steering component leaking (2.1.5 (a))	
Fail	Nearside Front Tyre has a cut in excess of the requirements deep enough to reach t	he ply or cords
(5.2.3 (d) (I))	
Fail	Offside Front Service brake excessively binding (1.2.1 (f))	

MOT #18	2018-08-17 13:47
MOT test number	156589280956
Result	✓ Passed

MOT #17	2018-08-09 09:41
MOT test number	272737889775
Result	🗙 Failed
Fail Offside Front Suspension component mounting prescribed area excessively conreducing structural strength (5.3.6 (a) (i))	rroded significantly
Fail Offside Rear Anti-roll bar linkage insecure and impairing directional stability (5)	.3.3 (a) (ii))
Fail Offside Steering rack gaiter missing or no longer prevents the ingress of dirt (2	2.1.3 (g) (ii))





MOT #16		2017-08-22 10:11
MOT test	number	203510246409
Result		✓ Passed
Advice	Both rear tyres starting to age crack	
Advice	Front brake disc modified but not seriously weakened (3.5.1n)	
Advice Offside Front Subframe mounting prescribed area is corroded but not considered excessive (2.4.A.3)		ered excessive
Advice	General corrosion on underside of vehicle	
Advice	Front registration plate faded but not likely to be misread (6.3.1d)	

MOT #15	2017-08-21 09:43	
MOT test number	715859300031	
Result	🗙 Failed	
Fail Offside Front Headlamp has a product on the lens so that the light output is severe	ely reduced (1.7.5a)	
Fail Nearside Front Subframe mounting prescribed area is excessively corroded (2.4.A.)	.3)	
Fail Nearside Front Steering rack gaiter split (2.2.D.2d)		
Advice Both rear tyres starting to age crack		
Fail Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3.	D.3)	
Advice General corrosion on underside of vehicle		
Fail Nearside Front Headlamp has a product on the light source so that the light output is severely reduced (1.7.5a)		
Fail Front Windscreen wiper does not clear the windscreen effectively (8.2.2)		
Advice Offside Front Subframe mounting prescribed area is corroded but not considered (2.4.A.3)	ed excessive	
Advice Kat broken up		
Advice Front registration plate faded but not likely to be misread (6.3.1d)		





MOT #14		2016-08-05 10:38
MOT test	number	823284827767
Result		✓ Passed
Advice	Front registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice (1.7.5a)	Nearside Front Headlamp has a product on the lens but not seriously reducing	g light output
Advice	Rear registration plate deteriorated but not likely to be misread (6.3.1d)	
Advice	Engine management warning lamp showing	
Advice (1.7.5a)	Offside Front Headlamp has a product on the light source but not seriously re-	ducing light output

MOT #13	2015-08-25 16:42
MOT test number	578127235264
Result	✓ Passed
Notice Offside front tyre has a slight cut on the tread	

MOT #12	2015-08-25 11:38
MOT test number	738947635211
Result	× Failed
Fail Offside Windscreen wiper blade insecure (8.2.2)	
Notice Offside front tyre has a slight cut on the tread	
Fail Nearside Windscreen wiper blade insecure (8.2.2)	
Fail Nearside Stop lamp not working (1.2.1b)	

MOT #11	2014-08-28 10:48
MOT test number	497620544234
Result	✓ Passed





MOT #10	2013-08-02 09:17
MOT test number	427214313287
Result	✓ Passed
MOT #9	2013-08-01 10:34
MOT test number	578063513268
Result	🗙 Failed
Advice Steering box has a slight oil leak (2.2.D.2e)	
Advice Nearside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Fail Offside Front Steering rack gaiter split (2.2.D.2d)	
Fail Nearside Front Headlamp aim beam image obviously incorrect (1.8.A.1b)	
Notice Rear exhaust join excessively corroded.	
Advice Rear Anti-roll bar corroded but not seriously weakened (2.4.G.1)	
Advice Offside Front Headlamp deteriorated but light output not reduced (1.7.5a)	
Fail Nearside Rear Stop lamp not working (1.2.1b)	
Fail Offside Front Headlamp aim too low and too far to the right. (1.8)	

MOT #8	2012-08-27 11:10
MOT test number	246060042224
Result	✓ Passed
MOT #7	2011-08-19 12:03
MOT test number	737381131228
Result	✓ Passed

Result

Notice

Advise front washers partially blocked





MOT #6	2010-11-18 11:05
MOT test number	902602420333
Result	🗙 Failed
Notice Oil leak	
Fail Offside Front position lamp(s) not working (1.1.A.3b)	
Fail Offside Headlamp not working on dipped beam (1.7.5a)	
MOT #5	2010-08-26 12:48
MOT test number	474358930203
Result	✓ Passed
MOT #4	2009-08-20 13:11
MOT test number	180112639249
Result	✓ Passed
MOT #3	2008-08-22 16:46
MOT test number	362875138243
Result	✓ Passed
MOT #2	2007-08-17 14:20
MOT test number	793919427270
Result	✓ Passed
MOT #1	2006-08-19 11:21
MOT test number	130501936233
Result	✓ Passed





Damage history

Check the damage history for this HONDA. See if, where and when this HONDA had damage and the car repair costs. We also check if this HONDA was scrapped. Download the premium report <u>here</u> for the results.

Damage 1	
Date	
Category	Lamp
Туре	
Damage 2	AMPLI
Date	1.E
Category	AMP
Туре	

Extra HONDA salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Vehicle valuation

What is this car worth? See the vehicle value of this HONDA in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	4.00.000
Auction value	4 10.000
Average private trade value	4 10.200

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this HONDA? How many owners did this HONDA have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

And a second sec	

	More info >
Plate changes	
See in this check if this HONDA had different number plates.	
Number of plates	,
Current registration	
Plate since	
Current registration	
Rate sizes	





Finance check

Check if this HONDA is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this HONDA has been settled.

If not, and you buy this HONDA then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this HONDA is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	


More info >





Mileage check

Odometer	In miles
Mileage registrations	29
First mileage registration	2001-09-01
Last registration	2023-07-03
Complete history	<u>See info</u>



Registration #1	2001-09-01	11 mi
Registration #2	2006-08-19	30.786 mi
Registration #3	2007-08-17	36.644 mi
Registration #4	2008-08-22	41.810 mi
Registration #5	2009-08-20	47.455 mi
Registration #6	2010-08-26	52.442 mi
Registration #7	2010-11-18	53.636 mi
Registration #8	2011-08-19	56.853 mi
Registration #9	2012-08-27	61.550 mi
Registration #10	2013-08-01	65.728 mi
Registration #11	2013-08-02	65.736 mi
Registration #12	2014-08-28	70.111 mi
Registration #13	2015-08-25	74.583 mi
Registration #14	2015-08-25	74.583 mi
Registration #15	2016-08-05	79.268 mi
Registration #16		11.777 est
Registration #17		11.777 esi
Registration #18		11.777 esi
Registration #19		11.777 mi
Registration #20		11.117 est
Registration #21		11.777 esi
Registration #22		11.117 est
Registration #23		11.777 mi
Registration #24		11.227 mi
Registration #25		11.777 mi
Registration #26		11.117 mil
CarCheck.co.uk		page 15/16

Registration #27	10.317 esi
Registration #28	11.777 est
Registration #29	11.777 esi

More info \rightarrow





Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1750 mm
Height	1430 mm
Length	4595 mm
Kerb weight	1380 kg
Additional information	
Additional information Fuel tank capacity	65 l
	65 l Multi-Point Injection
Fuel tank capacity	