



Mercedes-Benz

NH04PLZ

report date: 2024-03-28

General information

Make	MERCEDES
Model	SPRINTER 311 CDI LWB C/C
Colour	White
Year of manufacture	2004
Gearbox	5 speed Manual

Engine & fuel consumption

Engine capacity	2.148 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



Internet history

Entry 1

Date	2022-01-06
Pictures	8
Listing price	View report



source: cargurus.co.uk



MOT history

MOT expiry date	2025-03-06
MOT pass rate	68 %
MOT passed	15
Failed MOT tests	7
Total advice items	92
Total items failed	45

MOT #222024-03-07 17:46

MOT test number159799101561

ResultPassed

Next expiry date2025-03-06

- Minor

Offside Rear Outer Position lamp with a multiple light source up to 1/2 not functioning (4.2.1 (a) (i))
- Advice

Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Minor

Windscreen damaged but not adversely affecting driver's view (3.2 (a) (i))
- Advice

Nearside Front Integral body structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))
- Advice

Front Headlamp has a product on the lens but not seriously reducing light output both (4.1.4 (b))
- Advice

Nearside Rear Outer Suspension component corroded but not seriously weakened (5.3.3 (b) (i))
- Minor

Nearside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice

Rear Brake pipe corroded, covered in grease or other material both sides (1.1.11 (c))
- Advice

Front Washers weak
- Advice

Offside Front Integral body structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))



MOT #212023-02-16 09:59

MOT test number243795989398

Result

✓ Passed

- Advice

Nearside Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))
- Advice

Nearside Rear Outer Suspension spring mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))
- Minor

Nearside Rear Registration plate lamp inoperative in the case of multiple lamps or light sources (4.7.1 (b) (i))
- Advice

Offside Front Body not fully secure (6.2.2 (a) (i))
- Advice

Offside Vehicle structure is corroded but structural rigidity is not significantly reduced (6.1.1 (c) (i))
- Advice

Nearside Front Brake pipe corroded, covered in grease or other material (1.1.11 (c))
- Advice

Nearside Front Body not fully secure (6.2.2 (a) (i))

**MOT #20**

2021-11-25 15:00

MOT test number

275000402774

Result**✗ Failed**

- Fail** Emissions not tested (8.2.2.2 (e))
- Fail** Central Rear Vehicle structure corroded to the extent that the rigidity of the assembly is significantly reduced (6.1.1 (c) (i))
- Fail** Nearside Front Headlamp light intensity severely reduced (4.1.4 (a))
- Fail** Offside Rear Anti-roll bar pin or bush excessively worn (5.3.4 (a) (i))
- Fail** Offside Front Lower Seat belt anchorage likely to become detached in the event of a collision (7.1.1 (a) (ii))
- Fail** Service brake efficiency below requirements (1.2.2 (a) (i))
- Fail** Offside Front Cab steps so insecure it is likely to cause injury (6.2.8 (a) (ii))
- Fail** Stop lamp(s) all not working (4.3.1 (a) (iii))
- Fail** Rear Brakes imbalanced across an axle Axle 2 (1.2.1 (b) (i))
- Fail** Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))
- Fail** Central Vehicle structure corroded to the extent that the rigidity of the assembly is significantly reduced (6.1.1 (c) (i))
- Fail** Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting (6.2.2 (d) (i))
- Fail** Nearside Rear Anti-roll bar pin or bush excessively worn (5.3.4 (a) (i))
- Fail** Offside Front Headlamp light intensity severely reduced (4.1.4 (a))
- Fail** Nearside Front Cab steps so insecure it is likely to cause injury (6.2.8 (a) (ii))
- Fail** Front Brakes imbalanced across an axle Axle 1 (1.2.1 (b) (i))
- Fail** Nearside Front Lower Seat belt anchorage likely to become detached in the event of a collision (7.1.1 (a) (ii))
- Minor** Rear Electrical wiring inadequately secured (4.11 (a) (i))
- Fail** Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))
- Fail** Parking brake efficiency less than 50% of the required value (1.4.2 (a) (ii))

**MOT #19** 2020-11-09 09:38**MOT test number** 721762409381**Result** ✓ Passed**MOT #18** 2019-05-02 15:04**MOT test number** 125165276003**Result** ✓ Passed**Advice** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))**MOT #17** 2018-05-04 10:58**MOT test number** 184512455780**Result** ✓ Passed**Advice** Headlamp deteriorated but light output not reduced Both (1.7.5a)**MOT #16** 2017-02-22 14:29**MOT test number** 270343857430**Result** ✓ Passed**Advice** Offside Rear Anti-roll bar linkage has slight play in a pin/bush (2.4.G.2)**Advice** Nearside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Rear Tyre worn close to the legal limit (4.1.E.1)**Advice** Nearside Front Brake pipe slightly corroded (3.6.B.2c)**Advice** Rear Vehicle structure has slight corrosion (6.1.B.2)**Advice** Headlamp deteriorated but light output not reduced Both (1.7.5a)**Advice** Offside Front Tyre worn close to the legal limit (4.1.E.1)**Advice** Offside Front Brake pipe slightly corroded (3.6.B.2c)

**MOT #15** 2016-02-24 17:20**MOT test number** 614331277459**Result** ✓ Passed**Advice** Front Headlamp deteriorated but light output not reduced Both (1.7.5a)**MOT #14** 2015-03-04 08:12**MOT test number** 975563865004**Result** ✓ Passed**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)**Advice** Power steering pipe(s) or hose(s) has slight seepage (2.3.3b)**Advice** Front Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)**MOT #13** 2015-03-04 08:12**MOT test number** 139563665420**Result** ✗ Failed**Pass with rectification** Offside Inner Rear position lamp(s) not working (1.1.A.3b)**Advice** Front Seat belt anchorage prescribed area is corroded but not considered excessive (5.2.6)**Advice** Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)**Pass with rectification** Nearside Inner Rear position lamp(s) not working (1.1.A.3b)**Pass with rectification** Offside Outer Rear position lamp(s) not working (1.1.A.3b)**Advice** Power steering pipe(s) or hose(s) has slight seepage (2.3.3b)**MOT #12** 2013-08-20 09:10**MOT test number** 147502333239**Result** ✓ Passed**Advice** Parking brake: parking brake efficiency only just met. It would appear that the braking system requires adjustment or repair. (3.7.B.7)

**MOT #11** 2012-07-24 12:56**MOT test number** 929316802200**Result** ✓ Passed**Advice** Nearside Front Seat belt cut but webbing not significantly weakened (5.2.2a)**MOT #10** 2011-09-26 15:01**MOT test number** 556179661279**Result** ✓ Passed**MOT #9** 2011-09-22 14:02**MOT test number** 305405961467**Result** ✗ Failed**Fail** Parking brake: efficiency below requirements (3.7.B.7)**Fail** Nearside Front suspension has excessive play in a lower suspension ball joint (2.5.B.1a)**Advice** Rear Exhaust has a minor leak of exhaust gases (7.1.2)**MOT #8** 2010-09-24 11:04**MOT test number** 960047960247**Result** ✓ Passed**Notice** O/s/f seat belt anchor incomplete

**MOT #7** 2010-09-22 14:32**MOT test number** 480175960271**Result** ✗ Failed

- Fail** Nearside Rear position lamp(s) not working (1.1.A.3b)
- Fail** Nearside Front suspension has excessive play in a lower suspension ball joint (2.5.B.1a)
- Fail** Parking brake: efficiency below requirements (3.7.B.7)
- Fail** Rear Registration plate lamp not working (1.1.C.1d)
- Fail** Offside Rear fog lamp not working (1.3.2b)
- Fail** Offside Front suspension has excessive play in a lower suspension ball joint (2.5.B.1a)
- Notice** O/s/f seat belt anchor incomplete

MOT #6 2009-09-29 07:58**MOT test number** 793652079299**Result** ✓ Passed**MOT #5** 2009-09-28 12:23**MOT test number** 922681279219**Result** ✗ Failed

- Fail** Rear Registration plate lamp not working (1.1.5c)
- Fail** Nearside Rear Leaf spring to axle securing nut insecure (2.4.B.7b)
- Notice** Play in front anti-roll bar link arm bushes
- Fail** Parking brake: efficiency below requirements (3.7.B.7)



MOT #4

2008-09-29 16:53

MOT test number

294483878238

Result

✓ Passed

- Advice

Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice

Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
- Advice

Nearside Front Brake pad(s) wearing thin (3.5.1g)
- Advice

Offside Front Direction indicator slightly discoloured (1.4.A.2f)
- Advice

Offside Front Anti-roll bar linkage rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)
- Notice

Play in steering rack
- Advice

Nearside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)
- Notice

Offside front tyre wearing on inner edge
- Advice

Offside Front Seat belt flexible stalk deteriorated but not likely to lead to failure under load (5.2.4a)
- Advice

Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice

Nearside Front Direction indicator slightly discoloured (1.4.A.2f)
- Advice

Offside Front Brake pad(s) wearing thin (3.5.1g)
- Advice

Nearside Front Anti-roll bar linkage rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)
- Advice

Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)
- Notice

Front bumper loose



MOT #3	2008-09-26 11:55
MOT test number	111930878260
Result	✗ Failed

Advice Offside Front Direction indicator slightly discoloured (1.4.A.2f)

Notice Play in steering rack

Fail Centre Front position lamp(s) not working (1.1.A.3b)

Advice Offside Front Anti-roll bar linkage rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)

Notice Front bumper loose

Fail Offside Rear fog lamp not working (1.3.2b)

Fail Brake pedal creeps down while the pedal is held under pressure (3.3.B.1a)

Advice Nearside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)

Advice Offside Front Seat belt flexible stalk deteriorated but not likely to lead to failure under load (5.2.4a)

Fail Offside Front Upper Front position lamp(s) not working (1.1.A.3b)

Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

Advice Nearside Front Direction indicator slightly discoloured (1.4.A.2f)

Fail Rear Rear position lamp(s) excessively deteriorated so that it is not visible from a reasonable distance (1.1.A.3d)

Advice Offside Front Brake pad(s) wearing thin (3.5.1g)

Advice Nearside Front Anti-roll bar linkage rubber mounting deteriorated but not resulting in excessive movement (2.4.G.2)

Notice Front tyres wearing on inner edges

Fail Offside Stop lamp excessively deteriorated so that it is not visible from a reasonable distance (1.2.1d)

Advice Offside Front Lower Suspension arm has slight play in a ball joint (2.4.G.2)

Fail Nearside Front Tyre has a cut in excess of the requirements deep enough to reach the ply or cords (4.1.D.1a)

Fail Brake pedal creeps down under servo assistance and touches the floor (3.3.C.3)

Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

Advice Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)

Fail Offside Front Lower Front position lamp(s) not in good working order (function impaired) (1.1.4a)

Advice Nearside Front Brake pad(s) wearing thin (3.5.1g)



MOT #2

2007-10-04 08:24

MOT test number

664357977202

Result		✓ Passed
Notice	Wiper blades starting to split	
Advice	Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)	
Notice	Slight wear in front lower suspension ball joints	
Notice	Brake pedal slightly spongy	
Notice	Offside marker lamp not working	
Notice	Slight damage to front number plate	
Notice	Slight wear in rear anti roll bar bushes	
Notice	Parking brake just passed performance test at 16%	
Notice	Front brake discs slightly worn	
Notice	Nearside rear outer side lamp not working	
Notice	Slight wear in steering rack	



MOT #1	2007-10-03 10:27
MOT test number	363256477485
Result	✗ Failed
Notice	Slight wear in rear anti roll bar bushes
Notice	Front brake discs slightly worn
Notice	Nearside rear outer side lamp not working
Fail	Offside Headlamp aim too low (1.8)
Notice	Slight wear in steering rack
Advice	Windscreen has damage to an area less than a 40mm circle outside zone 'A' (8.3.1d)
Notice	Wiper blades starting to split
Notice	Slight wear in front lower suspension ball joints
Notice	Brake pedal slightly spongy
Notice	Offside marker lamp not working
Fail	Nearside Stop lamp not working (1.2.1b)
Fail	Parking brake: efficiency below requirements (3.7.B.7)
Notice	Slight damage to front number plate



Tax & MOT check

✓
Taxed
Tax due:
1 April 2025

✓
MOT
Expires:
6 March 2025

Tax status		Valid until 1 April
Days left		336
MOT expiry date		6 March 2025
Full MOT history		See MOT history



Damage history

Check the damage history for this MERCEDES. See if, where and when this MERCEDES had damage and the car repair costs. We also check if this MERCEDES was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	



Damage 2

Date	
Category	
Type	



Extra MERCEDES salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this MERCEDES in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this MERCEDES? How many owners did this MERCEDES have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this MERCEDES had different number plates.

Number of plates	1
Current registration	 XXXXX
Plate since	2024-03-28
Current registration	 XXXXX
Plate since	2024-03-28

More info >



Finance check

Check if this MERCEDES is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MERCEDES has been settled.

If not, and you buy this MERCEDES then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this MERCEDES is financed.

Finance company	REDACTED	REDACTED
Date of agreement	REDACTED	REDACTED
Agreement type	REDACTED	REDACTED
Agreement term	REDACTED	REDACTED
Agreement number	REDACTED	REDACTED
Contact info	REDACTED	REDACTED

More info >



Mileage check

Odometer	In miles
Mileage registrations	23
First mileage registration	2004-07-16
Last registration	2024-03-07
Complete history	See info



Registration #1	2004-07-16	26 mi
Registration #2	2007-10-03	49.772 mi
Registration #3	2007-10-04	49.774 mi
Registration #4	2008-09-26	68.807 mi
Registration #5	2008-09-29	68.809 mi
Registration #6	2009-09-28	85.949 mi
Registration #7	2009-09-29	85.949 mi
Registration #8	2010-09-22	97.459 mi
Registration #9	2010-09-24	97.465 mi
Registration #10	2011-09-22	105.701 mi
Registration #11	2011-09-26	105.701 mi
Registration #12	2012-07-24	113.357 mi
Registration #13	2013-05-20	121.377 mi
Registration #14	2013-05-20	121.377 mi
Registration #15	2013-05-20	121.377 mi
Registration #16	2013-05-20	121.377 mi
Registration #17	2013-05-20	121.377 mi
Registration #18	2013-05-20	121.377 mi
Registration #19	2013-05-20	121.377 mi
Registration #20	2013-05-20	121.377 mi
Registration #21	2013-05-20	121.377 mi
Registration #22	2013-05-20	121.377 mi
Registration #23	2013-05-20	121.377 mi

More info >



Dimensions & weight

Width	1933 mm
Height	2145 mm
Length	6280 mm
Wheel base	4025 mm
Max. allowed weight	3500 kg

Additional information

Fuel tank capacity	75 l
Fuel delivery	Direct Injection
Number of seats	2
Number of axles	2
Engine number	61198150910552