

Ford



General information

Make	FORD
Model	PUMA MILLENIUM
Colour	Blue
Year of manufacture	2000
Top speed	126 mph
0 - 60 mph	8.8 seconds
Gearbox	5 speed Manual

Engine & fuel consumption

Power	123 BHP
Max. torque	157 Nm at 4.500 rpm
Engine capacity	1.679 cc
Cylinders	4
Fuel type	Petrol
Consumption city	29.1 mpg
Consumption extra urban	46.3 mpg
Consumption combined	38.2 mpg



Internet history

Entry 1

Date

Pictures

2021-07-20

17

Listing price

View report



source: autotrader.co.uk



MOT history

MOT expiry date	2024-06-30
MOT pass rate	64 %
MOT passed	16
Failed MOT tests	9
Total advice items	67
Total items failed	34

MOT #25	2023-07-01 09:08
MOT test number	312252065169
Result	✓ Passed
Next expiry date	2024-06-30

MOT #24	2022-06-01 09:11
MOT test number	589007628063
Result	✓ Passed

MOT #23	2021-04-08 09:58
MOT test number	997051338584
Result	✓ Passed
Advice Nearside Front Inner Track rod end ball joint has slight play (2.1.3 (b) (i))	





MOT #22	2019-05-03 16:22
MOT test number	436254024686
Result	✓ Passed
Advice Nearside Front Tyre worn close to legal limit/worn on edge Wearing on in	nner edge (5.2.3 (e))
Advice Nearside Front Brake pipe corroded, covered in grease or other material corroded (1.1.11 (c))	Pipe at inner arch slightly
Advice Nearside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))	
Advice Rear Axle slightly corroded across its length but not weakened	
Advice Oil leak, but not excessive Oil Leak from engine (8.4.1 (a) (i))	
Advice Offside Front Brake pipe corroded, covered in grease or other material Picture (1.1.11 (c))	ipe at inner arch slightly

MOT #21		2017-10-18 15:43
MOT test r	number	186566363167
Result		✓ Passed
Advice	Nearside Rear Vehicle structure has slight corrosion rear chassis rail (6.1.A.1)	
Advice	Offside rear brake fluctuating, but not excessively (3.7.B.3)	
Advice	Nearside Rear Tyre worn close to the legal limit on 1.6mm (4.1.E.1)	
Advice	Nearside rear brake fluctuating, but not excessively (3.7.B.3)	





MOT #20 2017-10-11	1 09:06
MOT test number 4967349	984480
Result	Failed
Fail Nearside Front Brake pipe excessively damaged under brake caliper (3.6.B.2c)	
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	
Advice Nearside Rear Vehicle structure has slight corrosion rear chassis rail (6.1.A.1)	
Fail Offside Seat belt anchorage prescribed area is excessively corroded sill to floor in middle (5.2.6))
Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice Offside front brake fluctuating, but not excessively (3.7.B.3)	
Advice Nearside Rear Tyre worn close to the legal limit on 1.6mm (4.1.E.1)	
Advice Offside rear brake fluctuating, but not excessively (3.7.B.3)	
Fail Offside Rear Suspension component mounting prescribed area is excessively corroded chassis (2.4.A.3)	
Fail Rear Exhaust system not adequately supported silencer mount corroded away (7.1.1)	
Fail Offside Rear Vehicle structure has excessive corrosion which adversely affects braking or steerin brake pipe mount (6.1.A.1)	ng
Fail Nearside front brake excessively fluctuating (3.7.B.3)	
Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	
Advice Nearside rear brake fluctuating, but not excessively (3.7.B.3)	





MOT #19		2016-10-07 15:18
MOT test	number	412594901256
Result		✓ Passed
Advice	Nearside front brake fluctuating, but not excessively (3.7.B.3)	
Advice	Nearside Rear Vehicle structure has slight corrosion (6.1.A.1)	
Advice	Offside rear brake fluctuating, but not excessively (3.7.B.3)	
Advice	Offside Rear Tyre worn close to the legal limit 1.6mm (4.1.E.1)	
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5	5.1i)
Advice	Nearside Front tyre wearing on inner edge	
Advice	Offside front brake fluctuating, but not excessively (3.7.B.3)	
Advice	Nearside rear brake fluctuating, but not excessively (3.7.B.3)	
Advice	Nearside Front Tyre worn close to the legal limit 2mm (4.1.E.1)	
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3	3.5.1i)



K10FRP report date: 2024-03-29

MOT #18	2016-10-07 09:18
MOT test number	126934976591
Result	🗙 Failed
Advice Nearside rear brake fluctuating, but not excessively (3.7.B.3)	
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	
Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3.	5.1i)
Fail Nearside Front suspension has excessive play in a lower suspension ball joint (2.5.B)	8.1a)
Advice Nearside Rear Vehicle structure has slight corrosion (6.1.A.1)	
Advice Offside Rear Tyre worn close to the legal limit 1.6mm (4.1.E.1)	
Advice Offside front brake fluctuating, but not excessively (3.7.B.3)	
Advice Offside rear brake fluctuating, but not excessively (3.7.B.3)	
Fail Nearside Rear Suspension component mounting prescribed area is excessively corr	oded (2.4.A.3)
Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.	.1i)
Advice Nearside Front Tyre worn close to the legal limit 2mm (4.1.E.1)	
Advice Nearside Front tyre wearing on inner edge	
Advice Nearside front brake fluctuating, but not excessively (3.7.B.3)	



MOT #17		2015-10-14 14:19
MOT test	number	676854733562
Result		✓ Passed
Advice	Nearside Front front brake fluctuating, but not excessively (3.7.B.3)	
Advice	Nearside Front brake disc worn, pitted or scored, but not seriously weakened	l (3.5.1i)
Advice	Offside Front tyre wearing on inner edge	
Advice	Nearside Rear Vehicle structure has slight corrosion (6.1.A.1)	
Advice	Offside Front front brake fluctuating, but not excessively (3.7.B.3)	
Advice	Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

MOT #16	2015-10-13 08:52
MOT test number	511203688305
Result	🗙 Failed
Advice Offside Front brake disc worn, pitted or scored, but not seriously weakened (3.5	5.1i)
Fail Exhaust emissions carbon monoxide content at idle excessive (7.3.D.4)	
Advice Nearside Front front brake fluctuating, but not excessively (3.7.B.3)	
Fail Nearside Front suspension has excessive play in a lower suspension ball joint (2.5.	B.1a)
Fail Offside Rear Suspension component mounting prescribed area is excessively corro (2.4.A.3)	ded inner sill
Advice Nearside Front brake disc worn, pitted or scored, but not seriously weakened (3	3.5.1i)
Advice Nearside Rear Vehicle structure has slight corrosion (6.1.A.1)	
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	1
Advice Offside Front front brake fluctuating, but not excessively (3.7.B.3)	
Fail Nearside Rear Suspension component mounting prescribed area is excessively cor (2.4.A.3)	roded inner sill
Advice Offside Front tyre wearing on inner edge	
Advice Nearside Suspension component mounting prescribed area is corroded but not excessive outer sill (2.4.A.3)	considered



K10FRP
report date: 2024-03-29

MOT #15	2014-10-14 16:14
MOT test number	856967084249
Result	✓ Passed
Advice Offside Outer Rear Suspension component mounting prescribed area is considered excessive (2.4.A.3)	corroded but not
Advice Nearside Outer Rear Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3)	
Advice Nearside front brake fluctuating, but not excessively (3.7.B.3)	
MOT #14	2014-10-14 09:50
MOT test number	226457884288
Result	🗙 Failed
Advice Nearside Outer Rear Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3)	

Advice Nearside front brake fluctuating, but not excessively (3.7.B.3)

Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)

Advice Offside Outer Rear Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3)

MOT #13	2013-10-11 10:16
MOT test number	365424983468
Result	✓ Passed

MOT #12	2013-10-10 09:58
MOT test number	797533183279
Result	🗙 Failed
Fail Nearside Front Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Advice Nearside front brake fluctuating, but not excessively (3.7.B.3)	
Fail Offside Registration plate lamp not working (1.1.C.1d)	
Fail Offside Rear Brake pad(s) less than 1.5 mm thick (3.5.1g)	
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	



MOT #11		2012-10-04 13:41
MOT test	number	727278672275
Result		✓ Passed
Advice	Nearside front brake juddering slightly (3.7.A.2b)	
Notice	Front brake pads about 6 8000 miles left.	

MOT #102012-10-04 09:45MOT test number966958772238Result× FailedAdviceNearside front brake juddering slightly (3.7.A.2b)NoticeFront brake pads about 6 8000 miles left.FailExhaust emissions carbon monoxide content at idle excessive (7.3.D.4)

MOT #9	2011-10-15 12:28
MOT test number	305328681448
Result	✓ Passed

MOT #8	2011-03-11 14:08
MOT test number	277800171052
Result	✓ Passed
Notice Corrosion both sills, weep p.a.s. pump area.	

MOT #7		2010-03-26 13:49
MOT test	number	852045980007
Result		✓ Passed
Notice	Surface corrosion inner sills + floor pans	
Notice	N/s/f tyre on limit + chunks out of sidewall	
Notice	Both front tyres wearing on inner edges	







MOT #6	2009-04-04 12:15
MOT test number	324584799083
Result	✓ Passed
MOT #5	2009-03-28 10:03
MOT test number	182137289427
Result	🗙 Failed
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	
Fail Offside Headlamp aim too high and too far to the left. (1.8)	
Fail Nearside Headlamp aim too low (1.8)	

МОТ #4	2008-03-22 11:55
MOT test number	321972588072
Result	✓ Passed

MOT #3	2006-08-10 20:29
MOT test number	450232626248
Result	✓ Passed
MOT #2	2006-08-10 20:10
MOT test number	483212626299
Result	🗙 Failed

Fail Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)





MOT #1 2000	6-08-08 16:31
MOT test number 1	54060826264
Result	🗙 Failed
Fail Offside Upper Power steering pipe(s) or hose(s) leaking from a joint (2.3.3b)	
Fail Rear Tyre(s) incorrect because tyres with different aspect ratios are fitted on the same as (4.1.A.1a)	de.
Fail Offside Front Anti-roll bar rubber mounting bonding deteriorated resulting in excessive m (2.4.G.2)	ovement
Fail Exhaust emissions carbon monoxide content after 2nd fast idle excessive (7.3.D.3)	
Fail Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)	
Fail Front Tyre(s) incorrect because tyres with different aspect ratios are fitted on the same a (4.1.A.1a)	xle.
Advice Centre Exhaust has a minor leak of exhaust gases (7.1.2)	
Fail Nearside Front Anti-roll bar rubber mounting deteriorated resulting in excessive moveme	nt (2.4.G.2)
FailFront Exhaust system not adequately supported (7.1.1)	
Fail Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)	



Tax & MOT check

X Untaxed	√ МОТ	
Tax expired: 17 October 2022	Expires: 30 June 2024	
Tax status	Expired at 17 October 202	22
Days left	561 days too la	ate
MOT expiry date	30 June 20)24
Full MOT history	See MOT histo	ory



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report <u>here</u> for the results.

Damage 1		
Date		
Category		ARMP
Туре		
Damage 2		AMPLE
	E E	AT I
Date		*
Category	AMA	
Туре	No. Contraction of the second se	

Extra FORD salvage check

If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report <u>here</u> for more information.

More info \rightarrow





Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report <u>here</u>.

xxxxxxxx	

	More info >
Plate changes	
See in this check if this FORD had different number plates.	
Number of plates	,
Carrent registration	
Plate since	
Current registration	
Plate since	



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report <u>here</u> and check if this FORD is financed.

Finance company	
Date of agreement	
Agreement type	
Agreement term	
Agreement number	
Contact info	

More info \rightarrow



K10FRP report date: 2024-03-29

Mileage check

Odometer	In miles
Mileage registrations	27
First mileage registration	2000-07-19
Last registration	2023-07-01
Complete history	See info



Registration #1	2000-07-19	22 mi
Registration #2	2006-08-08	45.493 mi
Registration #3	2006-08-10	45.511 mi
Registration #4	2006-08-10	45.511 mi
Registration #5	2008-03-22	53.554 mi
Registration #6	2009-03-28	59.717 mi
Registration #7	2009-04-04	59.758 mi
Registration #8	2010-03-26	67.201 mi
Registration #9	2011-03-11	72.864 mi
Registration #10	2011-10-15	77.644 mi
Registration #11	2012-10-04	82.598 mi
Registration #12	2012-10-04	82.614 mi
Registration #13	2013-10-10	87.038 mi
Registration #14	2013-10-11	87.049 mi
Registration #15		11.777 esi
Registration #16		11.777 esi
Registration #17		11.777 mi
Registration #18		11.777 esi
Registration #19		11.777 esi
Registration #20		11.777 est
Registration #21		11.777 mi
Registration #22		11.117 est
Registration #23		11.777 mi
Registration #24		11.777 mi
Registration #25		11.777 mi
Registration #26		11.777 mi
CarCheck.co.uk		page 17/18

More info \rightarrow





Car features

S0225	Air conditioning
\$0295	
S0482	
\$0501	
\$0566	
S0567	
S0569	

Safety ratings

NCAP rating

Video

see crash video



Dimensions & weight	
Width	1828 mm
Height	1346 mm
Length	3987 mm
Wheel base	2446 mm
Kerb weight	1040 kg
Additional information	
Fuel tank capacity	42
Fuel delivery	Multi-Point Injection
Number of doors	3
Number of axles	2