



YX550LN

report date: 2024-03-29

General information

Make	FORD
Model	GALAXY GHIA TDDI
Colour	Blue
Year of manufacture	-
Top speed	124 mph
Gearbox	6 speed Manual

Engine & fuel consumption

Power	150 BHP
Max. torque	310 Nm at 1.900 rpm
Cylinders	4
Fuel type	Diesel
Consumption city	33.6 mpg
Consumption extra urban	51.4 mpg
Consumption combined	42.8 mpg



LABEL UNKNOWN



Internet history

Entry 1

Date	2021-07-14
Pictures	15
Listing price	View report



source: [autotrader.co.uk](#)

**MOT history**

MOT #23	2021-07-24 15:21
MOT test number	477609586682
Result	✓ Passed
Next expiry date	2022-07-23
Advice	Oil wax sprayed to underbody front to rear
Advice	Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))

MOT #22	2021-07-22 09:31
MOT test number	897459760977
Result	✗ Failed
Advice	Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))
Fail	Nearside Front Inner Seat belt anchorage prescribed area strength or continuity significantly reduced (7.1.1 (a) (i))
Advice	Oil wax sprayed to underbody front to rear
Advice	Rear Brake disc worn, pitted or scored, but not seriously weakened both sides (1.1.14 (a) (ii))

MOT #21	2021-01-20 14:51
MOT test number	445671866663
Result	✓ Passed

MOT #20	2021-01-20 10:33
MOT test number	933423165611
Result	✗ Failed
Fail	Offside Front Subframe mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))
Fail	Offside Headlamp aim projected beam image is obviously incorrect (4.1.2 (c))
Fail	Spare wheel carrier insecure (6.1.5 (a))



MOT #192020-01-31 16:49

MOT test number859163077369

Result		✓ Passed
Advice	Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))	
Advice	Front Oil leak, but not excessive (8.4.1 (a) (i))	
Advice	Offside Rear Coil spring corroded (5.3.1 (b) (i))	
Advice	Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))	
Advice	Nearside Front Coil spring corroded (5.3.1 (b) (i))	
Advice	Nearside Rear Coil spring corroded (5.3.1 (b) (i))	
Advice	Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))	



MOT #18	2020-01-25 12:28
MOT test number	821706372611
Result	✗ Failed

- Advice** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Fail** Offside Front Inner Suspension component mounting prescribed area so inadequately repaired that control of the vehicle is likely to be adversely affected inner siling (5.3.6 (a) (ii))
- Advice** Offside Front Brake pipe corroded, covered in grease or other material on the calliper (1.1.11 (c))
- Fail** Nearside Front Outer Brake pipe excessively corroded (1.1.11 (c))
- Advice** Nearside Rear Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Fail** Offside Rear Brake pipe excessively corroded REAR center (1.1.11 (c))
- Advice** Offside Front Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Rear Coil spring corroded (5.3.1 (b) (i))
- Advice** Offside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Fail** Electronic braking system warning device inoperative (1.7 (a))
- Advice** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- Fail** Nearside Front Inner Suspension component mounting prescribed area is corroded to the extent that control of the vehicle is likely to be adversely affected inner silinig (5.3.6 (a) (ii))
- Advice** Nearside Front Brake pipe corroded, covered in grease or other material from on the calliper (1.1.11 (c))
- Fail** Nearside Front Upper Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))
- Fail** Offside Rear Inner Tyre tread pattern not visible over the whole tread area when minimum depth required is 1.0mm (5.2.3 (e))
- Fail** Nearside Rear Brake pipe excessively corroded center rear (1.1.11 (c))
- Advice** Nearside Front Coil spring corroded (5.3.1 (b) (i))
- Advice** Nearside Front Inner Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Advice** Nearside Rear Coil spring corroded (5.3.1 (b) (i))
- Fail** Offside Rear Position lamp not working (4.2.1 (a) (ii))
- Advice** Rear Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))
- Advice** Front Oil leak, but not excessive (8.4.1 (a) (i))

**MOT #17**

2019-08-14 09:10

MOT test number

365142541667

Result

✓ Passed

Advice Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))**Advice** Both front sills & floor corrosion & underbody corrosion**Advice** Rear Tyre worn close to legal limit/worn on edge both (5.2.3 (e))**MOT #16**

2018-07-30 07:36

MOT test number

604113270558

Result

✓ Passed

Advice O/s/r tyre worn close to legal limits n/s/r tyre wearing low on inner edge**MOT #15**

2018-07-27 11:58

MOT test number

265736417825

Result

✗ Failed

Fail Nearside Front Position lamp not working (4.2.1 (a))**Fail** Nearside Front Anti-roll bar linkage ball joint dust cover no longer prevents the ingress of dirt (5.3.4 (b) (ii))**Pass with rectification** Offside Headlamp aim too low (4.1.2 (a))**Advice** O/s/r tyre worn close to legal limits n/s/r tyre wearing low on inner edge**Fail** Offside Rear Shock absorbers has a serious fluid leak (5.3.2 (b))**Fail** Parking brake efficiency less than 50% of the required value (1.4.2 (a) (ii))**Fail** Offside Rear Parking brake inoperative on one side (1.4.1 (a))

**MOT #14** 2017-08-07 10:16**MOT test number** 305600107514**Result** ✓ Passed**Advice** N/s/f tyre worn close to legal limits o/s/f tyre wearing low brake pipes starting to corrode. o/s/r tyre perished sidewall .**Advice** O/s/r shock leak**MOT #13** 2017-08-07 10:16**MOT test number** 108200155864**Result** ✗ Failed**Pass with rectification** Nearside Windscreen wiper does not clear the windscreen effectively (8.2.2)**Advice** N/s/f tyre worn close to legal limits o/s/f tyre wearing low brake pipes starting to corrode. o/s/r tyre perished sidewall .**Pass with rectification** Offside Front constant velocity joint gaiter deteriorated to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)**Pass with rectification** Offside Windscreen wiper does not clear the windscreen effectively (8.2.2)**Advice** O/s/r shock leak**MOT #12** 2016-08-15 08:27**MOT test number** 643146462208**Result** ✓ Passed**MOT #11** 2016-08-15 08:27**MOT test number** 593195818966**Result** ✗ Failed**Pass with rectification** Nearside Outer Front constant velocity joint gaiter damaged to the extent that it no longer prevents the ingress of dirt etc (2.5.C.1a)

**MOT #10** 2015-08-17 13:09**MOT test number** 758679825250**Result** ✓ Passed**Advice** Front Front constant velocity joint gaiter deteriorated, but preventing the ingress of dirt (2.5.C.1a)**Advice** Nearside Rear Shock absorber has a light misting of oil (2.7.3)**MOT #9** 2014-09-03 15:00**MOT test number** 135946044299**Result** ✓ Passed**Notice** O/s rear, rear seat not fitted and seat belt not checked**Advice** Front Front constant velocity joint gaiter damaged, but preventing the ingress of dirt (2.5.C.1a)**Advice** Front Brake pipe slightly corroded (3.6.B.2c)**MOT #8** 2013-09-10 15:55**MOT test number** 225623753278**Result** ✓ Passed

**MOT #7** 2013-09-09 13:12**MOT test number** 178582153235**Result** ✗ Failed

- Fail** Offside Headlamp aim too high (1.8)
- Fail** Parking brake: efficiency below requirements (3.7.B.7)
- Fail** Nearside Front Brake pipe excessively corroded (3.6.B.2c)
- Advice** Offside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Fail** Nearside Rear Brake pipe excessively corroded (3.6.B.2c)
- Fail** Offside rear parking brake recording little or no effort (3.7.B.6a)
- Fail** Nearside Headlamp aim too high (1.8)
- Fail** Nearside rear brake binding (3.7.B.1)
- Fail** Offside Rear coil spring broken (2.4.C.1a)
- Advice** Nearside Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Fail** Offside Front Brake pipe excessively corroded (3.6.B.2c)
- Fail** Offside Rear Brake pipe excessively corroded (3.6.B.2c)
- Fail** Nearside rear brake excessively fluctuating (3.7.B.3)

MOT #6 2012-09-27 14:36**MOT test number** 308491072419**Result** ✓ Passed

- Notice** Child seat fitted not allowing full inspection of adult belt

MOT #5 2011-09-07 14:00**MOT test number** 507750351207**Result** ✓ Passed



MOT #4	2010-09-01 13:44
MOT test number	243494040204
Result	✓ Passed
Advice	Offside Rear Tyre worn close to the legal limit (4.1.E.1)
Advice	Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

MOT #3	2009-09-17 08:48
MOT test number	533140269214
Result	✓ Passed

MOT #2	2009-09-16 14:29
MOT test number	913449759247
Result	✗ Failed
Fail	Rear Exhaust has part of the system excessively deteriorated (7.1.1a)

MOT #1	2008-09-10 14:08
MOT test number	473744158272
Result	✓ Passed



Damage history

Check the damage history for this FORD. See if, where and when this FORD had damage and the car repair costs. We also check if this FORD was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra FORD salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this FORD in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this FORD? How many owners did this FORD have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration
Owner	Registration

More info >

Plate changes

See in this check if this FORD had different number plates.

Number of plates	1
Current registration	YX550LN
Plate since	2019-03-29
Current registration	YX550LN
Plate since	2019-03-29

More info >



Finance check

Check if this FORD is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this FORD has been settled.

If not, and you buy this FORD then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this FORD is financed.

Finance company	XXXXXXXXXX	XXXX
Date of agreement	XXXXXXXXXX	XXXX
Agreement type	XXXXXXXXXX	XXXX
Agreement term	XXXXXXXXXX	XXXX
Agreement number	XXXXXXXXXX	XXXX
Contact info	XXXXXXXXXX	XXXX

More info >



Mileage check

Odometer	In miles
Mileage registrations	25
First mileage registration	2005-09-23
Last registration	2021-07-24
Complete history	See info



Registration #1	2005-09-23	19 mi
Registration #2	2008-09-10	31.607 mi
Registration #3	2009-09-16	41.245 mi
Registration #4	2009-09-17	41.245 mi
Registration #5	2010-09-01	48.657 mi
Registration #6	2011-09-07	56.277 mi
Registration #7	2012-09-27	62.951 mi
Registration #8	2013-09-09	67.195 mi
Registration #9	2013-09-10	67.195 mi
Registration #10	2014-09-03	84.704 mi
Registration #11	2015-08-17	93.505 mi
Registration #12	2016-08-15	100.676 mi
Registration #13	2016-08-15	100.676 mi
Registration #14	2016-08-15	100.676 mi
Registration #15	2016-08-15	100.676 mi
Registration #16	2016-08-15	100.676 mi
Registration #17	2016-08-15	100.676 mi
Registration #18	2016-08-15	100.676 mi
Registration #19	2016-08-15	100.676 mi
Registration #20	2016-08-15	100.676 mi
Registration #21	2016-08-15	100.676 mi
Registration #22	2016-08-15	100.676 mi
Registration #23	2016-08-15	100.676 mi
Registration #24	2016-08-15	100.676 mi
Registration #25	2016-08-15	100.676 mi



Car features

The FORD factory car options list is only available in the premium report.

S0225	Air conditioning
S0295	
S0482	
S0501	
S0566	
S0567	
S0569	

View the complete FORD factory list for this vehicle [here](#).

More info >

Dimensions & weight

Width	2142 mm
Height	1759 mm
Length	4641 mm
Wheel base	2835 mm
Kerb weight	1724 kg
Max. allowed weight	2510 kg

Additional information

Fuel tank capacity	70 l
Fuel delivery	Direct Injection
Number of doors	5
Number of seats	7
Number of axles	2
Engine number	5A18386