



Mercedes-Benz



report date: 2024-03-28

General information

Make	MERCEDES
Model	SPRINTER 315 CDI LWB P/V
Colour	Green
Year of manufacture	2008
Gearbox	6 speed Manual

Engine & fuel consumption

Power	150 BHP
Max. torque	330 Nm at 1.200 rpm
Engine capacity	2.148 cc
Cylinders	4
Fuel type	Diesel



LABEL UNKNOWN



## MOT history

MOT expiry date	2024-07-16
MOT pass rate	60 %
MOT passed	12
Failed MOT tests	8
Total advice items	66
Total items failed	27

MOT #20 2023-07-17 16:13

MOT test number 619355329500

Result ✓ Passed

Next expiry date 2024-07-16

- Advice** Offside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Advice** Nearside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Advice** Exhaust emits excessive smoke or vapour but not likely to obscure the vision of other road users (8.2.2.2 (c))
- Advice** Nearside Rear Service brake requirements only just met. It would appear that the braking system requires adjustment or repair (1.2.1 (c))

MOT #19 2023-07-17 16:13

MOT test number 834038663812

Result ✗ Failed

- Advice** Nearside Rear Service brake requirements only just met. It would appear that the braking system requires adjustment or repair (1.2.1 (c))
- Advice** Exhaust emits excessive smoke or vapour but not likely to obscure the vision of other road users (8.2.2.2 (c))
- Pass with rectification** Nearside Front Position lamp not working (4.2.1 (a) (ii))
- Advice** Offside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Pass with rectification** Nearside Headlamp not working on main beam (4.1.1 (a) (ii))
- Advice** Nearside Front Lower Suspension arm ball joint has slight play (5.3.4 (a) (i))

**MOT #18**

2021-12-24 15:25

**MOT test number**

827998433580

**Result**

✓ Passed

- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Advice** Nearside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))

**MOT #17**

2021-12-23 12:54

**MOT test number**

600413513784

**Result**

✗ Failed

- Fail** Nearside Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii))
- Fail** Nearside Headlamp not working on main beam (4.1.1 (a) (ii))
- Advice** Oil leak, but not excessive (8.4.1 (a) (i))
- Advice** Nearside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))
- Fail** Nearside Front Track rod end ball joint has excessive play (2.1.3 (b) (i))
- Fail** Exhaust emissions exceed default limit of 1.5m-1 (8.2.2.2 (b))
- Fail** Exhaust diesel particulate filter shows evidence of tampering. (8.2.2.1 (c))
- Advice** Offside Front Suspension arm ball joint has slight play (5.3.4 (a) (i))

**MOT #16**

2020-12-14 14:41

**MOT test number**

251692402458

**Result**

✓ Passed

**Advice** Offside Rear Anti-roll bar linkage pin or bush worn but not resulting in excessive movement dbush (5.3.4 (a) (i))

**Advice** Offside Play in steering rack inner joint(s)

**Minor** Nearside Obligatory mirror slightly damaged (3.3 (b) (i))

**Advice** Nearside Rear Anti-roll bar linkage pin or bush worn but not resulting in excessive movement dbush (5.3.4 (a) (i))

**Advice** Nearside Play in steering rack inner joint(s)

**Advice** Offside Rear Anti-roll bar linkage pin or bush worn but not resulting in excessive movement drop link bush (5.3.4 (a) (i))

**Minor** Offside Obligatory mirror slightly damaged (3.3 (b) (i))

**Advice** Offside Front Track rod end ball joint has slight play (2.1.3 (b) (i))

**MOT #15**

2019-12-11 12:12

**MOT test number**

490670793425

**Result**

✓ Passed

**Advice** Nearside Rear Anti-roll bar linkage pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

**Advice** Offside Seat belt anchorage prescribed area is corroded but not considered excessive lower B post / outer sill (7.1.1 (a) (i))

**Advice** Nearside Parking brake efficiency only just met. It would appear that the braking system requires adjustment or repair

**Advice** Oil leak, but not excessive (8.4.1 (a) (i))

**MOT #14**

2018-12-01 13:25

**MOT test number**

167654788710

**Result**

✓ Passed

**Advice** Oil leak at turbo

**Advice** Nearside Rear Anti-roll bar pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))



MOT #13

2017-12-09 12:20

MOT test number

629733064978

Result		✓ Passed
Advice	Offside Side repeater damaged, but still visible from a reasonable distance (1.4.A.2e)	
Advice	Offside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Play in steering rack inner joint(s)	
Advice	Offside Rear Brake pad(s) wearing thin (3.5.1g)	
Advice	Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)	
Advice	Rear Brake back plate corroded and weak	
Advice	Nearside Rear Brake pipe slightly corroded (3.6.B.2c)	
Advice	Oil leak	
Advice	Front suspension has slight play in a lower suspension ball joint nearside and offside (2.5.B.1a)	
Advice	Offside Rear position light dim	
Advice	Brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)	

**MOT #12**

2017-12-07 12:42

**MOT test number**

756592422130

**Result****✗ Failed**

- Advice** Front suspension has slight play in a lower suspension ball joint nearside and offside (2.5.B.1a)
- Advice** Windscreen has damage to an area less than a 10mm circle within zone 'A' (8.3.1a)
- Advice** Offside Rear Brake pad(s) wearing thin (3.5.1g)
- Advice** Nearside Rear Brake pipe slightly corroded (3.6.B.2c)
- Fail** Nearside rear parking brake recording little or no effort (3.7.B.6a)
- Advice** Rear Brake back plate corroded and weak
- Fail** Nearside Front Brake pipe excessively corroded (3.6.B.2c)
- Advice** Play in steering rack inner joint(s)
- Fail** Parking brake: efficiency below requirements (3.7.B.7)
- Fail** Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)
- Advice** Offside Side repeater damaged, but still visible from a reasonable distance (1.4.A.2e)
- Advice** Brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)
- Advice** Offside Rear position light dim
- Advice** Offside Rear Brake pipe slightly corroded (3.6.B.2c)
- Fail** Offside rear parking brake recording little or no effort (3.7.B.6a)
- Advice** Oil leak

**MOT #11**

2016-12-07 10:30

**MOT test number**

967853278724

**Result****✓ Passed**

- Advice** Nearside Side repeater damaged, but still visible from a reasonable distance (1.4.A.2e)
- Advice** Rear inboard shoe back plates corroded

**MOT #10** 2016-10-21 13:59**MOT test number** 442059549873**Result** ✗ Failed**Fail** Rear Brakes imbalanced across an axle Axle 2 (3.7.B.5b)**Fail** Parking brake: efficiency below requirements (3.7.B.7)**MOT #9** 2015-10-19 16:07**MOT test number** 121886790453**Result** ✓ Passed**Advice** Note no D M S print out due to low emissions**MOT #8** 2015-10-19 11:48**MOT test number** 564444838464**Result** ✗ Failed**Advice** Note no D M S print out due to low emissions**Fail** Offside Front Outer Track rod end ball joint has excessive play (2.2.B.1f)**MOT #7** 2014-09-27 14:50**MOT test number** 217580274248**Result** ✓ Passed**Notice** Osf tyre wearing thin inner edge

**MOT #6** 2014-09-27 12:35**MOT test number** 369540574490**Result** ✗ Failed**Fail** Offside Front position lamp(s) not working (1.1.A.3b)**Fail** Service brake: efficiency below requirements (3.7.B.7)**Notice** Osf tyre wearing thin inner edge**Fail** Rear parking (secondary) brakes imbalanced (3.7.B.6b)**Fail** Parking brake: efficiency below requirements (3.7.B.7)**MOT #5** 2013-09-27 15:37**MOT test number** 348140673268**Result** ✓ Passed**Notice** Pitting to frt discs**Notice** Oil leak at front**MOT #4** 2012-09-27 10:19**MOT test number** 128971372288**Result** ✓ Passed**Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)**MOT #3** 2012-09-27 10:19**MOT test number** 348991572424**Result** ✗ Failed**Pass with rectification** Offside Stop lamp not working (1.2.1b)**Advice** Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)





MOT #2	2011-09-12 14:17
MOT test number	936295951265
Result	✓ Passed
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)
Advice	Rear Brake pad(s) wearing thin (3.5.1g)
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)

MOT #1	2011-09-08 03:53
MOT test number	767841451243
Result	✗ Failed
Fail	Nearside Body has a sharp edge caused by damage (6.1.C.1)
Advice	Offside Front Tyre worn close to the legal limit (4.1.E.1)
Fail	Front registration plate deteriorated (6.3.1d)
Fail	Offside Rear reflector missing (1.5.1a)
Fail	Offside Front front brake binding (3.7.B.1)
Advice	Nearside Front Tyre worn close to the legal limit (4.1.E.1)
Fail	Windscreen has damage to an area in excess of a 10mm circle within zone 'A' (8.3.1a)
Advice	Rear Brake pad(s) wearing thin (3.5.1g)
Fail	Nearside Rear reflector missing (1.5.1a)
Fail	Front Brake pad(s) less than 1.5 mm thick (3.5.1g)



Damage history


Check the damage history for this MERCEDES. See if, where and when this MERCEDES had damage and the car repair costs. We also check if this MERCEDES was scrapped. Download the premium report [here](#) for the results.

Damage 1

Date	
Category	
Type	

Damage 2

Date	
Category	
Type	



Extra MERCEDES salvage check



If this vehicle was seen at a salvage auction we offer: vehicle pictures, salvage location, retail value. Download the premium report [here](#) for more information.

More info >



Vehicle valuation

What is this car worth? See the vehicle value of this MERCEDES in the premium report. We check: purchase value, age, mileage, MOT history, damages and online sale prices.

Trade retail value	£ 19,999
Auction value	£ 19,999
Average private trade value	£ 19,999

More info >



Owner history

For how long did the current and previous owner(s) have this MERCEDES? How many owners did this MERCEDES have? Check it in the premium report and see all owner registrations. Download the full report [here](#).

Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since
Owner	Since

More info >

Plate changes

See in this check if this MERCEDES had different number plates.

Number of plates	1
Current registration	 <b>YD58GTZ</b>
Plate since	2019-06-29
Current registration	 <b>YD58GTZ</b>
Plate since	2019-06-29

More info >



Finance check

Check if this MERCEDES is financed, has an outstanding loan or finance agreement. If you are purchasing a vehicle it is smart to ensure that any finance that may have been taken out on this MERCEDES has been settled.

If not, and you buy this MERCEDES then you could lose the money and the car you paid for.

Download the premium report [here](#) and check if this MERCEDES is financed.

Finance company	XXXXXXXX XX
Date of agreement	XXXXXXXX XX
Agreement type	XXXXXXXX XX
Agreement term	XXXXXXXX XX
Agreement number	XXXXXXXX XX
Contact info	XXXXXXXX XX

More info >



Mileage check

Odometer	In miles
Mileage registrations	20
First mileage registration	2008-09-25
Last registration	2023-07-17
Complete history	<a href="#">See info</a>



Registration #1	2008-09-25	17 mi
Registration #2	2011-09-08	57.809 mi
Registration #3	2011-09-12	57.809 mi
Registration #4	2012-09-27	70.778 mi
Registration #5	2013-09-27	80.870 mi
Registration #6	2014-09-27	108.098 mi
Registration #7	2014-09-27	108.098 mi
Registration #8	2015-10-19	116.608 mi
Registration #9	2015-10-19	116.608 mi
Registration #10	2016-10-21	118.239 mi
Registration #11	2016-10-21	118.239 mi
Registration #12	2016-10-21	118.239 mi
Registration #13	2016-10-21	118.239 mi
Registration #14	2016-10-21	118.239 mi
Registration #15	2016-10-21	118.239 mi
Registration #16	2016-10-21	118.239 mi
Registration #17	2016-10-21	118.239 mi
Registration #18	2016-10-21	118.239 mi
Registration #19	2016-10-21	118.239 mi
Registration #20	2016-10-21	118.239 mi

More info >



Safety ratings

NCAP rating	★★★★☆
Video	<a href="#">see crash video</a>



Dimensions & weight

Width	1960 mm
Height	3050 mm
Length	6940 mm
Wheel base	4325 mm
Kerb weight	2280 kg
Max. allowed weight	3500 kg

Additional information

Fuel tank capacity	75 l
Fuel delivery	Direct Injection
Number of seats	3
Number of axles	2
Engine number	64698651663061